



2025

Preisliste / price list

Ausgabe 1/2025 / Edition 1/2025

INHALTSVERZEICHNIS

 mèta	ab Seite 6 MÈTA-SMALL, MÈTA Regelbare Wasserversorgungsanlage mit Drucksteuerung <i>Adjustable Boosting system with pressure sensor</i>	 ab Seite 58 A, B-A, C, B-C Pumpen mit offenem Laufrad <i>Centrifugal pumps with open impeller</i>
 e-idos[®] products	ab Seite 8 E-NGX, E-MPS, E-MXP, TS, RS Wasserversorgungsanlage mit Drucksteuerung <i>Boosting system with pressure sensor</i>	 ab Seite 59 CT, T, CA, B-CA Peripheralpumpen, Flüssigkeitsringpumpen <i>Peripheral pumps, liquid ring pumps</i>
	ab Seite 9 NM, NMD, NMS, NM4, B-NM Kreiselpumpen in Blockbauweise <i>Close coupled centrifugal pumps</i>	 ab Seite 60 NGX, NGL, NG, B-NG, MXA Selbstansaugende Jetpumpen <i>Self-priming jet pumps</i>
	ab Seite 13 NM EI, NMS EI, NM4 EI Kreiselpumpen in Blockbauweise (variable Drehzahl) <i>Close coupled centrifugal pumps (variable speed)</i>	 ab Seite 62 GXR, GXV, GX ZERO, GM10, HWK Tauchmotorpumpen <i>Submersible pumps</i>
	ab Seite 21 N, N4, BN, BN4 Norm Kreiselpumpen nach EN 733 <i>End-suction centrifugal pumps acc. EN 733</i>	 ab Seite 66 GQR, GQS, GQN, GQV, GQG Tauchmotorpumpen <i>Submersible pumps</i>
	ab Seite 29 NR, NR4, NRD Inline Kreiselpumpen <i>In-line centrifugal pumps</i>	 ab Seite 69 GM 50, GK Tauchmotorpumpen <i>Submersible pumps</i>
	ab Seite 30 NR EI, NR4 EI, NRDEI Inline Kreiselpumpen (variable Drehzahl) <i>In-line centrifugal pumps (variable speed)</i>	 ab Seite 80 GEO Automatische Schmutzwasser-Hebeanlage <i>Automatic lifting stations</i>
	ab Seite 35 MXH, MXHL, MXP, MGP, MPSU Mehrstufige Kreiselpumpen <i>Multistage stainless steel pumps</i>	 ab Seite 93 MP, MPS, MXS Mehrstufige Reinwasser-Tauchmotorpumpen <i>Multi-stage submersible clean water pumps</i>
	ab Seite 36 MXH EI, MXH-F EI Mehrstufige Kreiselpumpen <i>Multistage stainless steel pumps</i>	 ab Seite 95 SDP, SDX, SDS, SDR Unterwasserpumpen 4, 6, 8, 10, 12, 14, 18" <i>Submersible pumps 4, 6, 8, 10, 12, 14, 18"</i>
	ab Seite 41 MXV, MXV4, MXV-L, MXV-B Mehrstufige vertikale Kreiselpumpen <i>Vertical multi-stage pumps</i>	 ab Seite 118 CS, I-CS CALPEDA - Unterwassermotoren <i>CALPEDA - Submersible motors</i>
	ab Seite 48 MXV EI, MXV-B EI Mehrstufige vertikale Kreiselpumpen (variable Drehzahl) <i>Vertical multi-stage pumps (variable speed)</i>	 ab Seite 120 FK, I-FK FRANKLIN - Unterwassermotoren <i>FRANKLIN - Submersible motors</i>
	ab Seite 56 I-MPC, NMP, B-NMP Whirlpoolpumpen, Schwimmbadpumpen <i>Whirlpool pumps, swimming pool pumps</i>	 ab Seite 122 NC, NCE Zirkulationspumpen <i>Circulating pumps</i>

NEU!

	ab Seite 128	Wasserversorgungsanlagen BS
Wasserversorgungsanlagen mit 2-3 Pumpen <i>Water supply plants with 2-3 pumps</i>		
	ab Seite 148	QM, QT, M COMP, PFC
Schaltkästen <i>Control panels</i>		
	ab Seite 160	EASYMAT
Variable Pumpensteuerung mit Drehzahlregelung <i>Variable speed system driven by freq. converter</i>		
	ab Seite 161	I-MAT
Variable Pumpensteuerung mit Drehzahlregelung <i>Variable speed system driven by freq. converter</i>		
	ab Seite 168	X-AJ, X-AM
Tauchfähige Wasserversorgungsautomaten <i>Submersible water supply plants</i>		
	ab Seite 169	5MSPR, MP, 6E, 1Y, 2-3E, PE, APCP
Tauchmotorpumpen <i>Submersible pumps</i>		
	ab Seite 170	NEOTECH, EC
Kondensatpumpen <i>Condensate removal pumps</i>		
	ab Seite 170	BTK, VCMA, VCC NEOTECH
Kondensatpumpen <i>Condensate removal pumps</i>		
	ab Seite 171	WP 15, SHA
Werkstattpumpe, Sole-Hebeanlage <i>Universal workshop pump, Brine removal system</i>		
	ab Seite 171	2-MD-TE7-MD
Magnetgekuppelte Kreiselpumpen <i>Centrifugal pumps with magnetic coupling</i>		
	ab Seite 172	IMM, SPV, SP, MP, EPC, AP
Eintauchpumpen <i>Immersion pumps</i>		
	ab Seite 175	AU, SQ, TR
Flüssigkeitsring-, Flansch-, Transferpumpen <i>Liquid ring pumps, Flange pumps, Transfer pumps</i>		

	ab Seite 160	Zubehör
Ariamat - Automatische Belüftungseinheit <i>Ariamat - Automatic air feeder</i>		
	Anschlusskit für Wasserversorgungsanlagen <i>Connection-kit for water supply plants</i>	
	Rückschlagventile aus Nylon und Edelstahl <i>Check valves in NYLON and stainless steel</i>	
	Rückschlagventile und Fußteile aus Messing <i>Check- and foot valves in brass</i>	
	Filter für Rückschlagventile <i>Filter for check valves</i>	
	Inline Filter aus Edelstahl 1.4301 <i>Inline-strainer in stainless-steel AISI 304</i>	
	Vorfilter in Edelstahl DN 100-150 <i>Pre-filters in stainless steel DN 100-150</i>	
	Manometer <i>Pressure gauges</i>	
	Flanschübergangsstücke <i>Flange transition pieces</i>	
	Gegenflanschsatz inkl. Schrauben <i>Counterflanges incl. screws</i>	
	Abschaltautomatik für Pumpen <i>Automatic shut-off for pumps</i>	
	Druckschalter <i>Pressure switch</i>	
	Niveausonden, Schwimmerschalter <i>Level probes, Float switch</i>	
	Variable Pumpensteuerung <i>Variable speed system</i>	
	Elektronischer Pumpenschutz <i>Electronic protection device for pumps</i>	
	Sonderausstattung - VAL-SC Bronze Lagerbuchse <i>Special equipment - VAL-SC Bronze bearing bush</i>	
	Schmutzwassersammelbehälter <i>Waste water collecting vessel</i>	
Kabel <i>Cable</i>		

Seite 6





ÜBER CALPEDA

Als zuverlässiger Partner von Industrie und Anlagenbau bietet Calpeda ein komplettes Programm an Lösungen für die verschiedensten Aufgaben der Pumpentechnik und sorgen damit für Ihren sowie unseren eigenen Erfolg.

Der Hauptsitz unseres Traditionsunternehmens ist in Italien. Hier fertigen wir die bewährten Calpeda-Produkte und widmen uns seit über 60 Jahren der Forschung, Entwicklung und Industrialisierung von Pumpensystemen. Dabei vertrauen wir auf eine Technologie, die nachhaltige Wertschöpfung verspricht.

Die Calpeda Pumpen Vertrieb GmbH wurde im Jahr 1997 als deutscher Vertriebspartner der internationalen Calpeda Vertriebsstruktur gegründet und ist seitdem stetig gewachsen. Gewachsen in Bezug auf die Kundenstrukturen und die Kundenzahl, gewachsen um diverse neue Partner die das Calpeda Programm ergänzen und Erweiterungen unseres Angebotsportfolios möglich machen. Im Laufe der Jahre wurde für einige der Produktlinien die Vertriebsverantwortung für einen Teil Europas erfolgreich übernommen.

Unser gesamtes Team hat eine klare Fokussierung, nämlich die Fokussierung auf unsere Kunden. Wir sehen unsere Aufgabe darin Ihnen eine optimale Anwendungsberatung zu liefern und Ihnen bestmögliche technische Lösungen anzubieten. Unsere gemeinsamen Aufträge und Projekte werden wie vereinbart abgewickelt. Wir geben Ihnen unsere Zusage und wir halten Wort. Die Zufriedenheit unserer Kunden ist unser Erfolg und daran arbeiten wir und unsere Kollegen jeden Tag.

Eine große Zahl unserer Kunden schätzt diese Werte sehr und unser gemeinsamer Weg trägt seit mehr als zwei Dekaden. Wir tun Alles um auch in Zukunft diesen Weg weiter erfolgreich zu beschreiten und laden Sie gerne ein - gehen auch Sie ein Stück Weg erfolgreich mit uns.

Besuchen Sie unsere Website und erfahren Sie mehr über Calpeda:

www.calpeda.de

ABOUT CALPEDA

As a reliable partner to industry and engineering, Calpeda offers a complete range of solutions for a wide variety of pump technology tasks, ensuring your success as well as our own.

The headquarters of our traditional company is in Italy. This is where we manufacture the proven Calpeda products and have been dedicated to the research, development and industrialisation of pump systems for over 60 years. In doing so, we trust in a technology that promises sustainable added value.

Calpeda Pumpen Vertrieb GmbH was founded in 1997 as the German subsidiary of the international Calpeda sales structure and has grown steadily since then. It has grown in terms of customer structures and the number of customers, and it has grown to include various new partners who complement the Calpeda programme and enable us to expand our product portfolio. Over the years, sales responsibility for some of the product lines has been successfully taken over for part of Europe.

Our entire team has a clear focus, namely the focus on our customers. We see our task as providing you with optimum application advice and offering you the best possible technical solutions. Our joint orders and projects are handled as agreed. We give you our promise and we keep our word. The satisfaction of our customers is our success and this is what we and our colleagues work on every day.

A large number of our customers appreciate these values very much and our common path has been sustainable for more than two decades. We will do everything in our power to continue on this successful path in the future and would like to invite you to join us on our successful journey.

Visit our website and discover more about Calpeda today:

www.calpeda.de

SPEZIALAUSFÜHRUNGEN

Die Preise in dieser Liste beziehen sich auf die Standardausführungen und sind in EURO ausgewiesen, zzgl. MwSt. Sonderausführungen sind auf Anfrage je nach spezifischen Anforderungen oder Anwendungen erhältlich.

Lieferbar sind unter anderem:

Pumpen mit einem Laufrad aus Bronze oder Edelstahl;

Pumpen mit Welle in AISI 316;

Pumpen mit speziellen Gleitringdichtungen, geeignet für die verschiedenen zu pumpenden Flüssigkeiten;
Pumpen mit reduziertem Laufrad und überdimensionierten Motoren für Flüssigkeiten mit einem spezifischen Gewicht über 1 kg/dm³ und für viskose Flüssigkeiten;

Kreiselpumpen in Blockbauweise mit explosionsgeschützten Motoren;

ElektroMotoren für Sonderspannungen und -frequenzen, tropische Isolierung, etc; Schutzart IP 55;

Zusammengestellte Gruppen von 4 oder mehr Pumpen für die automatische Wasserversorgung;

Automatische Steuerung des Luftpolsters in den Druckbehältern durch Peilstäbe, Luftventil und Kompressor.

*** Wenn die Motorspannung nicht angegeben ist, handelt es sich um die folgende Standardspannung:**

Einphasig 220-240V - Dreiphasig 220-240V/380-415V bis zu 3 kW und 380-415V/660-720V ab 4 kW

Unsere technischen und kaufmännischen Abteilungen sind gerne bereit, die am besten geeignete Lösung für andere spezielle Anwendungen zu untersuchen und ein entsprechendes Angebot zu unterbreiten.

SPECIAL FEATURES

The prices of this list are referred to the standard executions.

Special constructions are available on request according to specific requirements or applications.

For example, we can supply:

Pumps fitted with bronze impeller, where cast iron is standard;

Pumps with shaft in AISI 316;

Pumps with special mechanical seals, suitable for the different liquids to be pumped;

Pumps with reduced impeller and oversized motors for liquids with specific weight above 1 kg/dm³ and for viscous liquids;

Close coupled centrifugal pumps with flame proof motors;

Electric motors for special voltage and frequency, tropical insulation, ecc.;

Degree of protection IP 55;

Assembled sets of 4 or more pumps for automatic water supply;

Automatic control of the air cushion in the pressure vessels through sounding rods, air valve and compressor.

*** Where motor voltage is not shown, standard voltage:**

Single-phase 220-240V - Three-phase 220-240V/380-415V up to 3 kW and 380-415V/660-720V from 4 kW

Our technical and commercial departments will be very happy to study the most suitable solution for other special applications and to give the relative quotation.



META

Wasserversorgungsanlage mit integriertem
FREQUENZUMRICHTER und selbstansaugender
mehrstufiger Pumpe

*Boosting pressure system with built-in FREQUENCY
CONVERTER
with horizontal multi-stage self-priming pump*

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €
T663A00200S0	META SMALL	0,65	900,30
T663A10210S0	META	1,35	1032,70



Druckerhöhungsanlage mit 2 Pumpen
Two pumps booster sets

BS. META


Druckerhöhungsanlagen mit variabler Drehzahl
Variable speed booster sets

Für den ordnungsgemäßen Betrieb der Anlage ist ein Membrantank
(mindestens 8 l) erforderlich.

*To ensure the proper functioning of the booster set a membrane vessel
is needed (min. 8l)*

1 x 24l Behälter komplett mit FF-Kugelhahn
no. 1 pressure vessel with male-female ball valve, capacity 24 l

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82090800000	BSM2V 2 META SMALL	2 X 0.65	3.128,80
82090700000	BSM2V 2 META	2 X 1.35	3.751,30



Art.Nr. Code	Typ Type	Preis Price €
37005020001	KIT SS24-VFF	104,00



E-NGX

Wasserversorgungsanlagen mit integrierter Drucksteuerung
Selbstansaugende Injektorpumpen

*Boosting pressure system with built-in electronic pressure sensor
Self-priming jet pumps*

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
T72B510200D0	E-NGXM 2/80-PCD	0,55	0,75	449,50
T72B510300D0	E-NGXM 3/100-PCD	0,65	0,9	492,30
T72B510400D0	E-NGXM 4/110-PCD	0,75	1	519,80



E-MXP


Wasserversorgungsanlagen mit integrierter Drucksteuerung

Normalsaugende mehrstufige Pumpen

Boosting pressure system with built-in electronic pressure sensor

Horizontal multi-stage close coupled pump

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
T663000310D0	E-MXPM 203-PCD	0,45	0,6	506,00
T663000410D0	E-MXPM 204-PCD	0,55	0,75	548,70
T663000510D0	E-MXPM 205-PCD	0,75	1	605,00
T663010310D0	E-MXPM 403-PCD	0,55	0,75	576,10
T663010410D0	E-MXPM 404-PCD	0,75	1	632,50



BS. E-IDOS

Druckerhöhungsanlagen mit konstanter Drehzahl

Fixed speed booster sets


Druckerhöhungsanlage mit 2 Pumpen
Two pumps booster sets

Art.Nr. Code	Stromversorgung Supply mains 1 ~ 230V	P2	Preis Price €
		kW	
82090100000	BSM2F 2E MXPM 203-PCD	0.45 X2	2.495,70
82090200000	BSM2F 2E MXPM 204-PCD	0.55 X2	2.594,70
82090300000	BSM2F 2E MXPM 205-PCD	0.75 X2	2.752,70
82090400000	BSM2F 2E MXPM 403-PCD	0.55 X2	2.674,40
82090500000	BSM2F 2E MXPM 404-PCD	0.75 X2	2.813,10

Für den ordnungsgemäßen Betrieb der Anlage ist ein Membrantank (mindestens 8 l) erforderlich.

To ensure the proper functioning of the booster set a membrane vessel is needed (min. 8l)

1 x 24l Behälter komplett mit FF-Kugelhahn
no. 1 pressure vessel with male-female ball valve, capacity 24 l



Art.Nr. Code	Typ Type	Preis Price €
37005020001	KIT SS24-VFF	104,00




E-MPS

Mehrstufige Tauchmotorpumpen mit integrierter Drucksteuerung

In Blockbauweise 5"

Multi-stage submersible pumps for clean water with built-in electronic pressure sensor

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
T76G03041000	E-MPSM 304	0,55	0,75	980,80
T76G03051000	E-MPSM 305	0,75	1	1028,80
T76G03061000	E-MPSM 306	0,9	1,2	1192,30
T76G04041000	E-MPSM 504	0,9	1,2	1163,50
T76G04051000	E-MPSM 505	1,1	1,5	1250,10



TS 4500 / 6500


Trinkwasser-Trennstation mit Drucksteuerung nach EN 1717

Drinking water separation unit with pressure control according to EN 1717

Art. Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
C600002040	TS 4500 inkl. E-MXAM 204-PCD	0,55	0,75	1.347,50
C600004040	TS 6500 inkl. E-MXAM 404-PCD	0,75	1	1.445,20
C600004041	TS 6500 mit 80 Liter Tank	0,75	1	1.887,60

Steckerfertige Anlage zum Trinkwasserschutz gegen Flüssigkeiten der Kategorie 5
Systemtrennung mit freiem Auslauf Typ AB nach EN 1717

*Plug-and-Play system for drinking water protection against liquids of category 5
System separation with free outlet type AB according to EN 1717*



RS 4500

Regenwasser-Station mit Drucksteuerung und Trinkwassernachspeisung

Rainwater station with pressure control

Art. Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
C600012040	RS 4500 inkl. E-MXAM 204-PCD	0,55	0,75	2.583,80

Anschlussfertige und vollautomatische Regenwassernutzungsanlage zur Nutzung in
Einfamilienhäusern, auf Wochenendgrundstücken, privaten Gewächshäusern oder Ställen

Im Lieferumfang enthalten:

- Sammelbehälter mit Abdeckung für die Wandmontage
- Wartungsfreie und korrosionsfreie mehrstufige selbstansaugende Kreiselpumpe geräuscharm < 49 dB(A), hocheffizienter Motor IE 3, integrierte Drucksteuerung, inkl. Trockenlaufschutz und Motorschutz, einfache Bedienung über Display mit digitaler Anzeige von Druck, Temperatur, Motorleistung und Stromaufnahme
- Freier Auslauf gemäß DIN EN 1717
- Befestigungsset inkl. Vibrationsdämmung
- Integrierte und bedarfsorientierte automatische Trinkwassernachspeisung
- Elektronische Steuerung mit elektronischer Füllstandsanzeige 0 - 100 %
- Drucksensor als Tauchsonde mit 30 m Kabel
- Patentiertes Umschaltventil ermöglicht absolut sicheres Ansaugen und automatische Entlüftung der Saugleitung bis 30 m Länge

Ready-to-connect and fully automatic rainwater harvesting system for use in single-family houses, on weekend properties, private greenhouses or barns.

Scope of delivery includes:

- Collection tank with cover for wall mounting
- Maintenance-free and corrosion-free multi-stage self-priming centrifugal pump
- Low noise level < 49 dB(A), highly efficient IE 3 motor, integrated pressure control, incl. dry run protection and motor protection, easy operation via display with digital indication of pressure, temperature, motor power and current consumption
- Free outlet according to DIN EN 1717
- Mounting set incl. vibration insulation
- Integrated and demand-oriented automatic drinking water replenishment
- Electronic control with electronic level indicator 0 - 100
- Pressure sensor as immersion probe with 30 m cable
- Patented change-over valve enables absolutely safe suction and automatic venting of the suction line up to 30 m length



NM, NMD

Kreiselpumpen in Blockbauweise mit Gewindestutzen


Close coupled centrifugal pumps with threaded connections

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
6001001000000	NM 1/A	0,37	0,5	399,90
6002002000000	NM 2/B/A	0,55	0,75	501,80
6002003000000	NM 2/S/A	0,55	0,75	503,70
6002004100000	NM 2/A/B	0,75	1	524,80
6000039000000	NM 6/B	0,75	1	669,40
6000040000000	NM 6/A	1,1	1,5	712,70
6000005200000	NM 3/C/A	1,1	1,5	861,40
6000006200000	NM 3/B/A	1,5	2	982,40
6000008300000	NM 3/A/B	2,2	3	1097,70
6000010100000	NM 10/F	0,55	0,75	781,40
6000011100000	NM 10/D	0,75	1	831,40
6000012200000	NM 10/A/A	1,1	1,5	852,70
6000013200000	NM 10/S/A	1,5	2	950,50
6000015200000	NM 11/B/A	1,5	2	1016,40
6000017300000	NM 11/A/B	2,2	3	1157,00
6000019300000	NM 12/D/B	2,2	3	1283,30
6000021200000	NM 12/C/A	3	4	1443,70
6000024300000	NM 12/A/B	4	5,5	1630,50
6000025020000	NM 17/H/A	1,1	1,5	1105,40
6000025120000	NM 17/G/A	1,5	2	1164,90
6000025330000	NM 17/F/B	2,2	3	1330,40
6000025520000	NM 17/D/A	3	4	1518,80
6000028100000	NM 20/160B	0,75	1	811,20
6000029200000	NM 20/160A/A	1,1	1,5	826,70
6001030000000	NM 25/12B/A	0,55	0,75	653,60
6001031100000	NM 25/12A/B	0,75	1	672,80
6000032200000	NM 25/160B/A	1,1	1,5	834,30
6000033200000	NM 25/160A/A	1,5	2	957,50
6000035140000	NM 25/20B/C	2,2	3	1193,90
6000037030000	NM 25/20A/B	3	4	1363,20
6000038140000	NM 25/20S/C	4	5,5	1530,30

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
6011001000000	NMM 1/A	0,37	0,5	399,90
6012002100000	NMM 2/B/A	0,55	0,75	501,80
6012003100000	NMM 2/S/A	0,55	0,75	503,70
6012004100000	NMM 2/A/A	0,75	1	524,80
6010039100000	NMM 6/B	0,75	1	669,40
6010040100000	NMM 6/A	1,1	1,5	712,70
6010005200000	NMM 3/C	1,1	1,5	947,60
6010006100000	NMM 3/B	1,5	2	1168,90
6010008100000	NMM 3/A/A	1,8	2,5	1227,90
6010010100000	NMM 10/F	0,55	0,75	816,90
6010011200000	NMM 10/D	0,75	1	831,40
6010012200000	NMM 10/A	1,1	1,5	888,30
6010013100000	NMM 10/S	1,5	2	1123,20
6010015100000	NMM 11/B	1,5	2	1198,00
6010017000000	NMM 11/A	1,8	2,5	1257,10
6010025020000	NMM 17/H	1,1	1,5	1226,50
6010025110000	NMM 17/G	1,5	2	1337,90
6010028200000	NMM 20/160B	0,75	1	811,20
6010029200000	NMM 20/160A	1,1	1,5	874,70
6011030100000	NMM 25/12B/A	0,55	0,75	653,60
6011031100000	NMM 25/12A/A	0,75	1	672,80
6010032200000	NMM 25/160B	1,1	1,5	880,40
6010033100000	NMM 25/160A	1,5	2	1140,00

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
6021001200000	NMD 20/110B/A	0,45	0,6	560,30
6021002200000	NMD 20/110Z/A	0,55	0,75	578,50
6021003300000	NMD 20/110A/B	0,75	1	609,80
6020004400000	NMD 20/140B/A	1,1	1,5	945,80
6020005400000	NMD 20/140A/A	1,5	2	1001,60
6020007300000	NMD 25/190C/B	2,2	3	1522,60
6020009200000	NMD 25/190B/A	3	4	1691,70
6020012300000	NMD 25/190A/B	4	5,5	2068,60
6020014300000	NMD 32/210D/B	4	5,5	2412,70
6020016200000	NMD 32/210C/A	5,5	7,5	2851,40
6020018200000	NMD 32/210B/A	7,5	10	3207,80
6020020300000	NMD 32/210A/B	9,2	12,5	3847,50
6020022300000	NMD 40/180D/B	4	5,5	2556,90
6020024200000	NMD 40/180C/A	5,5	7,5	3001,90
6020026200000	NMD 40/180B/A	7,5	10	3366,30
6020028300000	NMD 40/180A/B	9,2	12,5	3930,30

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
6031001200000	NMDM 20/110B/A	0,45	0,6	560,30
6031002300000	NMDM 20/110Z/A	0,55	0,75	578,50
6031003300000	NMDM 20/110A/A	0,75	1	609,80
6030004400000	NMDM 20/140B	1,1	1,5	945,80
6030005200000	NMDM 20/140A	1,5	2	1190,20



BNM, BNMD

Kreiselpumpen in Blockbauweise mit Gewindestutzen in Bronze
Bronze close coupled centrifugal pumps with screwed connections

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
6100028100000	BNM 20/160B	0,75	1	1.799,50
6100029200000	BNM 20/160A/A	1,1	1,5	1.820,30
6101030100000	BNM 25/12B/A	0,55	0,75	1.767,20
6101031200000	BNM 25/12A/B	0,75	1	1.805,20
6100032200000	BNM 25/160B/A	1,1	1,5	1.829,90
6100033200000	BNM 25/160A/A	1,5	2	1.921,00
6100035140000	BNM 25/200B/C	2,2	3	2.648,90
6100037030000	BNM 25/200A/B	3	4	2.789,50
6100038140000	BNM 25/200S/C	4	5,5	3.007,90
6100025020000	BNM 17/H/A	1,1	1,5	2.475,80
6100025120000	BNM 17/G/A	1,5	2	2.536,70
6100025330000	BNM 17/F/B	2,2	3	2.715,30
6100025520000	BNM 17/D/A	3	4	3.243,60

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
6110028200000	BNMM 20/160B	0,75	1	1.799,50
6110029200000	BNMM 20/160A	1,1	1,5	1.881,20
6111030200000	BNMM 25/12B/A	0,55	0,75	1.767,20
6111031200000	BNMM 25/12A/A	0,75	1	1.805,20
6110032200000	BNMM 25/160B	1,1	1,5	1.888,80
6110033100000	BNMM 25/160A	1,5	2	2.101,60
6110025020000	BNMM 17/H	1,1	1,5	2.593,70
6110025110000	BNMM 17/G	1,5	2	2.715,30

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
6121001000000	BNMD 20/110B/A	0,45	0,6	1.478,00
6121002000000	BNMD 20/110Z/A	0,55	0,75	1.497,80
6121003100000	BNMD 20/110A/B	0,75	1	1.541,50
6120004200000	BNMD 20/140B/A	1,1	1,5	2.016,40
6120005300000	BNMD 20/140A/A	1,5	2	2.183,20
6120007300000	BNMD 25/190C/B	2,2	3	3.534,00
6120009200000	BNMD 25/190B/A	3	4	3.736,60
6120012300000	BNMD 25/190A/B	4	5,5	4.213,30
6120014300000	BNMD 32/210D/B	4	5,5	5.578,10
6120016200000	BNMD 32/210C/A	5,5	7,5	6.363,40
6120018200000	BNMD 32/210B/A	7,5	10	6.727,60
6120020300000	BNMD 32/210A/B	9,2	12,5	7.146,00
6120022300000	BNMD 40/180D/B	4	5,5	6.241,70
6120024200000	BNMD 40/180C/A	5,5	7,5	7.447,90
6120026200000	BNMD 40/180B/A	7,5	10	7.824,30
6120028300000	BNMD 40/180A/B	9,2	12,5	8.239,20

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
6131001000000	BNMDM 20/110B/A	0,45	0,6	1.497,80
6131002100000	BNMDM 20/110Z/A	0,55	0,75	1.521,70
6131003100000	BNMDM 20/110A/A	0,75	1	1.541,50
6130004200000	BNMDM 20/140B	1,1	1,5	2.129,50
6130005100000	BNMDM 20/140A	1,5	2	2.377,90



NM, NMS, NM4, NMS4

Kreiselpumpen in Blockbauweise mit Flanschen

Close coupled centrifugal pumps with flanged connections

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
6040002100000	NM 32/12F	0,55	0,75	920,90	50	32
6040004100000	NM 32/12D	0,75	1	974,80	50	32
6040006200000	NM 32/12A/A	1,1	1,5	993,90	50	32
6040008200000	NM 32/12S/A	1,5	2	1.097,70	50	32
6040012200000	NM 32/16B/A	1,5	2	1.163,10	50	32
6040016300000	NM 32/16A/B	2,2	3	1.332,20	50	32
6040020300000	NM 32/20D/B	2,2	3	1.441,90	50	32
6040024200000	NM 32/20C/A	3	4	1.618,70	50	32
6040030300000	NM 32/20A/B	4	5,5	1.839,70	50	32
6040231000000	NM 32L/16C	2,2	3	1.332,20	50	32
6040233000000	NM 32L/16B	3	4	1.499,60	50	32
6040236000000	NM 32L/16A	4	5,5	1.759,00	50	32
6040238000000	NM 32L/20C	4	5,5	1.839,70	50	32
6040240000000	NM 32L/20B	5,5	7,5	2.526,60	50	32
6040242000000	NM 32L/20A	7,5	10	2.750,40	50	32
6040032200000	NM 40/12F/B	1,1	1,5	1.047,80	65	40
6040034200000	NM 40/12C/B	1,5	2	1.155,40	65	40
6040038300000	NM 40/12A/C	2,2	3	1.257,20	65	40
6040042300000	NM 40/16C/C	2,2	3	1.374,50	65	40
6040046200000	NM 40/16B/B	3	4	1.541,90	65	40
6040052300000	NM 40/16A/C	4	5,5	1.801,40	65	40
6040056030000	NM 40/20D/B	4	5,5	1.903,20	65	40
6040056300000	NM 40/20C/B	4	5,5	1.903,20	65	40
6040060200000	NM 40/20B/A	5,5	7,5	2.590,00	65	40
6040064200000	NM 40/20AR/A	5,5	7,5	2.590,00	65	40
6040068200000	NM 40/20A/A	7,5	10	2.813,90	65	40
6040072300000	NM 40/25C/C	9,2	12,5	4.192,60	65	40
6040076300000	NM 40/25B/C	11	15	4.628,70	65	40
6040080300000	NM 40/25A/C	15	20	5.157,50	65	40
6040082300000	NM 50/12F/C	2,2	3	1.424,60	65	50
6040086200000	NM 50/12D/B	3	4	1.593,70	65	50
6040092300000	NM 50/12A/C	4	5,5	1.812,80	65	50
6040092C00000	NM 50/12S/C	4	5,5	1.812,80	65	50
6040096200000	NM 50/16B/B	5,5	7,5	2.538,70	65	50
6040100200000	NM 50/16A/B	7,5	10	2.750,50	65	50
6040104300000	NM 50/20B/C	9,2	12,5	3.847,50	65	50
6040108300000	NM 50/20A/C	11	15	4.281,40	65	50
6040108C00000	NM 50/20S/C	15	20	4.807,10	65	50
6040112300000	NM 50/25C/C	11	15	4.719,40	65	50
6040116300000	NM 50/25B/C	15	20	5.240,30	65	50
6040120400000	NM 50/25A/D	18,5	25	6.407,70	65	50
6040120A00000	NM 50/25S	22	30	6.592,90	65	50
6040136400000	NM 65/12E/C	4	5,5	1.978,20	80	65
6040140300000	NM 65/12C/B	5,5	7,5	2.681,10	80	65
6040144300000	NM 65/12A/B	7,5	10	2.885,10	80	65
6040152300000	NM 65/16D/B	7,5	10	2.924,60	80	65
6040156400000	NM 65/16C/C	9,2	12,5	3.865,60	80	65
6040160400000	NM 65/16B/C	11	15	4.302,50	80	65
6040164A00000	NM 65/16AR	15	20	4.826,50	80	65
6040164400000	NM 65/16A/C	15	20	4.826,50	80	65
6040168400000	NM 65/20C/C	15	20	5.026,40	80	65
6040172500000	NM 65/20B/D	18,5	25	6.179,30	80	65
6040174400000	NM 65/20A/A	22	30	6.412,70	80	65
6040176400000	NM 65/25C/A	22	30	6.885,50	80	65
60T0178300003	NMS 65/250B/B	30	40	9.272,20	80	65
60T0180200003	NMS 65/250A/B	37	50	11.376,80	80	65
6040184300000	NM 80/16E/B	7,5	10	3.201,90	100	80
6040188400000	NM 80/16D/C	9,2	12,5	4.281,40	100	80
6040192400000	NM 80/16C/C	11	15	4.719,40	100	80
6040196400000	NM 80/16B/C	15	20	5.284,70	100	80
6040200500000	NM 80/16A/D	18,5	25	6.451,90	100	80
6040202400000	NM 80/20B/A	22	30	6.890,10	100	80
60T0204300003	NMS 80/200A/B	30	40	9.142,90	100	80


Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
6040206300000	NM 80/25E	22	30	7.018,30	100	80
60T0208200003	NMS 80/250D/A	30	40	9.497,40	100	80
60T0210100003	NMS 80/250C/A	37	50	11.691,50	100	80
60T0212200003	NMS 80/250B/A	45	60	13.499,70	100	80
60T0214100003	NMS 80/250A/A	55	75	16.164,50	100	80
6040218500000	NM 100/20E/A	18,5	25	7.689,10	125	100
6040220300000	NM 100/20D	22	30	7.077,80	125	100
60T0222200003	NMS 100/200C/A	30	40	9.500,30	125	100
60T0224100003	NMS 100/200B/A	37	50	11.702,40	125	100
60T0226100003	NMS 100/200A/A	45	60	13.779,40	125	100
60T0228100003	NMS 100/250B/A	55	75	16.627,50	125	100

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
6050002100000	NMM 32/12F	0,55	0,75	957,50
6050004200000	NMM 32/12D	0,75	1	974,80
6050006200000	NMM 32/12A	1,1	1,5	1.038,10
6050008100000	NMM 32/12S	1,5	2	1.291,80
6050012100000	NMM 32/16B	1,5	2	1.357,20
6050016000000	NMM 32/16A	1,8	2,5	1.381,80
6050032200000	NMM 40/12F/A	1,1	1,5	1.130,50
6050034100000	NMM 40/12C/A	1,5	2	1.349,60

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

Flanschübergangsstücke Flanged transition pieces



Art.Nr. Code	Artikel Article d x D x L	Preis Price €
30300540000	RFC 32X50X112	123,40
30300550000	RFC 40X65X120	139,10
30300560000	RFC 50X65X120	144,50
30300570000	RFC 50X80X132	165,80
30300580000	RFC 65X80X132	172,70
30300590000	RFC 65X100X132	188,70
30300600000	RFC 80X100X132	195,60
30300610000	RFC 80X125X160	222,10
30300620000	RFC 100X125X132	253,70
30300630000	RFC 100X150X180	322,50
30300640000	RFC 125X150X180	378,80
30300650000	RFC 150X200X200	551,60
30300660000	RFC 200X250X200	697,90



NMS

Kreiselpumpen in Blockbauweise mit Flanschen und IE4-Motor
Close Coupled Centrifugal Pumps (stub-shaft construction)
with IE4 motor



Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
60T0004000000	NMS 32/125D	0,75	1	2.190,10	50	32
60T0004002000	NMS 32/125D-S	1,1	1,5	2.261,20	50	32
60T0006000000	NMS 32/125A	1,1	1,5	2.261,20	50	32
60T0006002000	NMS 32/125A-S	1,5	2	2.365,30	50	32
60T0008000000	NMS 32/125S	1,5	2	2.365,30	50	32
60T0012000000	NMS 32/160B	1,5	2	2.646,30	50	32
60T0012002000	NMS 32/160B-S	2,2	3	2.786,80	50	32
60T0016000000	NMS 32/160A	2,2	3	2.786,80	50	32
60T0016002000	NMS 32/160A-S	3	4	2.962,00	50	32
60T0022000000	NMS 32/200D	2,2	3	2.786,80	50	32
60T0022002000	NMS 32/200D-S	3	4	3.066,10	50	32
60T0024000000	NMS 32/200C	3	4	3.066,10	50	32
60T0030000000	NMS 32/200A	4	5,5	3.400,00	50	32
60T0030002000	NMS 32/200A-S	5,5	7,5	3.907,40	50	32
60T0231000000	NMS 32L/160C	2,2	3	2.588,40	50	32
60T0233000000	NMS 32L/160B	3	4	2.876,00	50	32
60T0236000000	NMS 32L/160A	4	5,5	3.236,40	50	32
60T0238000000	NMS 32L/200C	4	5,5	3.494,20	50	32
60T0240000000	NMS 32L/200B	5,5	7,5	4.019,80	50	32
60T0242000000	NMS 32L/200A	7,5	10	6.416,50	50	32
60T0032000000	NMS 40/125F	1,1	1,5	2.348,80	65	40
60T0034000000	NMS 40/125C	1,5	2	2.452,90	65	40
60T0038000000	NMS 40/125A	2,2	3	2.664,50	65	40
60T0042000000	NMS 40/160C	2,2	3	2.664,50	65	40
60T0046000000	NMS 40/160B	3	4	2.962,00	65	40
60T0052000000	NMS 40/160A	4	5,5	3.312,40	65	40
60T0052002000	NMS 40/160A-S	5,5	7,5	3.925,60	65	40
60T0056010000	NMS 40/200D	4	5,5	3.575,20	65	40
60T0056012000	NMS 40/200D-S	5,5	7,5	4.276,00	65	40
60T0056000000	NMS 40/200C	4	5,5	3.575,20	65	40
60T0056002000	NMS 40/200C-S	5,5	7,5	4.188,40	65	40
60T0060000000	NMS 40/200B	5,5	7,5	4.276,00	65	40
60T0060002000	NMS 40/200B-S	7,5	10	6.519,00	65	40
60T0064000000	NMS 40/200AR	5,5	7,5	4.135,50	65	40
60T0064002000	NMS 40/200AR-S	7,5	10	6.570,20	65	40
60T0068000000	NMS 40/200A	7,5	10	6.570,20	65	40
60T0072000000	NMS 40/250C	11	15	7.745,50	65	40
60T0076000000	NMS 40/250B	11	15	7.745,50	65	40
60T0080000000	NMS 40/250A	15	20	8.165,30	65	40
60T0082000000	NMS 50/125F	2,2	3	2.768,60	65	50
60T0086000000	NMS 50/125D	3	4	3.049,60	65	50
60T0092000000	NMS 50/125A	4	5,5	3.381,80	65	50
60T0092A00000	NMS 50/125S	4	5,5	3.381,80	65	50
60T0092A02000	NMS 50/125S-S	5,5	7,5	4.021,50	65	50
60T0096000000	NMS 50/160B	5,5	7,5	4.021,50	65	50
60T0100000000	NMS 50/160A	7,5	10	6.413,20	65	50
60T0104000000	NMS 50/200B	11	15	7.657,90	65	50
60T0108000000	NMS 50/200A	11	15	7.657,90	65	50
60T0108A00000	NMS 50/200S	15	20	8.043,00	65	50
60T0112000000	NMS 50/250C	11	15	7.955,40	65	50
60T0116000000	NMS 50/250B	15	20	8.358,70	65	50
60T0120000000	NMS 50/250A	18,5	25	8.900,80	65	50
60T0136000000	NMS 65/125E	4	5,5	3.540,50	80	65
60T0140000000	NMS 65/125C	5,5	7,5	4.066,10	80	65
60T0144000000	NMS 65/125A	7,5	10	6.395,00	80	65
60T0152000000	NMS 65/160D	7,5	10	6.519,00	80	65
60T0156000000	NMS 65/160C	11	15	7.692,60	80	65
60T0160000000	NMS 65/160B	11	15	7.692,60	80	65
60T0164000000	NMS 65/160A	15	20	8.183,50	80	65
60T0164A00000	NMS 65/160AR	15	20	8.183,50	80	65
60T0168000000	NMS 65/200C	15	20	8.322,30	80	65
60T0172000000	NMS 65/200B	18,5	25	8.813,20	80	65
60T0174100000	NMS 65/200A	22	30	8.190,90	80	65
60T0176100000	NMS 65/250C	22	30	8.687,00	80	65
60T0178300000	NMS 65/250B/B	30	40	10.424,70	80	65
60T0180200000	NMS 65/250A/B	37	50	12.789,60	80	65

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
60T0184000000	NMS 80/160E	7,5	10	6.646,30	100	80
60T0188000000	NMS 80/160D	11	15	7.788,40	100	80
60T0192000000	NMS 80/160C	11	15	7.788,40	100	80
60T0196000000	NMS 80/160B	15	20	8.168,60	100	80
60T0200000000	NMS 80/160A	18,5	25	8.667,80	100	80
60T0202300000	NMS 80/200B/B	22	30	8.528,60	100	80
60T0204300000	NMS 80/200A/B	30	40	10.277,90	100	80
60T0206100000	NMS 80/250E	22	30	9.042,90	100	80
60T0208200000	NMS 80/250D/A	30	40	10.677,90	100	80
60T0210100000	NMS 80/250C/A	37	50	13.141,60	100	80
60T0212200000	NMS 80/250B/A	45	60	15.175,30	100	80
60T0214100000	NMS 80/250A/A	55	75	18.167,50	100	80
60T0218400000	NMS 100/200E	18,5	25	9.386,80	125	100
60T0220200000	NMS 100/200D/A	22	30	8.779,20	125	100
60T0222200000	NMS 100/200C/A	30	40	10.679,20	125	100
60T0224100000	NMS 100/200B/A	37	50	13.157,10	125	100
60T0226100000	NMS 100/200A/A	45	60	15.492,20	125	100
60T0228100000	NMS 100/250B/A	55	75	18.689,60	125	100
60T0230100000	NMS 100/250A/A	75	100	25.029,90	125	100

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	66,70
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	72,70
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	78,80
44029740000	DN65 - DN80	N(4), NM(4) 65..	92,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	118,20
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	133,30
44029751000	DN100 - DN125	N(4), NM(4) 100..	147,00
44029753000	DN125 - DN150	N(4), NM(4) 125..	72,70
44029760000	DN150 - DN200	N(4), NM(4) 150..	333,30

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets



NM EI

Kreiselpumpen in Blockbauweise mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT

Variable speed Close coupled centrifugal pumps with on-board I-MAT frequency converter

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
I60400021000	NM EI 32/12FE	0,55	0,75	3.177,00	50	32
I60400041000	NM EI 32/12DE	0,75	1	3.215,70	50	32
I60400062000	NM EI 32/12A/A	1,1	1,5	3.229,60	50	32
I60400082000	NM EI 32/12S/A	1,5	2	3.304,40	50	32
I60400122000	NM EI 32/16B/A	1,5	2	3.351,60	50	32
I60400163000	NM EI 32/16A/B	2,2	3	3.742,30	50	32
I60400203000	NM EI 32/20D/B	2,2	3	3.821,40	50	32
I60400242000	NM EI 32/20C/A	3	4	3.949,00	50	32
I60400303000	NM EI 32/20A/B	4	5,5	4.108,20	50	32
I60402310000	NM EI 32L/16C	2,2	3	3.742,30	50	32
I60402330000	NM EI 32L/16B	3	4	3.913,40	50	32
I60402360000	NM EI 32L/16A	4	5,5	4.050,00	50	32
I60402380000	NM EI 32L/20C	4	5,5	4.108,20	50	32
I60402400000	NM EI 32L/20B	5,5	7,5	4.603,40	50	32
I60402420000	NM EI 32L/20A	7,5	10	6.180,90	50	32
I60400322000	NM EI 40/12F/B	1,1	1,5	3.268,40	65	40
I60400342000	NM EI 40/12C/B	1,5	2	3.346,00	65	40
I60400383000	NM EI 40/12A/C	2,2	3	3.688,40	65	40
I60400423000	NM EI 40/16C/C	2,2	3	3.773,10	65	40
I60400462000	NM EI 40/16B/B	3	4	3.893,50	65	40
I60400523000	NM EI 40/16A/C	4	5,5	4.080,60	65	40
I60400560300	NM EI 40/20D/B	4	5,5	4.154,00	65	40
I60400563000	NM EI 40/20C/B	4	5,5	4.154,00	65	40
I60400602000	NM EI 40/20B/A	5,5	7,5	4.649,10	65	40
I60400642000	NM EI 40/20AR/A	5,5	7,5	4.649,10	65	40
I60400682000	NM EI 40/20A/A	7,5	10	6.226,50	65	40
I60400723000	NM EI 40/25C/C	9,2	12,5	7.220,40	65	40
I60400763000	NM EI 40/25B/C	11	15	7.534,60	65	40
I60400803000	NM EI 40/25A/C	15	20	12.061,10	65	40
I60400823000	NM EI 50/12F/C	2,2	3	3.809,00	65	50
I60400862000	NM EI 50/12D/B	3	4	3.930,90	65	50
I60400923000	NM EI 50/12A/C	4	5,5	4.088,80	65	50
I6040092C000	NM EI 50/12S/C	4	5,5	4.088,80	65	50
I60400962000	NM EI 50/16B/B	5,5	7,5	4.612,00	65	50
I60401002000	NM EI 50/16A/B	7,5	10	6.180,90	65	50
I60401043000	NM EI 50/20B/C	9,2	12,5	6.971,50	65	50
I60401083000	NM EI 50/20A/C	11	15	7.284,40	65	50
I6040108C000	NM EI 50/20S/C	15	20	11.808,50	65	50
I60401123000	NM EI 50/25C/C	11	15	7.600,10	65	50
I60401163000	NM EI 50/25B/C	15	20	12.120,70	65	50
I60401204000	NM EI 50/25A/D	18,5	25	12.962,10	65	50
I6040120A000	NM EI 50/25S	22	30	14.350,60	65	50
I60401364000	NM EI 65/12E/C	4	5,5	4.208,00	80	65
I60401403000	NM EI 65/12C/B	5,5	7,5	4.714,80	80	65
I60401443000	NM EI 65/12A/B	7,5	10	6.277,70	80	65
I60401523000	NM EI 65/16D/B	7,5	10	6.306,40	80	65
I60401564000	NM EI 65/16C/C	9,2	12,5	6.984,70	80	65
I60401604000	NM EI 65/16B/C	11	15	7.299,50	80	65
I6040164A000	NM EI 65/16AR	15	20	11.822,40	80	65
I60401644000	NM EI 65/16A/C	15	20	11.822,40	80	65
I60401684000	NM EI 65/20C/C	15	20	11.966,60	80	65
I60401725000	NM EI 65/20B/D	18,5	25	12.797,50	80	65
I60401744000	NM EI 65/20A/A	22	30	14.226,40	80	65
I60401764000	NM EI 65/25C/A	22	30	14.660,20	80	65
I60T01782000	NMS EI 65/250B/A	30	40	16.954,00	80	65
I60T01802000	NMS EI 65/250A/B	37	50	18.885,80	80	65

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
I60401843000	NM EI 80/16E/B	7,5	10	6.506,20	100	80
I60401884000	NM EI 80/16D/C	9,2	12,5	7.284,40	100	80
I60401924000	NM EI 80/16C/C	11	15	7.600,10	100	80
I60401964000	NM EI 80/16B/C	15	20	12.152,80	100	80
I60402005000	NM EI 80/16A/D	18,5	25	12.994,10	100	80
I60402024000	NM EI 80/20B/A	22	30	14.664,40	100	80
I60T02042000	NMS EI 80/200A/A	30	40	16.877,70	100	80
I60402063000	NM EI 80/25E	22	30	14.781,80	100	80
I60T02081000	NMS EI 80/250D	30	40	17.162,70	100	80
I60T02101000	NMS EI 80/250C/A	37	50	19.176,00	100	80
I60402185000	NM EI 100/20E/A	18,5	25	13.885,80	125	100
I60402203000	NM EI 100/20D	22	30	14.836,50	125	100
I60T02221000	NMS EI 100/200C	30	40	17.166,10	125	100
I60T02241000	NMS EI 100/200B/A	37	50	19.187,40	125	100

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen


System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

Counterflanges KIT including: Screws - Nuts - Gaskets

The system consists of:

- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer



B-NM, B-NMS


Kreiselpumpen in Blockbauweise in Bronze

Bronze close coupled centrifugal pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
6140002200000	BNM 32/12F	0,55	0,75	2.610,90
6140004200000	BNM 32/12D	0,75	1	2.700,10
6140006300000	BNM 32/12A/A	1,1	1,5	2.719,00
6140008300000	BNM 32/12S/A	1,5	2	2.861,60
6140012300000	BNM 32/16B/A	1,5	2	3.245,40
6140016400000	BNM 32/16A/B	2,2	3	3.669,10
6140020400000	BNM 32/20D/B	2,2	3	4.155,60
6140024300000	BNM 32/20C/A	3	4	4.328,50
6140030400000	BNM 32/20A/B	4	5,5	4.782,70
6140231000000	BNM 32L/16C	2,2	3	3.669,10
6140233000000	BNM 32L/16B	3	4	4.033,90
6140236000000	BNM 32L/16A	4	5,5	4.340,00
6140238000000	BNM 32L/20C	4	5,5	4.782,70
6140240000000	BNM 32L/200B	5,5	7,5	5.922,80
6140242000000	BNM 32L/200A	7,5	10	6.361,30
6140032300000	BNM 40/12F/A	1,1	1,5	2.781,80
6140034300000	BNM 40/12C/A	1,5	2	2.863,50
6140038400000	BNM 40/12A/B	2,2	3	3.159,90
6140042400000	BNM 40/16C/B	2,2	3	3.764,20
6140046300000	BNM 40/16B/A	3	4	4.129,00
6140052400000	BNM 40/16A/B	4	5,5	4.434,80
6140056230000	BNM 40/20D/B	4	5,5	5.058,10
6140056400000	BNM 40/20C/B	4	5,5	5.058,10
6140060200000	BNM 40/200B/A	5,5	7,5	6.198,20
6140064200000	BNM 40/200AR/A	5,5	7,5	6.198,20
6140068200000	BNM 40/200A/A	7,5	10	6.636,70
6140072300000	BNM 4025/C/C	9,2	12,5	8.473,40
6140076300000	BNM 4025/B/C	11	15	8.920,30
6140080300000	BNM 4025/A/C	15	20	9.415,10
6140082400000	BNM 50/12F/B	2,2	3	3.823,10
6140086300000	BNM 50/12D/A	3	4	4.172,70
6140092400000	BNM 50/12A/B	4	5,5	4.461,50
6140092D00000	BNM 50/12S/B	4	5,5	4.461,50
6140096200000	BNM 50/160B/B	5,5	7,5	6.129,80
6140100200000	BNM 50/160A/B	7,5	10	6.632,70
6140104300000	BNM 50/200B/C	9,2	12,5	8.720,80
6140108300000	BNM 50/200A/C	11	15	9.221,60
6140108C00000	BNM 50/200S/C	15	20	9.717,30
6140112300000	BNM 5025/C/C	11	15	9.415,10
6140116300000	BNM 5025/B/C	15	20	9.911,80
6140120400000	BNM 50/25A	18,5	25	11.422,70
6140120A00000	BNM 50/25S	22	30	11.380,20
6140136400000	BNM 65/12E/A	4	5,5	5.915,60
6140140300000	BNM 65/125C/B	5,5	7,5	6.574,10
6140144300000	BNM 65/125A/B	7,5	10	7.082,90
6140152300000	BNM 65/160D/B	7,5	10	7.315,90
6140156400000	BNM 65/160C/C	9,2	12,5	7.681,30
6140160400000	BNM 65/160B/C	11	15	8.920,30
6140164A00000	BNM 65/160AR	15	20	9.415,10
6140164400000	BNM 65/160A/C	15	20	9.415,10
6140168400000	BNM 65/200C/C	15	20	10.306,90
61T0172000003	BNMS 65/200B	18,5	25	11.840,70
61T0174100003	BNMS 65/200A	22	30	10.767,00
6140176400000	BNM 65/250C/B	22	30	12.747,20
61T0178200003	BNMS 65/250B/B	30	40	16.798,40
61T0180200003	BNMS 65/250A/B	37	50	17.916,50
6140184300000	BNM 80/160E/B	7,5	10	8.609,40
6140188400000	BNM 80/160D/C	9,2	12,5	9.018,10
6140192400000	BNM 80/160C/C	11	15	10.262,90
6140196400000	BNM 80/160B/C	15	20	10.755,90
6140200400000	BNM 80/16A	18,5	25	12.304,70

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
61T0202300003	BNMS 80/200B/B	22	30	15.144,50
61T0204200003	BNMS 80/200A/B	30	40	16.509,40
61T0206100003	BNMS 80/250E	22	30	16.462,80
61T0208100003	BNMS 80/250D/A	30	40	18.484,40
61T0210100003	BNMS 80/250C/A	37	50	20.085,20
61T0212200003	BNMS 80/250B/A	45	60	23.219,90
61T0214100003	BNMS 80/250A/A	55	75	25.909,70
61T0218300003	BNMS 100/200E	18,5	25	17.663,40
61T0220200003	BNMS 100/200D/A	22	30	15.652,20
61T0222200003	BNMS 100/200C/A	30	40	16.765,50
61T0224100003	BNMS 100/200B/A	37	50	18.936,40
61T0226100003	BNMS 100/200A/A	45	60	22.202,50
61T0228100003	BNMS 100/250B/A	55	75	28.247,50

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
6150002200000	BNMM 32/12F	0,55	0,75	2.673,50
6150004300000	BNMM 32/12D	0,75	1	2.700,10
6150006300000	BNMM 32/12A	1,1	1,5	2.787,40
6150008200000	BNMM 32/12S	1,5	2	3.045,50
6150032300000	BNMM 40/12F	1,1	1,5	2.833,20



B-NMS

Kreiselpumpen in Blockbauweise in Bronze mit IE4-Motor
*Bronze close coupled centrifugal pumps (stub-shaft construction)
 with IE4 motor*



Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
61T0004000000	BNMS 32/125D	0,75	1	4.187,90	50	32
61T0004002000	BNMS 32/125D-S	1,1	1,5	4.133,30	50	32
61T0006000000	BNMS 32/125A	1,1	1,5	4.133,30	50	32
61T0006002000	BNMS 32/125A-S	1,5	2	4.224,20	50	32
61T0008000000	BNMS 32/125S	1,5	2	4.224,20	50	32
61T0012000000	BNMS 32/160B	1,5	2	5.375,80	50	32
61T0012002000	BNMS 32/160B-S	2,2	3	5.395,50	50	32
61T0016000000	BNMS 32/160A	2,2	3	5.395,50	50	32
61T0016002000	BNMS 32/160A-S	3	4	5.659,10	50	32
61T0022000000	BNMS 32/200D	2,2	3	6.048,50	50	32
61T0022002000	BNMS 32/200D-S	3	4	6.312,10	50	32
61T0024000000	BNMS 32/200C	3	4	6.312,10	50	32
61T0030000000	BNMS 32/200A	4	5,5	6.603,00	50	32
61T0030002000	BNMS 32/200A-S	5,5	7,5	7.078,80	50	32
61T0231000000	BNMS 32L/160C	2,2	3	5.715,20	50	32
61T0233000000	BNMS 32L/160B	3	4	5.978,80	50	32
61T0236000000	BNMS 32L/160A	4	5,5	6.278,80	50	32
61T0238000000	BNMS 32L/200C	4	5,5	6.718,20	50	32
61T0240000000	BNMS 32L/200B	5,5	7,5	7.139,40	50	32
61T0242000000	BNMS 32L/200A	7,5	10	9.330,30	50	32
61T0032000000	BNMS 40/125F	1,1	1,5	4.636,40	65	40
61T0034000000	BNMS 40/125C	1,5	2	4.721,20	65	40
61T0038000000	BNMS 40/125A	2,2	3	4.848,50	65	40
61T0042000000	BNMS 40/160C	2,2	3	5.971,20	65	40
61T0046000000	BNMS 40/160B	3	4	6.233,30	65	40
61T0052000000	BNMS 40/160A	4	5,5	6.539,40	65	40
61T0052002000	BNMS 40/160A-S	5,5	7,5	7.431,80	65	40
61T0056000000	BNMS 40/200C	4	5,5	7.101,50	65	40
61T0056002000	BNMS 40/200C-S	5,5	7,5	7.597,00	65	40
61T0056010000	BNMS 40/200D	4	5,5	7.101,50	65	40
61T0056012000	BNMS 40/200D-S	5,5	7,5	7.680,30	65	40
61T0060000000	BNMS 40/200B	5,5	7,5	7.680,30	65	40
61T0060002000	BNMS 40/200B-S	7,5	10	9.730,30	65	40
61T0064000000	BNMS 40/200AR	5,5	7,5	7.540,90	65	40
61T0064002000	BNMS 40/200AR-S	7,5	10	9.730,30	65	40
61T0068000000	BNMS 40/200A	7,5	10	9.710,60	65	40
61T0072000000	BNMS 40/250C	11	15	13.340,90	65	40
61T0076000000	BNMS 40/250B	11	15	13.340,90	65	40
61T0080000000	BNMS 40/250A	15	20	13.686,40	65	40
61T0082000000	BNMS 50/125F	2,2	3	6.204,50	65	50
61T0086000000	BNMS 50/125D	3	4	6.416,70	65	50
61T0092000000	BNMS 50/125A	4	5,5	6.768,20	65	50
61T0092A00000	BNMS 50/125S	4	5,5	6.768,20	65	50
61T0092A02000	BNMS 50/125S-S	5,5	7,5	7.366,70	65	50
61T0096000000	BNMS 50/160B	5,5	7,5	7.589,40	65	50
61T0100000000	BNMS 50/160A	7,5	10	9.795,50	65	50
61T0104000000	BNMS 50/200B	11	15	12.001,50	65	50
61T0108000000	BNMS 50/200A	11	15	12.001,50	65	50
61T0108A00000	BNMS 50/200S	15	20	12.418,20	65	50
61T0112000000	BNMS 50/250C	11	15	13.892,40	65	50
61T0116000000	BNMS 50/250B	15	20	14.265,20	65	50
61T0120000000	BNMS 50/250A	18,5	25	14.760,60	65	50
61T0136000000	BNMS 65/125E	4	5,5	7.125,80	80	65
61T0140000000	BNMS 65/125C	5,5	7,5	7.598,50	80	65
61T0144000000	BNMS 65/125A	7,5	10	9.760,60	80	65
61T0152000000	BNMS 65/160D	7,5	10	10.540,90	80	65
61T0156000000	BNMS 65/160C	11	15	11.637,90	80	65
61T0160000000	BNMS 65/160B	11	15	11.637,90	80	65
61T0164000000	BNMS 65/160A	15	20	12.071,20	80	65
61T0164A00000	BNMS 65/160AR	15	20	12.071,20	80	65
61T0168000000	BNMS 65/200C	15	20	14.180,30	80	65
61T0172000000	BNMS 65/200B	18,5	25	13.310,60	80	65
61T0174100000	BNMS 65/200A	22	30	12.103,90	80	65
61T0176100000	BNMS 65/250C	22	30	14.600,00	80	65
61T0178200000	BNMS 65/250B/B	30	40	18.881,80	80	65
61T0180200000	BNMS 65/250A/B	37	50	20.139,00	80	65

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
61T0184000000	BNMS 80/160E	7,5	10	10.753,00	100	80
61T0188000000	BNMS 80/160D	11	15	11.793,90	100	80
61T0192000000	BNMS 80/160C	11	15	11.793,90	100	80
61T0196000000	BNMS 80/160B	15	20	12.142,40	100	80
61T0200000000	BNMS 80/160A	18,5	25	12.650,00	100	80
61T0202300000	BNMS 80/200B/B	22	30	17.023,40	100	80
61T0204200000	BNMS 80/200A/B	30	40	18.557,10	100	80
61T0206100000	BNMS 80/250E	22	30	18.505,20	100	80
61T0208100000	BNMS 80/250D/A	30	40	20.777,90	100	80
61T0210100000	BNMS 80/250C/A	37	50	22.576,60	100	80
61T0212200000	BNMS 80/250B/A	45	60	26.101,30	100	80
61T0214100000	BNMS 80/250A/A	55	75	29.123,40	100	80
61T0218300000	BNMS 100/200E	18,5	25	19.856,10	125	100
61T0220200000	BNMS 100/200D/A	22	30	17.594,80	125	100
61T0222200000	BNMS 100/200C/A	30	40	18.846,80	125	100
61T0224100000	BNMS 100/200B/A	37	50	21.285,70	125	100
61T0226100000	BNMS 100/200A/A	45	60	24.957,10	125	100
61T0228100000	BNMS 100/250B/A	55	75	31.750,60	125	100
61T0230100000	BNMS 100/250A/A	75	100	38.827,30	125	100



NM4, NMS4

Kreiselpumpen in Blockbauweise (n≈1450 1/min)

Close coupled centrifugal pumps (n≈1450 1/min)

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €		
		kW	HP		DN1	DN2
6081001000000	NM4 25/12A/A	0,25	0,34	784,30		G 1"
6080002200000	NM4 25/160B/A	0,37	0,5	995,90		G 1"
6080003200000	NM4 25/160A/A	0,37	0,5	995,90		G 1"
6080004300000	NM4 25/200C/B	0,37	0,5	1.105,40		G 1"
6080005300000	NM4 25/200B/B	0,55	0,75	1.174,60		G 1"
6080006400000	NM4 25/200A/C	0,75	1	1.318,20		G 1"
6090002200000	NM4 32/16B/A	0,37	0,5	1.240,00		32
6090004200000	NM4 32/16A/A	0,37	0,5	1.240,00		32
6090006200000	NM4 32/20B/A	0,55	0,75	1.399,40		32
6090008300000	NM4 32/20A/B	0,75	1	1.558,30		32
6090010200000	NM4 40/16C/B	0,37	0,5	1.276,60		40
6090012200000	NM4 40/16B/B	0,55	0,75	1.351,50		40
6090014300000	NM4 40/16A/C	0,75	1	1.509,10		40
6090016300000	NM4 40/20B/B	1,1	1,5	1.827,30		40
6090018300000	NM4 40/20A/B	1,1	1,5	1.827,30		40
6090020300000	NM4 40/25C/C	1,5	2	2.408,30		40
6090024300000	NM4 40/25B/C	2,2	3	2.601,30		40
6090028200000	NM4 40/25A/B	3	4	2.753,00		40
6090032300000	NM4 50/16B/C	1,1	1,5	1.802,70		50
6090034300000	NM4 50/16A/C	1,1	1,5	1.802,70		50
6090036300000	NM4 50/20C/C	1,1	1,5	1.979,20		50
6090038300000	NM4 50/20B/C	1,5	2	2.112,70		50
6090042300000	NM4 50/20A/C	2,2	3	2.312,00		50
6090046300000	NM4 50/25D/B	2,2	3	2.601,30		50
6090046300000	NM4 50/25C/C	2,2	3	2.601,30		50
6090050200000	NM4 50/25B/B	3	4	2.760,70		50
6090056200000	NM4 50/25A/B	4	5,5	3.060,50		50
6090058400000	NM4 65/16C/C	1,1	1,5	1.874,60		65
6090060400000	NM4 65/16B/C	1,1	1,5	1.874,60		65
6090062400000	NM4 65/16A/C	1,5	2	2.040,80		65
6090062B00000	NM4 65/16S/A	2,2	3	2.242,60		65
6090066400000	NM4 65/20B/C	2,2	3	2.408,30		65
6090070300000	NM4 65/20A/B	3	4	2.549,10		65
6090076300000	NM4 65/25B/B	4	5,5	3.325,90		65
6090080400000	NM4 65/25A/C	5,5	7,5	4.718,90		65
6090084300000	NM4 65/31C/B	5,5	7,5	6.058,00		65
6090088300000	NM4 65/31B/B	7,5	10	6.485,70		65
6090092300000	NM4 65/31A/B	9,2	12,5	6.963,10		65
6090094400000	NM4 80/16C/C	1,1	1,5	2.196,70		80
6090096400000	NM4 80/16B/C	1,5	2	2.371,40		80
6090100400000	NM4 80/16A/C	2,2	3	2.554,10		80
6090104400000	NM4 80/20C/C	2,2	3	2.777,80		80
6090108300000	NM4 80/20B/B	3	4	2.801,10		80
6090114300000	NM4 80/20A/B	4	5,5	3.131,70		80
6090118200000	NM4 80/25C/A	4	5,5	3.966,00		80
6090122300000	NM4 80/25B/B	5,5	7,5	5.245,50		80
6090126300000	NM4 80/25A/B	7,5	10	5.677,50		80
6090130300000	NM4 80/31C/B	9,2	12,5	7.251,10		80
6090134300000	NM4 80/31B	11	15	8.718,70		80
6090138300000	NM4 80/31A	15	20	10.071,60		80
60V0138A00003	NMS4 80/315S	18,5	25	11.207,30		80
60V0142200003	NMS4 80/400C/B	18,5	25	12.055,90		80
60V0144200003	NMS4 80/400B/B	22	30	10.885,90		80
60V0146200003	NMS4 80/400A/B	30	40	12.207,90		80
60V0146A00003	NMS4 80/400S	37	50	14.108,60		80

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €		
		kW	HP		DN1	DN2
6090148200000	NM4 100/20C/A	3	4	3.643,00	125	100
6090154200000	NM4 100/20B/A	4	5,5	3.877,60	125	100
6090158400000	NM4 100/20A/C	5,5	7,5	5.146,70	125	100
6090162300000	NM4 100/25B/B	7,5	10	6.103,30	125	100
6090166300000	NM4 100/25A/B	9,2	12,5	6.578,50	125	100
6090170300000	NM4 100/31C	11	15	8.969,90	125	100
6090174300000	NM4 100/31B	15	20	10.316,80	125	100
60V0178100003	NMS4 100/315A/A	18,5	25	11.452,60	125	100
60V0180100003	NMS4 100/400C/A	22	30	11.337,70	125	100
60V0182100003	NMS4 100/400B/A	30	40	12.804,30	125	100
60V0184100003	NMS4 100/400A/A	37	50	14.756,40	125	100
6090188300000	NM4 125/25E/B	5,5	7,5	6.249,20	150	125
6090192300000	NM4 125/25D/B	7,5	10	6.679,30	150	125
6090196300000	NM4 125/25C/B	9,2	12,5	7.152,20	150	125
6090200300000	NM4 125/25B	11	15	8.556,50	150	125
6090204300000	NM4 125/25A	15	20	9.909,40	150	125
60V0208100003	NMS4 125/315C/A	18,5	25	11.186,20	150	125
60V0210100003	NMS4 125/315B/A	22	30	10.158,00	150	125
60V0212100003	NMS4 125/315A/A	30	40	11.800,70	150	125
60V0214100003	NMS4 125/400C/A	37	50	15.270,50	150	125
60V0216100003	NMS4 125/400B/A	45	60	16.641,40	150	125
60V0218100003	NMS4 125/400A/A	55	75	18.809,30	150	125
60V0222200003	NMS4 150/315D/B	18,5	25	11.908,60	200	150
60V0224200003	NMS4 150/315C/B	22	30	10.763,60	200	150
60V0226200003	NMS4 150/315B/B	30	40	12.250,20	200	150
60V0228200003	NMS4 150/315A/B	37	50	14.150,90	200	150
60V0228A00003	NMS4 150/315S	45	60	15.553,40	200	150
60V0232200003	NMS4 150/400B/B	55	75	20.352,20	200	150

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets



NMS4

n = 1450 1/min

Kreiselpumpen in Blockbauweise mit IE4-Motor

Close Coupled Centrifugal Pumps (stub-shaft construction)
with IE4 motor



Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
60V0008000000	NMS4 32/200A	0,75	1	2.867,80	50	32
60V0014000000	NMS4 40/160A	0,75	1	2.770,20	65	40
60V0016000000	NMS4 40/200B	1,1	1,5	3.297,50	65	40
60V0018000000	NMS4 40/200A	1,1	1,5	3.297,50	65	40
60V0020000000	NMS4 40/250C	1,5	2	3.699,20	65	40
60V0024000000	NMS4 40/250B	2,2	3	4.209,90	65	40
60V0028000000	NMS4 40/250A	3	4	4.271,10	65	40
60V0032000000	NMS4 50/160B	1,1	1,5	3.158,70	65	50
60V0034000000	NMS4 50/160A	1,1	1,5	3.158,70	65	50
60V0036000000	NMS4 50/200C	1,1	1,5	3.148,80	65	50
60V0038000000	NMS4 50/200B	1,5	2	3.375,20	65	50
60V0042000000	NMS4 50/200A	2,2	3	3.816,50	65	50
60V0046000000	NMS4 50/250C	2,2	3	4.333,90	65	50
60V0046010000	NMS4 50/250D	2,2	3	4.333,90	65	50
60V0050000000	NMS4 50/250B	3	4	4.443,00	65	50
60V0054000000	NMS4 50/250A	4	5,5	4.720,70	65	50
60V0058000000	NMS4 65/160C	1,1	1,5	3.282,60	80	65
60V0060000000	NMS4 65/160B	1,1	1,5	3.282,60	80	65
60V0062000000	NMS4 65/160A	1,5	2	3.520,70	80	65
60V0062A00000	NMS4 65/160S	2,2	3	3.981,80	80	65
60V0066000000	NMS4 65/200B	2,2	3	4.241,30	80	65
60V0070000000	NMS4 65/200A	3	4	4.371,90	80	65
60V0074000000	NMS4 65/250B	4	5,5	5.365,30	80	65
60V0078000000	NMS4 65/250A	5,5	7,5	7.887,60	80	65
60V0084000000	NMS4 65/315C	5,5	7,5	8.581,80	80	65
60V0088000000	NMS4 65/315B	7,5	10	9.486,00	80	65
60V0092000000	NMS4 65/315A	11	15	9.652,90	80	65
60V0094000000	NMS4 80/160C	1,1	1,5	3.426,40	100	80
60V0096000000	NMS4 80/160B	1,5	2	3.712,40	100	80
60V0100000000	NMS4 80/160A	2,2	3	4.100,80	100	80
60V0104000000	NMS4 80/200C	2,2	3	4.687,60	100	80
60V0108000000	NMS4 80/200B	3	4	4.844,60	100	80
60V0114000000	NMS4 80/200A	4	5,5	5.104,10	100	80
60V0118000000	NMS4 80/250C	4	5,5	5.646,30	100	80
60V0122300000	NMS4 80/250B	5,5	7,5	8.163,60	100	80
60V0126300000	NMS4 80/250A	7,5	10	9.067,80	100	80
60V0130100000	NMS4 80/315C	11	15	10.120,70	100	80
60V0134100000	NMS4 80/315B/A	11	15	10.120,70	100	80
60V0138100000	NMS4 80/315A	15	20	10.545,50	100	80
60V0138A00000	NMS4 80/315S	18,5	25	12.600,00	100	80
60V0142200000	NMS4 80/400C/B	18,5	25	13.553,70	125	80
60V0144200000	NMS4 80/400B/B	22	30	12.236,40	125	80
60V0146200000	NMS4 80/400A/B	30	40	13.723,40	125	80
60V0146A00000	NMS4 80/400S	37	50	15.861,00	125	80
60V0148100000	NMS4 100/200C	3	4	5.047,90	125	100
60V0154100000	NMS4 100/200B	4	5,5	5.355,40	125	100
60V0158100000	NMS4 100/200A	5,5	7,5	7.871,10	125	100
60V0162300000	NMS4 100/250B	7,5	10	8.892,60	125	100
60V0166200000	NMS4 100/250A/A	11	15	9.107,40	125	100
60V0170200000	NMS4 100/315C/A	11	15	9.952,10	125	100
60V0174200000	NMS4 100/315B/A	15	20	10.360,30	125	100
60V0178100000	NMS4 100/315A/A	18,5	25	12.871,10	125	100
60V0180100000	NMS4 100/400C/A	22	30	12.745,50	125	100
60V0182100000	NMS4 100/400B/A	30	40	14.394,80	125	100
60V0184100000	NMS4 100/400A/A	37	50	16.587,00	125	100

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
60V0188300000	NMS4 125/250E	5,5	7,5	8.413,20	150	125
60V0192300000	NMS4 125/250D	7,5	10	9.317,40	150	125
60V0196200000	NMS4 125/250C/A	11	15	9.715,70	150	125
60V0200200000	NMS4 125/250B/A	11	15	9.715,70	150	125
60V0204200000	NMS4 125/250A/A	15	20	10.132,20	150	125
60V0208100000	NMS4 125/315C/A	18,5	25	12.575,20	150	125
60V0210100000	NMS4 125/315B/A	22	30	11.419,50	150	125
60V0212100000	NMS4 125/315A/A	30	40	13.266,20	150	125
60V0214100000	NMS4 125/400C/A	37	50	17.164,90	150	125
60V0216100000	NMS4 125/400B/A	45	60	18.706,50	150	125
60V0218100000	NMS4 125/400A/A	55	75	21.142,90	150	125
60V0222200000	NMS4 150/315D/B	18,5	25	13.388,40	200	150
60V0224200000	NMS4 150/315C/B	22	30	12.100,00	200	150
60V0226200000	NMS4 150/315B/B	30	40	13.771,40	200	150
60V0228200000	NMS4 150/315A/B	37	50	15.907,80	200	150
60V0228A00000	NMS4 150/315S	45	60	17.449,40	200	150
60V0232200000	NMS4 150/400B/B	55	75	22.832,50	200	150
60V0234200000	NMS4 150/400A/B	75	100	30.492,20	200	150
60V0234A00000	NMS4 150/400S	90	120	33.051,90	200	150

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets



NM4 EI

Kreiselpumpen in Blockbauweise mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT (n≈1450 1/min)

Variable speed centrifugal pumps with on-board I-MAT frequency converter (n = 1450 1/min)

Pumpen mit Differenzdruckwandler für Betriebsart Konstantdruck
Electropump with differential transducer constant pressure

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
I609000220A0	NM4 EI 32/16B/A	0,37	0,5	4.435,00	50	32
I609000420A0	NM4 EI 32/16A/A	0,37	0,5	4.435,00	50	32
I609000620A0	NM4 EI 32/20B/A	0,55	0,75	4.550,20	50	32
I609000830A0	NM4 EI 32/20A/B	0,75	1	4.664,60	50	32
I609001020A0	NM4 EI 40/16C/B	0,37	0,5	4.461,40	65	40
I609001220A0	NM4 EI 40/16B/B	0,55	0,75	4.515,50	65	40
I609001430A0	NM4 EI 40/16A/C	0,75	1	4.629,10	65	40
I609001630A0	NM4 EI 40/20B/B	1,1	1,5	4.858,30	65	40
I609001830A0	NM4 EI 40/20A/B	1,1	1,5	4.858,30	65	40
I609002030A0	NM4 EI 40/25C/C	1,5	2	5.277,20	65	40
I609002430A0	NM4 EI 40/25B/C	2,2	3	5.416,30	65	40
I609002820A0	NM4 EI 40/25A/B	3	4	5.794,60	65	40
I609003230A0	NM4 EI 50/16B/C	1,1	1,5	4.840,70	65	50
I609003430A0	NM4 EI 50/16A/C	1,1	1,5	4.840,70	65	50
I609003630A0	NM4 EI 50/20C/C	1,1	1,5	4.968,00	65	50
I609003830A0	NM4 EI 50/20B/C	1,5	2	5.064,00	65	50
I609004230A0	NM4 EI 50/20A/C	2,2	3	5.207,80	65	50
I609004603A0	NM4 EI 50/25D/B	2,2	3	5.416,30	65	50
I609004630A0	NM4 EI 50/25C/C	2,2	3	5.416,30	65	50
I609005020A0	NM4 EI 50/25B/B	3	4	5.800,10	65	50
I609005620A0	NM4 EI 50/25A/B	4	5,5	6.016,30	65	50
I609005840A0	NM4 EI 65/16C/C	1,1	1,5	4.892,50	80	65
I609006040A0	NM4 EI 65/16B/C	1,1	1,5	4.892,50	80	65
I609006240A0	NM4 EI 65/16A/C	1,5	2	5.012,30	80	65
I6090062B0A0	NM4 EI 65/16S/A	2,2	3	5.157,70	80	65
I609006640A0	NM4 EI 65/20B/C	2,2	3	5.277,20	80	65
I609007030A0	NM4 EI 65/20A/B	3	4	5.647,80	80	65
I609007630A0	NM4 EI 65/25B/B	4	5,5	6.207,60	80	65
I609008040A0	NM4 EI 65/25A/C	5,5	7,5	8.627,80	80	65
I609008430A0	NM4 EI 65/31C/B	5,5	7,5	9.593,10	80	65
I609008830A0	NM4 EI 65/31B/B	7,5	10	9.901,40	80	65
I609009230A0	NM4 EI 65/31A/B	9,2	12,5	10.245,40	80	65
I609009440A0	NM4 EI 80/16C/C	1,1	1,5	5.124,90	100	80
I609009640A0	NM4 EI 80/16B/C	1,5	2	5.250,60	100	80
I609010040A0	NM4 EI 80/16A/C	2,2	3	5.382,30	100	80
I609010440A0	NM4 EI 80/20C/C	2,2	3	5.543,60	100	80
I609010830A0	NM4 EI 80/20B/B	3	4	5.829,40	100	80
I609011430A0	NM4 EI 80/20A/B	4	5,5	6.067,70	100	80
I609011820A0	NM4 EI 80/25C/A	4	5,5	6.669,00	100	80
I609012230A0	NM4 EI 80/25B/B	5,5	7,5	9.007,40	100	80
I609012630A0	NM4 EI 80/25A/B	7,5	10	9.318,80	100	80
I609013030A0	NM4 EI 80/31C/B	9,2	12,5	10.453,10	100	80
I609013430A0	NM4 EI 80/31B	11	15	15.656,00	100	80
I609013830A0	NM4 EI 80/31A	15	20	16.631,20	100	80
I60V0138A0A0	NMS4 EI 80/315S	18,5	25	17.449,60	100	80
I60V014220A0	NMS4 EI 80/400C/B	18,5	25	17.752,90	100	80
I60V014420A0	NMS4 EI 80/400B/B	22	30	19.050,40	100	80
I60V014620A0	NMS4 EI 80/400A/B	30	40	20.263,40	100	80

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
I609014820A0	NM4 EI 100/20C/A	3	4	6.436,20	125	100
I609015420A0	NM4 EI 100/20B/A	4	5,5	6.605,30	125	100
I609015840A0	NM4 EI 100/20A/C	5,5	7,5	8.936,30	125	100
I609016230A0	NM4 EI 100/25B/B	7,5	10	9.625,80	125	100
I609016630A0	NM4 EI 100/25A/B	9,2	12,5	9.968,10	125	100
I609017030A0	NM4 EI 100/31C	11	15	15.837,10	125	100
I609017430A0	NM4 EI 100/31B	15	20	16.808,00	125	100
I60V017810A0	NMS4 EI 100/315A/A	18,5	25	16.706,20	125	100
I60V018010A0	NMS4 EI 100/400C/A	22	30	18.853,20	125	100
I60V018210A0	NMS4 EI 100/400B/A	30	40	20.198,20	125	100
I609018830A0	NM4 EI 125/25E/B	5,5	7,5	9.730,90	150	125
I609019230A0	NM4 EI 125/25D/B	7,5	10	10.040,90	150	125
I609019630A0	NM4 EI 125/25C/B	9,2	12,5	10.381,90	150	125
I609020030A0	NM4 EI 125/25B	11	15	15.539,20	150	125
I609020430A0	NM4 EI 125/25A	15	20	16.514,40	150	125
I60V020810A0	NMS4 EI 125/315C/A	18,5	25	17.433,30	150	125
I60V021010A0	NMS4 EI 125/315B/A	22	30	18.688,50	150	125
I60V021210A0	NMS4 EI 125/315A/A	30	40	20.194,80	150	125
I60V022210A0	NMS4 EI 150/315D/A	18,5	25	17.954,90	200	150
I60V022410A0	NMS4 EI 150/315C/A	22	30	19.244,50	200	150
I60V022620A0	NMS4 EI 150/315B/B	30	40	20.608,90	200	150

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen


System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensio

Counterflanges KIT including: Screws - Nuts - Gaskets

The system consists of:

- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer




BNM4, BNMS4

Kreiselpumpen in Blockbauweise in Bronze ($n \approx 1450$ 1/min)

Bronze close coupled centrifugal pumps ($n \approx 1450$ 1/min)

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price
		kW	HP	
6181001000000	BNM4 25/12A	0,25	0,34	1.893,10
6180002200000	BNM4 25/160B/A	0,37	0,5	1.907,80
6180003200000	BNM4 25/160A/A	0,37	0,5	1.907,80
6180004300000	BNM4 25/200C/B	0,37	0,5	2.553,90
6180005300000	BNM4 25/200B/B	0,55	0,75	2.605,10
6180006400000	BNM4 25/200A/C	0,75	1	2.855,20
6190002300000	BNM4 32/16B/A	0,37	0,5	3.467,80
6190004300000	BNM4 32/16A/A	0,37	0,5	3.467,80
6190006300000	BNM4 32/20B/A	0,55	0,75	4.142,30
6190008400000	BNM4 32/20A/B	0,75	1	4.498,90
6190010300000	BNM4 40/16C/A	0,37	0,5	3.697,70
6190012300000	BNM4 40/16B/A	0,55	0,75	3.741,40
6190014400000	BNM4 40/16A/B	0,75	1	4.078,90
6190016400000	BNM4 40/20B/B	1,1	1,5	4.973,80
6190018400000	BNM4 40/20A/B	1,1	1,5	4.973,80
6190020300000	BNM4 4025/C/C	1,5	2	7.258,70
6190024300000	BNM4 4025/B/C	2,2	3	7.459,60
6190028200000	BNM4 4025/A/B	3	4	7.315,50
6190032400000	BNM4 50/16B/B	1,1	1,5	4.917,00
6190034400000	BNM4 50/16A/B	1,1	1,5	4.917,00
6190036300000	BNM4 50/20C/C	1,1	1,5	6.039,20
6190038300000	BNM4 50/20B/C	1,5	2	6.354,40
6190042300000	BNM4 50/20A/C	2,2	3	6.559,60
6190046030000	BNM4 5025/D/B	2,2	3	7.960,80
6190046300000	BNM4 5025/C/C	2,2	3	7.960,80
6190050200000	BNM4 5025/B/B	3	4	7.786,80
6190056200000	BNM4 5025/A/B	4	5,5	8.164,90
6190058500000	BNM4 65/16C/C	1,1	1,5	5.767,20
6190060500000	BNM4 65/16B/C	1,1	1,5	5.767,20
6190062500000	BNM4 65/16A/C	1,5	2	6.083,90
6190062B00000	BNM4 65/16S/A	2,2	3	6.287,00
6190066100000	BNM4 65/20B/A	2,2	3	6.950,60
6190070100000	BNM4 65/20A/A	3	4	7.195,10
6190076300000	BNM4 65/25B/B	4	5,5	10.142,40
6190080400000	BNM4 65/25A/C	5,5	7,5	12.465,50
6190084300000	BNM4 65/31C/B	5,5	7,5	18.162,70
6190088300000	BNM4 65/31B/B	7,5	10	18.561,90
6190092300000	BNM4 65/31A/B	9,2	12,5	19.007,90
6190104300000	BNM4 80/20C/A	2,2	3	8.410,70
6190108300000	BNM4 80/20B/A	3	4	8.473,60
6190114300000	BNM4 80/20A/A	4	5,5	8.783,50
6190118200000	BNM4 80/25C/A	4	5,5	11.091,10
61V01223000003	BNMS4 80/250B	5,5	7,5	13.308,60
61V01263000003	BNMS4 80/250A	7,5	10	13.711,90
6190128300000	BNM4 80/31C/B	9,2	12,5	18.687,60
61V01341000003	BNMS4 80/315B/A	11	15	19.961,40
61V01381000003	BNMS4 80/315A	15	20	20.832,30
61V0138A000003	BNMS4 80/315S	18,5	25	21.588,40
61V01422000003	BNMS4 80/400C/B	18,5	25	27.638,00
61V01442000003	BNMS4 80/400B/B	22	30	24.438,40
61V01462000003	BNMS4 80/400A/B	30	40	25.749,80
61V0146A000003	BNMS4 80/400S	37	50	27.688,70
6190148200000	BNM4 100/20C/A	3	4	10.796,20
6190154200000	BNM4 100/20B/A	4	5,5	11.015,60
6190158300000	BNM4 100/20A/C	5,5	7,5	12.782,00
61V01623000003	BNMS4 100/250B	7,5	10	16.339,60
61V01662000003	BNMS4 100/250A/A	11	15	16.781,50
61V01702000003	BNMS4 100/315C/A	11	15	21.245,30
61V01742000003	BNMS4 100/315B/A	15	20	22.068,40
61V01781000003	BNMS4 100/315A/A	18,5	25	22.823,00
61V01801000003	BNMS4 100/400C/A	22	30	24.152,40
61V01821000003	BNMS4 100/400B/A	30	40	25.913,30
61V01841000003	BNMS4 100/400A/A	37	50	28.277,30

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price
		kW	HP	
61V01883000003	BNMS4 125/250E	5,5	7,5	19.094,50
61V01923000003	BNMS4 125/250D	7,5	10	19.449,90
61V01962000003	BNMS4 125/250C/A	11	15	19.930,40
61V02002000003	BNMS4 125/250B/A	11	15	20.686,70
61V02042000003	BNMS4 125/250A/A	15	20	21.557,60
61V02081000003	BNMS4 125/315C/A	18,5	25	26.669,10
61V02101000003	BNMS4 125/315B/A	22	30	23.607,90
61V02121000003	BNMS4 125/315A/A	30	40	26.160,50
61V02141000003	BNMS4 125/400C/A	37	50	34.784,60
61V02161000003	BNMS4 125/400B/A	45	60	36.093,70
61V02181000003	BNMS4 125/400A/A	55	75	39.356,30
61V02222000003	BNMS4 150/315D/B	18,5	25	29.271,20
61V02242000003	BNMS4 150/315C/B	22	30	25.838,20
61V02262000003	BNMS4 150/315B/B	30	40	27.791,80
61V02282000003	BNMS4 150/315A/B	37	50	30.117,50
61V0228A000003	BNMS4 150/315S	45	60	31.486,10
61V02322000003	BNMS4 150/400B/B	55	75	40.806,20



B-NMS4


n = 1450 1/min

Kreiselpumpen in Blockbauweise in Bronze mit IE4-Motor
Bronze close coupled centrifugal pumps (stub-shaft construction)
with IE4 motor



Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
61V0008000000	BNMS4 32/200A	0,75	1	6.115,20	50	32
61V0014000000	BNMS4 40/160A	0,75	1	6.051,50	65	40
61V0016000000	BNMS4 40/200B	1,1	1,5	6.784,80	65	40
61V0018000000	BNMS4 40/200A	1,1	1,5	6.784,80	65	40
61V0020000000	BNMS4 40/250C	1,5	2	9.536,40	65	40
61V0024000000	BNMS4 40/250B	2,2	3	10.003,00	65	40
61V0028000000	BNMS4 40/250A	3	4	10.121,20	65	40
61V0032000000	BNMS4 50/160B	1,1	1,5	6.822,70	65	50
61V0034000000	BNMS4 50/160A	1,1	1,5	6.822,70	65	50
61V0036000000	BNMS4 50/200C	1,1	1,5	7.872,70	65	50
61V0038000000	BNMS4 50/200B	1,5	2	8.090,90	65	50
61V0042000000	BNMS4 50/200A	2,2	3	8.548,50	65	50
61V0046000000	BNMS4 50/250C	2,2	3	10.569,70	65	50
61V0046010000	BNMS4 50/250D	2,2	3	10.569,70	65	50
61V0050000000	BNMS4 50/250B	3	4	10.683,30	65	50
61V0054000000	BNMS4 50/250A	4	5,5	10.987,90	65	50
61V0058000000	BNMS4 65/160C	1,1	1,5	7.519,70	80	65
61V0060000000	BNMS4 65/160B	1,1	1,5	7.583,30	80	65
61V0062000000	BNMS4 65/160A	1,5	2	7.807,60	80	65
61V0062A00000	BNMS4 65/160S	2,2	3	8.230,30	80	65
61V0066000000	BNMS4 65/200B	2,2	3	10.503,00	80	65
61V0070000000	BNMS4 65/200A	3	4	10.628,80	80	65
61V0074000000	BNMS4 65/250B	4	5,5	14.551,50	80	65
61V0078000000	BNMS4 65/250A	5,5	7,5	16.881,80	80	65
61V0084000000	BNMS4 65/315C	5,5	7,5	22.254,50	80	65
61V0088000000	BNMS4 65/315B	7,5	10	23.083,30	80	65
61V0092000000	BNMS4 65/315A	11	15	20.572,70	80	65
61V0094000000	BNMS4 80/160C	1,1	1,5	7.772,70	100	80
61V0096000000	BNMS4 80/160B	1,5	2	8.051,50	100	80
61V0100000000	BNMS4 80/160A	2,2	3	8.463,60	100	80
61V0104000000	BNMS4 80/200C	2,2	3	13.128,80	100	80
61V0108000000	BNMS4 80/200B	3	4	13.254,50	100	80
61V0114000000	BNMS4 80/200A	4	5,5	13.489,40	100	80
61V0118000000	BNMS4 80/250C	4	5,5	14.612,10	100	80
61V0122300000	BNMS4 80/250B	5,5	7,5	14.960,60	100	80
61V0126300000	BNMS4 80/250A	7,5	10	15.413,60	100	80
61V0130100000	BNMS4 80/315C	11	15	22.437,90	100	80
61V0134100000	BNMS4 80/315B/A	11	15	22.437,90	100	80
61V0138100000	BNMS4 80/315A	15	20	23.416,70	100	80
61V0138A00000	BNMS4 80/315S	18,5	25	24.268,20	100	80
61V0142200000	BNMS4 80/400C/B	18,5	25	31.066,70	125	80
61V0144200000	BNMS4 80/400B/B	22	30	27.471,40	125	80
61V0146200000	BNMS4 80/400A/B	30	40	28.944,20	125	80
61V0146A00000	BNMS4 80/400S	37	50	31.123,40	125	80
61V0148100000	BNMS4 100/200C	3	4	13.324,20	125	100
61V0154100000	BNMS4 100/200B	4	5,5	13.607,60	125	100
61V0158100000	BNMS4 100/200A	5,5	7,5	15.898,50	125	100
61V0162300000	BNMS4 100/250B	7,5	10	18.368,20	125	100
61V0166200000	BNMS4 100/250A/A	11	15	18.863,60	125	100
61V0170200000	BNMS4 100/315C/A	11	15	23.883,30	125	100
61V0174200000	BNMS4 100/315B/A	15	20	24.807,60	125	100
61V0178100000	BNMS4 100/315A/A	18,5	25	25.656,10	125	100
61V0180100000	BNMS4 100/400C/A	22	30	27.149,40	125	100
61V0182100000	BNMS4 100/400B/A	30	40	29.128,60	125	100
61V0184100000	BNMS4 100/400A/A	37	50	31.785,70	125	100

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
61V0188300000	BNMS4 125/250E	5,5	7,5	21.463,60	150	125
61V0192300000	BNMS4 125/250D	7,5	10	21.863,60	150	125
61V0196200000	BNMS4 125/250C/A	11	15	23.254,50	150	125
61V0200200000	BNMS4 125/250B/A	11	15	23.254,50	150	125
61V0204200000	BNMS4 125/250A/A	15	20	24.233,30	150	125
61V0208100000	BNMS4 125/315C/A	18,5	25	29.977,30	150	125
61V0210100000	BNMS4 125/315B/A	22	30	26.536,40	150	125
61V0212100000	BNMS4 125/315A/A	30	40	29.405,20	150	125
61V0214100000	BNMS4 125/400C/A	37	50	39.100,00	150	125
61V0216100000	BNMS4 125/400B/A	45	60	40.571,40	150	125
61V0218100000	BNMS4 125/400A/A	55	75	44.237,70	150	125
61V0222200000	BNMS4 150/315D/B	18,5	25	32.903,00	200	150
61V0224200000	BNMS4 150/315C/B	22	30	29.044,20	200	150
61V0226200000	BNMS4 150/315B/B	30	40	31.240,30	200	150
61V0228200000	BNMS4 150/315A/B	37	50	33.854,50	200	150
61V0228A00000	BNMS4 150/315S	45	60	35.324,70	200	150
61V0232200000	BNMS4 150/400B/B	55	75	44.485,70	200	150
61V0234200000	BNMS4 150/400A/B	75	100	53.193,50	200	150
61V0234A00000	BNMS4 150/400S	90	120	55.679,20	200	150



N

n = 2900 1/min

Kreiselpumpen mit axialem Eintritt nach EN 733

OHNE MOTOR

End-suction centrifugal pumps EN 733

WITHOUT MOTOR


Art.Nr. Code	Ohne Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
5000002000000	N 32-125F/A	0,55	0,75	1.399,20	50	32
5000006000000	N 32-125D/A	0,75	1	1.399,20	50	32
5000006002000	N 32-125D-S/A	1,1	1,5	1.399,20	50	32
5000010000000	N 32-125A/A	1,1	1,5	1.399,20	50	32
5000010002000	N 32-125A-S/A	1,5	2	1.399,20	50	32
5000014000000	N 32-125S/A	1,5	2	1.399,20	50	32
5000016000000	N 32-160B/A	1,5	2	1.431,00	50	32
5000016002000	N 32-160B-S/A	2,2	3	1.431,00	50	32
5000020000000	N 32-160A/A	2,2	3	1.431,00	50	32
5000020002000	N 32-160A-S/A	3	4	1.431,00	50	32
5000024000000	N 32-200D/A	2,2	3	1.609,00	50	32
5000024002000	N 32-200D-S/A	3	4	1.609,00	50	32
5000026000000	N 32-200C/A	3	4	1.609,00	50	32
5000030000000	N 32-200A/A	4	5,5	1.609,00	50	32
5000030002000	N 32-200A-S/A	5,5	7,5	1.609,00	50	32
5000303000000	N 32L-160C	2,2	3	1.473,60	50	32
5000305000000	N 32L-160B	3	4	1.473,60	50	32
5000307000000	N 32L-160A	4	5,5	1.473,60	50	32
5000309000000	N 32L-200C	4	5,5	1.682,80	50	32
5000310000000	N 32L-200B	5,5	7,5	1.682,80	50	32
5000312000000	N 32L-200A	7,5	10	1.682,80	50	32
5000034000000	N 40-125F/A	1,1	1,5	1.429,20	65	40
5000038000000	N 40-125C/A	1,5	2	1.429,20	65	40
5000042000000	N 40-125A/A	2,2	3	1.429,20	65	40
5000046000000	N 40-160C/A	2,2	3	1.503,30	65	40
5000050000000	N 40-160B/A	3	4	1.503,30	65	40
5000054000000	N 40-160A/A	4	5,5	1.503,30	65	40
5000054002000	N 40-160A-S/A	5,5	7,5	1.503,30	65	40
5000058010000	N 40-200D/A	4	5,5	1.727,00	65	40
5000058000000	N 40-200C/A	4	5,5	1.727,00	65	40
5000058002000	N 40-200C-S/A	5,5	7,5	1.727,00	65	40
5000058012000	N 40-200D-S/A	5,5	7,5	1.727,00	65	40
5000060000000	N 40-200B/A	5,5	7,5	1.727,00	65	40
5000060002000	N 40-200B-S/A	7,5	10	1.727,00	65	40
5000064000000	N 40-200AR/A	5,5	7,5	1.727,00	65	40
5000064002000	N 40-200AR-S/A	7,5	10	1.727,00	65	40
5000066000000	N 40-200A/A	7,5	10	1.727,00	65	40
5000070000000	N 40-250C/A	11	15	2.070,70	65	40
5000074000000	N 40-250B/A	11	15	2.070,70	65	40
5000078000000	N 40-250A/A	15	20	2.070,70	65	40
5000082000000	N 50-125F/A	2,2	3	1.535,00	65	50
5000086000000	N 50-125D/A	3	4	1.535,00	65	50
5000090000000	N 50-125A/A	4	5,5	1.535,00	65	50
5000090A00000	N 50-125S/A	4	5,5	1.535,00	65	50
5000090A02000	N 50-125S-S/A	5,5	7,5	1.535,00	65	50
5000094000000	N 50-160B/A	5,5	7,5	1.660,20	65	50
5000098000000	N 50-160A/A	7,5	10	1.660,20	65	50
5000104000000	N 50-200B/A	11	15	1.811,50	65	50
5000108000000	N 50-200A/A	11	15	1.811,50	65	50
5000108A00000	N 50-200S/A	15	20	1.811,50	65	50
5000112000000	N 50-250C/A	11	15	2.204,60	65	50
5000116000000	N 50-250B/A	15	20	2.204,60	65	50
5000120000000	N 50-250A/A	18,5	25	2.204,60	65	50
5000120A00000	N 50-250S/A	22	30	2.204,60	65	50

Art.Nr. Code	Ohne Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
5000124100000	N 65-125E/B	4	5,5	1.769,40	80	65
5000128100000	N 65-125C/B	5,5	7,5	1.769,40	80	65
5000132100000	N 65-125A/B	7,5	10	1.769,40	80	65
5000138100000	N 65-160D/B	7,5	10	1.788,90	80	65
5000140100000	N 65-160C/B	11	15	1.788,90	80	65
5000144100000	N 65-160B/B	11	15	1.788,90	80	65
5000148100000	N 65-160A/B	15	20	1.788,90	80	65
5000148A00000	N 65-160AR	15	20	1.788,90	80	65
5000152100000	N 65-200C/B	15	20	1.950,90	80	65
5000154100000	N 65-200B/B	18,5	25	1.950,90	80	65
5000158100000	N 65-200A/B	22	30	1.950,90	80	65
5000162100000	N 65-250C/B	22	30	3.211,00	80	65
5000164100000	N 65-250B/B	30	40	3.211,00	80	65
5000168100000	N 65-250A/B	37	50	3.211,00	80	65
5000178100000	N 80-160E/B	7,5	10	2.061,80	100	80
5000180100000	N 80-160D/B	11	15	2.061,80	100	80
5000182100000	N 80-160C/B	11	15	2.061,80	100	80
5000186100000	N 80-160B/B	15	20	2.061,80	100	80
5000190100000	N 80-160A/B	18,5	25	2.061,80	100	80
5000196100000	N 80-200B/B	22	30	3.119,30	100	80
5000200100000	N 80-200A/B	30	40	3.119,30	100	80
5000204000000	N 80-250E/A	22	30	3.429,30	100	80
5000206000000	N 80-250D/A	30	40	3.429,30	100	80
5000208000000	N 80-250C/A	37	50	3.429,30	100	80
5000212000000	N 80-250B/A	45	60	3.429,30	100	80
5000216000000	N 80-250A/A	55	75	3.429,30	100	80
5000232000000	N 100-200E/A	18,5	25	3.318,20	125	100
5000234000000	N 100-200D/A	22	30	3.318,20	125	100
5000236000000	N 100-200C/A	30	40	3.318,20	125	100
5000240000000	N 100-200B/A	37	50	3.318,20	125	100
5000244000000	N 100-200A/A	45	60	3.318,20	125	100
5000248000000	N 100-250B/A	55	75	3.611,00	125	100
5000252000000	N 100-250A/A	75	100	3.611,00	125	100

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets



N4

n = 1450 1/min

Kreiselpumpen mit axialem Eintritt nach EN 733

OHNE MOTOR

End-suction centrifugal pumps EN 733

WITHOUT MOTOR


Art.Nr. Code	Ohne Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
5000004000000	N4 32-125F/A	0,25	0,34	1.399,20	50	32
5000008000000	N4 32-125D/A	0,25	0,34	1.399,20	50	32
5000012000000	N4 32-125A/A	0,25	0,34	1.399,20	50	32
5000018000000	N4 32-160B/A	0,37	0,5	1.431,00	50	32
5000022000000	N4 32-160A/A	0,37	0,5	1.431,00	50	32
5000028000000	N4 32-200B/A	0,55	0,75	1.609,00	50	32
5000032000000	N4 32-200A/A	0,75	1	1.609,00	50	32
5000048000000	N4 40-160C/A	0,37	0,5	1.503,30	65	40
5000052000000	N4 40-160B/A	0,55	0,75	1.503,30	65	40
5000056000000	N4 40-160A/A	0,75	1	1.503,30	65	40
5000062000000	N4 40-200B/A	1,1	1,5	1.727,00	65	40
5000068000000	N4 40-200A/A	1,1	1,5	1.727,00	65	40
5000072000000	N4 40-250C/A	1,5	2	2.070,70	65	40
5000076000000	N4 40-250B/A	2,2	3	2.070,70	65	40
5000080000000	N4 40-250A/A	3	4	2.070,70	65	40
5000084000000	N4 50-125F/A	0,37	0,5	1.535,00	65	50
5000088000000	N4 50-125D/A	0,55	0,75	1.535,00	65	50
5000092000000	N4 50-125A/A	0,75	1	1.535,00	65	50
5000096000000	N4 50-160B/A	1,1	1,5	1.660,20	65	50
5000100000000	N4 50-160A/A	1,1	1,5	1.660,20	65	50
5000102000000	N4 50-200C/A	1,1	1,5	1.811,50	65	50
5000106000000	N4 50-200B/A	1,5	2	1.811,50	65	50
5000110000000	N4 50-200A/A	2,2	3	1.811,50	65	50
5000114000000	N4 50-250C/A	2,2	3	2.204,60	65	50
5000114010000	N4 50-250D	2,2	3	2.204,60	65	50
5000118000000	N4 50-250B/A	3	4	2.204,60	65	50
5000122000000	N4 50-250A/A	4	5,5	2.204,60	65	50
5000126100000	N4 65-125E/B	0,75	1	1.769,40	80	65
5000130100000	N4 65-125C/B	0,75	1	1.769,40	80	65
5000134100000	N4 65-125A/B	1,1	1,5	1.769,40	80	65
5000142100000	N4 65-160C/B	1,1	1,5	1.788,90	80	65
5000146100000	N4 65-160B/B	1,1	1,5	1.788,90	80	65
5000150100000	N4 65-160A/B	1,5	2	1.788,90	80	65
5000150A00000	N4 65-160S	2,2	3	1.788,90	80	65
5000156100000	N4 65-200B/B	2,2	3	1.950,90	80	65
5000160100000	N4 65-200A/B	3	4	1.950,90	80	65
5000166100000	N4 65-250B/B	4	5,5	3.211,00	80	65
5000170100000	N4 65-250A/B	5,5	7,5	3.211,00	80	65
5000172000000	N4 65-315C/A	5,5	7,5	3.938,60	80	65
5000174000000	N4 65-315B/A	7,5	10	3.938,60	80	65
5000176000000	N4 65-315A/A	11	15	3.938,60	80	65
5000184100000	N4 80-160C/B	1,1	1,5	2.061,80	100	80
5000188100000	N4 80-160B/B	1,5	2	2.061,80	100	80
5000192100000	N4 80-160A/B	2,2	3	2.061,80	100	80
5000194100000	N4 80-200C/B	2,2	3	3.119,30	100	80
5000198100000	N4 80-200B/B	3	4	3.119,30	100	80
5000202100000	N4 80-200A/B	4	5,5	3.119,30	100	80
5000210000000	N4 80-250C/A	4	5,5	3.429,30	100	80
5000214000000	N4 80-250B/A	5,5	7,5	3.429,30	100	80
5000218000000	N4 80-250A/A	7,5	10	3.429,30	100	80
5000220100000	N4 80-315C/B	11	15	3.975,70	100	80
5000222100000	N4 80-315B/B	11	15	3.975,70	100	80
5000224100000	N4 80-315A/B	15	20	3.975,70	100	80
5000224A00000	N4 80-315S	18,5	25	3.975,70	100	80
5000226100000	N4 80-400C/B	18,5	25	5.981,20	125	80
5000228100000	N4 80-400B/B	22	30	5.981,20	125	80
5000230100000	N4 80-400A/B	30	40	5.981,20	125	80
5000230A00000	N4 80-400S	37	50	5.981,20	125	80

Art.Nr. Code	Ohne Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
5000238000000	N4 100-200C/A	3	4	3.318,20	125	100
5000242000000	N4 100-200B/A	4	5,5	3.318,20	125	100
5000246000000	N4 100-200A/A	5,5	7,5	3.318,20	125	100
5000250000000	N4 100-250B/A	7,5	10	3.611,00	125	100
5000254000000	N4 100-250A/A	11	15	3.611,00	125	100
5000256000000	N4 100-315C/A	11	15	4.194,20	125	100
5000258000000	N4 100-315B/A	15	20	4.194,20	125	100
5000260000000	N4 100-315A/A	18,5	25	4.194,20	125	100
5000262000000	N4 100-400C/A	22	30	6.538,10	125	100
5000264000000	N4 100-400B/A	30	40	6.538,10	125	100
5000266000000	N4 100-400A/A	37	50	6.538,10	125	100
5000268000000	N4 125-250E/A	5,5	7,5	3.959,80	150	125
5000270000000	N4 125-250D/A	7,5	10	3.959,80	150	125
5000272000000	N4 125-250C/A	11	15	3.959,80	150	125
5000274000000	N4 125-250B/A	11	15	3.959,80	150	125
5000276000000	N4 125-250A/A	15	20	3.959,80	150	125
5000278000000	N4 125-315C/A	18,5	25	6.196,10	150	125
5000280000000	N4 125-315B/A	22	30	6.196,10	150	125
5000282000000	N4 125-315A/A	30	40	6.196,10	150	125
5000284000000	N4 125-400C/A	37	50	6.913,40	150	125
5000286000000	N4 125-400B/A	45	60	6.913,40	150	125
5000288000000	N4 125-400A/A	55	75	6.913,40	150	125
5000290000000	N4 150-315D/B	18,5	25	6.696,70	200	150
5000292000000	N4 150-315C/B	22	30	6.696,70	200	150
5000294100000	N4 150-315B/B	30	40	6.696,70	200	150
5000296100000	N4 150-315A/B	37	50	6.696,70	200	150
5000296A00000	N4 150-315S	45	60	6.696,70	200	150
5000300100000	N4 150-400B/B	55	75	8.472,80	200	150
5000302100000	N4 150-400A/B	75	100	8.472,80	200	150
5000302A00000	N4 150-400S	90	120	8.472,80	200	150
5000314000000	N4 200-400C	90	120	15.092,40	250	200
5000316000000	N4 200-400B	110	150	15.092,40	250	200
5000318000000	N4 200-400A	132	180	15.092,40	250	200

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets



N

n = 2900 1/min

Kreiselpumpen mit axialem Eintritt nach EN 733

End-suction centrifugal pumps EN 733

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
5000002004000	N 32-125F/A G	0,55	0,75	3.607,20	50	32
5000006004000	N 32-125D/A G	0,75	1	3.677,40	50	32
5000006006000	N 32-125D-S/A G	1,1	1,5	3.683,30	50	32
5000010004000	N 32-125A/A G	1,1	1,5	3.766,40	50	32
5000010006000	N 32-125A-S/A G	1,5	2	3.789,40	50	32
5000014004000	N 32-125S/A G	1,5	2	3.876,30	50	32
5000016004000	N 32-160B/A G	1,5	2	3.911,20	50	32
5000016006000	N 32-160B-S/A G	2,2	3	4.870,90	50	32
5000020004000	N 32-160A/A G	2,2	3	4.151,60	50	32
5000020006000	N 32-160A-S/A G	3	4	4.453,00	50	32
5000024004000	N 32-200D/A G	2,2	3	4.330,90	50	32
5000024006000	N 32-200D-S/A G	3	4	4.627,30	50	32
5000026004000	N 32-200C/A G	3	4	4.732,70	50	32
5000030004000	N 32-200A/A G	4	5,5	4.971,20	50	32
5000030006000	N 32-200A-S/A G	5,5	7,5	5.556,10	50	32
5000303004000	N 32L-160C G	2,2	3	4.194,30	50	32
5000305004000	N 32L-160B G	3	4	4.626,30	50	32
5000307004000	N 32L-160A G	4	5,5	4.831,00	50	32
5000309004000	N 32L-200C G	4	5,5	5.044,80	50	32
5000310004000	N 32L-200B G	5,5	7,5	5.756,80	50	32
5000312004000	N 32L-200A G	7,5	10	6.005,60	50	32
5000034004000	N 40-125F/A G	1,1	1,5	3.825,80	65	40
5000038004000	N 40-125C/A G	1,5	2	3.935,70	65	40
5000042004000	N 40-125A/A G	2,2	3	4.176,10	65	40
5000046004000	N 40-160C/A G	2,2	3	4.253,40	65	40
5000050004000	N 40-160B/A G	3	4	4.655,80	65	40
5000054004000	N 40-160A/A G	4	5,5	4.860,60	65	40
5000054006000	N 40-160A-S/A G	5,5	7,5	5.453,00	65	40
5000058014000	N 40-200D/A G	4	5,5	5.284,00	65	40
5000058016000	N 40-200D-S/A G	5,5	7,5	5.671,20	65	40
5000058004000	N 40-200C/A G	4	5,5	5.284,00	65	40
5000058006000	N 40-200C-S/A G	5,5	7,5	5.671,20	65	40
5000060004000	N 40-200B/A G	5,5	7,5	5.801,30	65	40
5000060006000	N 40-200B-S/A G	7,5	10	5.913,60	65	40
5000064004000	N 40-200AR/A G	5,5	7,5	5.801,30	65	40
5000064006000	N 40-200AR-S/A G	7,5	10	5.913,60	65	40
5000066004000	N 40-200A/A G	7,5	10	6.050,20	65	40
5000070004000	N 40-250C/A G	11	15	7.434,60	65	40
5000074004000	N 40-250B/A G	11	15	7.434,60	65	40
5000078004000	N 40-250A/A G	15	20	8.239,80	65	40
5000082004000	N 50-125F/A G	2,2	3	4.255,50	65	50
5000086004000	N 50-125D/A G	3	4	4.658,10	65	50
5000090004000	N 50-125A/A G	4	5,5	4.895,30	65	50
5000090A04000	N 50-125S/A G	4	5,5	4.895,30	65	50
5000090A06000	N 50-125S-S/A G	5,5	7,5	5.483,30	65	50
5000094004000	N 50-160B/A G	5,5	7,5	5.734,30	65	50
5000098004000	N 50-160A/A G	7,5	10	5.982,10	65	50
5000104004000	N 50-200B/A G	11	15	7.097,30	65	50
5000108004000	N 50-200A/A G	11	15	7.097,30	65	50
5000108A04000	N 50-200S/A G	15	20	7.941,40	65	50
5000112004000	N 50-250C/A G	11	15	7.568,20	65	50
5000116004000	N 50-250B/A G	15	20	8.373,30	65	50
5000120004000	N 50-250A/A G	18,5	25	9.041,60	65	50
5000120A04000	N 50-250S/A G	22	30	9.011,20	65	50
5000124104000	N 65-125E/B G	4	5,5	5.326,20	80	65
5000128104000	N 65-125C/B G	5,5	7,5	5.843,50	80	65
5000132104000	N 65-125A/B G	7,5	10	6.091,40	80	65
5000138104000	N 65-160D/B G	7,5	10	6.110,80	80	65
5000140104000	N 65-160C/B G	11	15	7.075,40	80	65
5000144104000	N 65-160B/B G	11	15	7.075,40	80	65
5000148104000	N 65-160A/B G	15	20	7.883,10	80	65
5000148A04000	N 65-160AR G	15	20	7.883,10	80	65

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
5000152104000	N 65-200C/B G	15	20	8.121,00	80	65
5000154104000	N 65-200B/B G	18,5	25	8.789,20	80	65
5000158104000	N 65-200A/B G	22	30	8.699,20	80	65
5000162104000	N 65-250C/B G	22	30	10.124,10	80	65
5000164104000	N 65-250B/B G	30	40	11.804,50	80	65
5000168104000	N 65-250A/B G	37	50	15.419,40	80	65
5000178104000	N 80-160E/B G	7,5	10	6.637,40	100	80
5000180104000	N 80-160D/B G	11	15	7.420,10	100	80
5000182104000	N 80-160C/B G	11	15	7.420,10	100	80
5000186104000	N 80-160B/B G	15	20	8.273,70	100	80
5000190104000	N 80-160A/B G	18,5	25	8.893,60	100	80
5000196104000	N 80-200B/B G	22	30	9.735,10	100	80
5000200104000	N 80-200A/B G	30	40	11.777,40	100	80
5000204004000	N 80-250E/A G	22	30	10.311,20	100	80
5000206004000	N 80-250D/A G	30	40	11.991,70	100	80
5000208004000	N 80-250C/A G	37	50	13.403,80	100	80
5000212004000	N 80-250B/A G	45	60	16.010,90	100	80
5000216004000	N 80-250A/A G	55	75	18.460,40	100	80
5000232004000	N 100-200E/A G	18,5	25	8.954,40	125	100
5000234004000	N 100-200D/A G	22	30	10.215,50	125	100
5000236004000	N 100-200C/A G	30	40	11.896,00	125	100
5000240004000	N 100-200B/A G	37	50	13.308,20	125	100
5000244004000	N 100-200A/A G	45	60	15.915,10	125	100
5000248004000	N 100-250B/A G	55	75	18.929,60	125	100
5000252004000	N 100-250A/A G	75	100	23.871,30	125	100


Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
IE4-Motor auf Anfrage bis zu 55 kW Standard ab 75 kW.
Standard-Elektromotor, Bauform B3, Schutzart IP55.
Preis beinhaltet:

Pumpe
hinterer Fuß für Lagergehäuse
Elektromotor
elastische Kupplung
Kupplungsschutz
Grundplatte

Counterflanges KIT including: Screws - Nuts - Gaskets
IE4 motor on request up to 55 kW standard from 75 kW
Standardised electric motor, B3 construction IP55 protection.

The price includes:
pump
rear foot for bearing housing
electric motor
flexible coupling
coupling guard
baseplate



N4

n = 1450 1/min

Kreiselpumpen mit axialem Eintritt nach EN 733

End-suction centrifugal pumps EN 733

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
5000004004000	N4 32-125F/A G	0,25	0,34	3.485,00	50	32
5000008004000	N4 32-125D/A G	0,25	0,34	3.485,00	50	32
5000012004000	N4 32-125A/A G	0,25	0,34	3.485,00	50	32
5000018004000	N4 32-160B/A G	0,37	0,5	3.566,80	50	32
5000022004000	N4 32-160A/A G	0,37	0,5	3.566,80	50	32
5000028004000	N4 32-200B/A G	0,55	0,75	3.844,20	50	32
5000032004000	N4 32-200A/A G	0,75	1	3.894,70	50	32
5000048004000	N4 40-160C/A G	0,37	0,5	3.639,60	65	40
5000052004000	N4 40-160B/A G	0,55	0,75	3.735,10	65	40
5000056004000	N4 40-160A/A G	0,75	1	3.785,40	65	40
5000062004000	N4 40-200B/A G	1,1	1,5	4.384,10	65	40
5000068004000	N4 40-200A/A G	1,1	1,5	4.384,10	65	40
5000072004000	N4 40-250C/A G	1,5	2	5.105,30	65	40
5000076004000	N4 40-250B/A G	2,2	3	5.487,50	65	40
5000080004000	N4 40-250A/A G	3	4	5.623,80	65	40
5000084004000	N4 50-125F/A G	0,37	0,5	3.671,00	65	50
5000088004000	N4 50-125D/A G	0,55	0,75	3.766,50	65	50
5000092004000	N4 50-125A/A G	0,75	1	3.817,00	65	50
5000092004000	N4 50-125A/A G	0,75	1	3.817,00	65	50
5000096004000	N4 50-160B/A G	1,1	1,5	4.316,10	65	50
5000100004000	N4 50-160A/A G	1,1	1,5	4.316,10	65	50
5000102004000	N4 50-200C/A G	1,1	1,5	4.468,90	65	50
5000106004000	N4 50-200B/A G	1,5	2	4.595,60	65	50
5000110004000	N4 50-200A/A G	2,2	3	4.985,10	65	50
5000114014000	N4 50-250D G	2,2	3	5.621,10	65	50
5000114004000	N4 50-250C/A G	2,2	3	5.621,10	65	50
5000118004000	N4 50-250B/A G	3	4	5.757,20	65	50
5000122004000	N4 50-250A/A G	4	5,5	5.995,10	65	50
5000126104000	N4 65-125E/B G	0,75	1	4.314,50	80	65
5000130104000	N4 65-125C/B G	0,75	1	4.314,50	80	65
5000134104000	N4 65-125A/B G	1,1	1,5	4.425,30	80	65
5000142104000	N4 65-160C/B G	1,1	1,5	4.444,60	80	65
5000146104000	N4 65-160B/B G	1,1	1,5	4.444,60	80	65
5000150104000	N4 65-160A/B G	1,5	2	4.573,80	80	65
5000150A04000	N4 65-160S G	2,2	3	5.204,00	80	65
5000156104000	N4 65-200B/B G	2,2	3	5.366,00	80	65
5000160104000	N4 65-200A/B G	3	4	5.504,80	80	65
5000166104000	N4 65-250B/B G	4	5,5	7.261,80	80	65
5000170104000	N4 65-250A/B G	5,5	7,5	7.803,20	80	65
5000172004000	N4 65-315C/A G	5,5	7,5	8.650,10	80	65
5000174004000	N4 65-315B/A G	7,5	10	9.086,00	80	65
5000176004000	N4 65-315A/A G	11	15	9.712,50	80	65
5000184104000	N4 80-160C/B G	1,1	1,5	4.968,80	100	80
5000188104000	N4 80-160B/B G	1,5	2	5.095,60	100	80
5000192104000	N4 80-160A/B G	2,2	3	5.477,80	100	80
5000194104000	N4 80-200C/B G	2,2	3	6.603,80	100	80
5000198104000	N4 80-200B/B G	3	4	6.742,40	100	80
5000202104000	N4 80-200A/B G	4	5,5	6.980,50	100	80
5000210004000	N4 80-250C/A G	4	5,5	7.480,40	100	80
5000214004000	N4 80-250B/A G	5,5	7,5	8.021,70	100	80
5000218004000	N4 80-250A/A G	7,5	10	8.457,50	100	80
5000220104000	N4 80-315C/B G	11	15	9.824,20	100	80
5000222104000	N4 80-315B/B G	11	15	9.824,20	100	80
5000224104000	N4 80-315A/B G	15	20	10.626,50	100	80
5000224A04000	N4 80-315S G	18,5	25	11.940,60	100	80
5000226104000	N4 80-400C/B G	18,5	25	15.471,80	125	80
5000228104000	N4 80-400B/B G	22	30	13.842,30	125	80
5000230104000	N4 80-400A/B G	30	40	15.571,50	125	80
5000230A04000	N4 80-400S G	37	50	16.555,90	125	80

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
5000238004000	N4 100-200C/A G	3	4	7.135,60	125	100
5000242004000	N4 100-200B/A G	4	5,5	7.368,70	125	100
5000246004000	N4 100-200A/A G	5,5	7,5	7.912,30	125	100
5000250004000	N4 100-250B/A G	7,5	10	8.649,30	125	100
5000254004000	N4 100-250A/A G	11	15	9.382,50	125	100
5000256004000	N4 100-315C/A G	11	15	10.042,70	125	100
5000258004000	N4 100-315B/A G	15	20	10.844,80	125	100
5000260004000	N4 100-315A/A G	18,5	25	12.159,20	125	100
5000262004000	N4 100-400C/A G	22	30	14.318,60	125	100
5000264004000	N4 100-400B/A G	30	40	16.049,90	125	100
5000266004000	N4 100-400A/A G	37	50	17.034,20	125	100
5000268004000	N4 125-250E/A G	5,5	7,5	8.591,90	150	125
5000270004000	N4 125-250D/A G	7,5	10	9.027,80	150	125
5000272004000	N4 125-250C/A G	11	15	9.807,20	150	125
5000274004000	N4 125-250B/A G	11	15	9.807,20	150	125
5000276004000	N4 125-250A/A G	15	20	10.611,90	150	125
5000278004000	N4 125-315C/A G	18,5	25	15.685,10	150	125
5000280004000	N4 125-315B/A G	22	30	14.025,40	150	125
5000282004000	N4 125-315A/A G	30	40	15.756,60	150	125
5000284004000	N4 125-400C/A G	37	50	17.356,50	150	125
5000286004000	N4 125-400B/A G	45	60	18.511,30	150	125
5000288004000	N4 125-400A/A G	55	75	20.266,00	150	125
5000290004000	N4 150-315D/B G	18,5	25	16.187,60	200	150
5000292004000	N4 150-315C/B G	22	30	14.453,80	200	150
5000294104000	N4 150-315B/B G	30	40	16.185,10	200	150
5000296104000	N4 150-315A/B G	37	50	17.169,40	200	150
5000296A04000	N4 150-315S G	45	60	17.911,70	200	150
5000300104000	N4 150-400B/B G	55	75	21.603,50	200	150
5000302104000	N4 150-400A/B G	75	100	25.695,90	200	150
5000302A04000	N4 150-400S G	90	120	30.923,40	200	150
5000314004000	N4 200-400C G	90	120	41.727,30	250	200
5000316004000	N4 200-400B G	110	150	47.693,50	250	200
5000318004000	N4 200-400A G	132	180	52.420,80	250	200

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029730000	G1 1/4 - G2	N(4), NM(4) 32..	67,00
44029731000	G1 1/2 - G2 1/2	N(4), NM(4) 40..	73,90
44029733000	G2 - G2 1/2	N(4), NM(4) 50..	79,30
44029740000	DN65 - DN80	N(4), NM(4) 65..	93,40
44029742000	DN80 - DN100	N(4), NM(4) 80..	119,80
44029750000	DN80 - DN125	N(4), NM(4) 80/400..	135,70
44029751000	DN100 - DN125	N(4), NM(4) 100..	149,80
44029753000	DN125 - DN150	N(4), NM(4) 125..	229,10
44029760000	DN150 - DN200	N(4), NM(4) 150..	340,20

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

IE4-Motor auf Anfrage bis zu 55 kW Standard ab 75 kW.

Standard-Elektromotor, Bauform B3, Schutzart IP55.

Preis beinhaltet:

Pumpe

hinterer Fuß für Lagergehäuse

Elektromotor

elastische Kupplung

Kupplungsschutz

Grundplatte

Counterflanges KIT including: Screws - Nuts - Gaskets

IE4 motor on request up to 55 kW standard from 75 kW

Standardised electric motor, B3 construction IP55 protection.

The price includes:

pump


rear foot for bearing housing

electric motor

flexible coupling

coupling guard

baseplate



BN

n = 2900 1/min

Kreiselpumpen mit axialem Eintritt nach EN 733, in Bronze

OHNE MOTOR

Bronze End-suction centrifugal pumps EN 733


WITHOUT MOTOR

Art.Nr. Code	Ohne Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
5100002000000	BN 32-125F/A	0,55	0,75	5.677,60	50	32
5100006000000	BN 32-125D/A	0,75	1	5.677,60	50	32
5100006002000	BN 32-125D-S/A	1,1	1,5	5.677,60	50	32
5100010000000	BN 32-125A/A	1,1	1,5	5.677,60	50	32
5100010002000	BN 32-125A-S/A	1,5	2	5.677,60	50	32
5100014000000	BN 32-125S/A	1,5	2	5.677,60	50	32
5100016000000	BN 32-160B/A	1,5	2	5.807,00	50	32
5100016002000	BN 32-160B-S/A	2,2	3	5.807,00	50	32
5100020000000	BN 32-160A/A	2,2	3	5.807,00	50	32
5100020002000	BN 32-160A-S/A	3	4	5.807,00	50	32
5100024000000	BN 32-200D/A	2,2	3	6.528,30	50	32
5100024002000	BN 32-200D-S/A	3	4	6.528,30	50	32
5100026000000	BN 32-200C/A	3	4	6.528,30	50	32
5100030000000	BN 32-200A/A	4	5,5	6.528,30	50	32
5100030002000	BN 32-200A-S/A	5,5	7,5	6.528,30	50	32
5100303000000	BN 32L-160C	2,2	3	5.982,00	50	32
5100305000000	BN 32L-160B	3	4	5.982,00	50	32
5100307000000	BN 32L-160A	4	5,5	5.982,00	50	32
5100309000000	BN 32L-200C	4	5,5	6.824,50	50	32
5100310000000	BN 32L-200B	5,5	7,5	6.824,50	50	32
5100312000000	BN 32L-200A	7,5	10	6.824,50	50	32
5100034000000	BN 40-125F/A	1,1	1,5	5.798,60	65	40
5100038000000	BN 40-125C/A	1,5	2	5.798,60	65	40
5100042000000	BN 40-125A/A	2,2	3	5.798,60	65	40
5100046000000	BN 40-160C/A	2,2	3	6.098,90	65	40
5100050000000	BN 40-160B/A	3	4	6.098,90	65	40
5100054000000	BN 40-160A/A	4	5,5	6.098,90	65	40
5100054002000	BN 40-160A-S/A	5,5	7,5	6.098,90	65	40
5100058000000	BN 40-200C/A	4	5,5	7.007,60	65	40
5100058002000	BN 40-200C-S/A	5,5	7,5	7.007,60	65	40
5100058010000	BN 40-200D/A	4	5,5	7.007,60	65	40
5100058012000	BN 40-200D-S/A	5,5	7,5	7.007,60	65	40
5100060000000	BN 40-200B/A	5,5	7,5	7.007,60	65	40
5100060002000	BN 40-200B-S/A	7,5	10	7.007,60	65	40
5100064000000	BN 40-200AR/A	5,5	7,5	7.007,60	65	40
5100064002000	BN 40-200AR-S/A	7,5	10	7.007,60	65	40
5100066000000	BN 40-200A/A	7,5	10	7.007,60	65	40
5100070000000	BN 40-250C/A	11	15	8.403,40	65	40
5100074000000	BN 40-250B/A	11	15	8.403,40	65	40
5100078000000	BN 40-250A/A	15	20	8.403,40	65	40
5100082000000	BN 50-125F/A	2,2	3	6.228,30	65	50
5100086000000	BN 50-125D/A	3	4	6.228,30	65	50
5100090000000	BN 50-125A/A	4	5,5	6.228,30	65	50
5100094000000	BN 50-160B/A	5,5	7,5	6.734,80	65	50
5100090A00000	BN 50-125S/A	4	5,5	6.228,30	65	50
5100090A02000	BN 50-125S-S/A	5,5	7,5	6.228,30	65	50
5100098000000	BN 50-160A/A	7,5	10	6.734,80	65	50
5100104000000	BN 50-200B/A	11	15	7.357,50	65	50
5100108000000	BN 50-200A/A	11	15	7.357,50	65	50
5100108A00000	BN 50-200S/A	15	20	7.357,50	65	50
5100112000000	BN 50-250C/A	11	15	8.891,40	65	50
5100116000000	BN 50-250B/A	15	20	8.891,40	65	50
5100120000000	BN 50-250A/A	18,5	25	8.891,40	65	50
5100120A00000	BN 50-250S/A	22	30	8.891,40	65	50

Art.Nr. Code	Ohne Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
5100124100000	BN 65-125E/B	4	5,5	6.963,40	80	65
5100128100000	BN 65-125C/B	5,5	7,5	6.963,40	80	65
5100132100000	BN 65-125A/B	7,5	10	6.963,40	80	65
5100138100000	BN 65-160D/B	7,5	10	7.037,80	80	65
5100140100000	BN 65-160C/B	11	15	7.037,80	80	65
5100144100000	BN 65-160B/B	11	15	7.037,80	80	65
5100148100000	BN 65-160A/B	15	20	7.037,80	80	65
5100148A00000	BN 65-160AR	15	20	7.037,80	80	65
5100152100000	BN 65-200C/B	15	20	7.685,30	80	65
5100154100000	BN 65-200B/B	18,5	25	7.685,30	80	65
5100158100000	BN 65-200A/B	22	30	7.685,30	80	65
5100162100000	BN 65-250C/B	22	30	10.932,60	80	65
5100164100000	BN 65-250B/B	30	40	10.932,60	80	65
5100168100000	BN 65-250A/B	37	50	10.932,60	80	65
5100178100000	BN 80-160E/B	7,5	10	7.880,40	100	80
5100180100000	BN 80-160D/B	11	15	7.880,40	100	80
5100182100000	BN 80-160C/B	11	15	7.880,40	100	80
5100186100000	BN 80-160B/B	15	20	7.880,40	100	80
5100190100000	BN 80-160A/B	18,5	25	7.880,40	100	80
5100196100000	BN 80-200B/B	22	30	9.896,60	100	80
5100200100000	BN 80-200A/B	30	40	9.896,60	100	80
5100204000000	BN 80-250E/A	22	30	12.030,50	100	80
5100206000000	BN 80-250D/A	30	40	12.030,50	100	80
5100208000000	BN 80-250C/A	37	50	12.030,50	100	80
5100212000000	BN 80-250B/A	45	60	12.030,50	100	80
5100216000000	BN 80-250A/A	55	75	12.027,00	100	80
5100232000000	BN 100-200E/A	18,5	25	10.889,30	125	100
5100234000000	BN 100-200D/A	22	30	10.889,30	125	100
5100236000000	BN 100-200C/A	30	40	10.889,30	125	100
5100240000000	BN 100-200B/A	37	50	10.889,30	125	100
5100244000000	BN 100-200A/A	45	60	10.889,30	125	100
5100248000000	BN 100-250B/A	55	75	13.239,60	125	100
5100252000000	BN 100-250A/A	75	100	13.239,60	125	100

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets



BN4

n = 1450 1/min

Kreiselpumpen mit axialem Eintritt nach EN 733, in Bronze

OHNE MOTOR

Bronze End-suction centrifugal pumps EN 733


WITHOUT MOTOR

Art.Nr. Code	Ohne Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
5100004000000	BN4 32-125F/A	0,25	0,34	5.677,60	50	32
5100008000000	BN4 32-125D/A	0,25	0,34	5.677,60	50	32
5100012000000	BN4 32-125A/A	0,25	0,34	5.677,60	50	32
5100018000000	BN4 32-160B/A	0,37	0,5	5.807,00	50	32
5100022000000	BN4 32-160A/A	0,37	0,5	5.807,00	50	32
5100028000000	BN4 32-200B/A	0,55	0,75	6.528,30	50	32
5100032000000	BN4 32-200A/A	0,75	1	6.528,30	50	32
5100048000000	BN4 40-160C/A	0,37	0,5	6.098,90	65	40
5100052000000	BN4 40-160B/A	0,55	0,75	6.098,90	65	40
5100056000000	BN4 40-160A/A	0,75	1	6.098,90	65	40
5100062000000	BN4 40-200B/A	1,1	1,5	7.007,60	65	40
5100068000000	BN4 40-200A/A	1,1	1,5	7.007,60	65	40
5100072000000	BN4 40-250C/A	1,5	2	8.403,40	65	40
5100076000000	BN4 40-250B/A	2,2	3	8.403,40	65	40
5100080000000	BN4 40-250A/A	3	4	8.403,40	65	40
5100084000000	BN4 50-125F/A	0,37	0,5	6.228,30	65	50
5100088000000	BN4 50-125D/A	0,55	0,75	6.228,30	65	50
5100092000000	BN4 50-125A/A	0,75	1	6.228,30	65	50
5100092A00000	BN4 50-125S/A	0,75	1	6.228,30	65	50
5100096000000	BN4 50-160B/A	1,1	1,5	6.734,80	65	50
5100100000000	BN4 50-160A/A	1,1	1,5	6.734,80	65	50
5100102000000	BN4 50-200C/A	1,1	1,5	7.357,50	65	50
5100106000000	BN4 50-200B/A	1,5	2	7.357,50	65	50
5100110000000	BN4 50-200A/A	2,2	3	7.357,50	65	50
5100114000000	BN4 50-250C/A	2,2	3	8.891,40	65	50
5100114010000	BN4 50-250D	2,2	3	8.891,40	65	50
5100118000000	BN4 50-250B/A	3	4	8.891,40	65	50
5100122000000	BN4 50-250A/A	4	5,5	8.891,40	65	50
5100126100000	BN4 65-125E/B	0,75	1	6.963,40	80	65
5100130100000	BN4 65-125C/B	0,75	1	6.963,40	80	65
5100134100000	BN4 65-125A/B	1,1	1,5	6.963,40	80	65
5100142100000	BN4 65-160C/B	1,1	1,5	7.037,80	80	65
5100146100000	BN4 65-160B/B	1,1	1,5	7.037,80	80	65
5100150100000	BN4 65-160A/B	1,5	2	7.037,80	80	65
5100150A00000	BN4 65-160S	2,2	3	7.037,80	80	65
5100156100000	BN4 65-200B/B	2,2	3	7.685,30	80	65
5100160100000	BN4 65-200A/B	3	4	7.685,30	80	65
5100166100000	BN4 65-250B/B	4	5,5	10.932,60	80	65
5100170100000	BN4 65-250A/B	5,5	7,5	10.932,60	80	65
5100172000000	BN4 65-315C/A	5,5	7,5	13.811,20	80	65
5100174000000	BN4 65-315B/A	7,5	10	13.811,20	80	65
5100176000000	BN4 65-315A/A	11	15	13.811,20	80	65
5100184100000	BN4 80-160C/B	1,1	1,5	7.880,40	100	80
5100188100000	BN4 80-160B/B	1,5	2	7.880,40	100	80
5100192100000	BN4 80-160A/B	2,2	3	7.880,40	100	80
5100194100000	BN4 80-200C/B	2,2	3	9.896,60	100	80
5100198100000	BN4 80-200B/B	3	4	9.896,60	100	80
5100202100000	BN4 80-200A/B	4	5,5	9.896,60	100	80
5100210000000	BN4 80-250C/A	4	5,5	12.030,50	100	80
5100214000000	BN4 80-250B/A	5,5	7,5	12.030,50	100	80
5100218000000	BN4 80-250A/A	7,5	10	12.030,50	100	80
5100220100000	BN4 80-315C/B	11	15	14.185,80	100	80
5100222100000	BN4 80-315B/B	11	15	14.185,80	100	80
5100224100000	BN4 80-315A/B	15	20	14.185,80	100	80
5100224A00000	BN4 80-315S	18,5	25	14.185,80	100	80
5100226100000	BN4 80-400C/B	18,5	25	20.975,60	125	80
5100228100000	BN4 80-400B/B	22	30	20.975,60	125	80
5100230100000	BN4 80-400A/B	30	40	20.975,60	125	80
5100230A00000	BN4 80-400S	37	50	20.975,60	125	80

Art.Nr. Code	Ohne Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
5100238000000	BN4 100-200C/A	3	4	10.889,30	125	100
5100242000000	BN4 100-200B/A	4	5,5	10.889,30	125	100
5100246000000	BN4 100-200A/A	5,5	7,5	10.889,30	125	100
5100250000000	BN4 100-250B/A	7,5	10	13.239,60	125	100
5100254000000	BN4 100-250A/A	11	15	13.239,60	125	100
5100256000000	BN4 100-315C/A	11	15	14.708,80	125	100
5100258000000	BN4 100-315B/A	15	20	14.708,80	125	100
5100260000000	BN4 100-315A/A	18,5	25	14.708,80	125	100
5100262000000	BN4 100-400C/A	22	30	21.396,90	125	100
5100264000000	BN4 100-400B/A	30	40	21.396,90	125	100
5100266000000	BN4 100-400A/A	37	50	21.396,90	125	100
5100268000000	BN4 125-250E/A	5,5	7,5	15.262,30	150	125
5100270000000	BN4 125-250D/A	7,5	10	15.262,30	150	125
5100272000000	BN4 125-250C/A	11	15	15.262,30	150	125
5100274000000	BN4 125-250B/A	11	15	15.262,30	150	125
5100276000000	BN4 125-250A/A	15	20	15.262,30	150	125
5100278000000	BN4 125-315C/A	18,5	25	24.883,60	150	125
5100280000000	BN4 125-315B/A	22	30	24.883,60	150	125
5100282000000	BN4 125-315A/A	30	40	24.883,60	150	125
5100284000000	BN4 125-400C/A	37	50	27.699,40	150	125
5100286000000	BN4 125-400B/A	45	60	27.699,40	150	125
5100288000000	BN4 125-400A/A	55	75	27.699,40	150	125
5100290000000	BN4 150-315D/B	18,5	25	26.519,50	200	150
5100292000000	BN4 150-315C/B	22	30	26.519,50	200	150
5100294100000	BN4 150-315B/B	30	40	26.519,50	200	150
5100296100000	BN4 150-315A/B	37	50	26.519,50	200	150
5100296A00000	BN4 150-315S	45	60	26.519,50	200	150
5100300100000	BN4 150-400B/B	55	75	33.503,80	200	150
5100302100000	BN4 150-400A/B	75	100	33.503,80	200	150
5100302A00000	BN4 150-400S	90	120	33.503,80	200	150

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets



BN

n = 2900 1/min

Kreiselpumpen mit axialem Eintritt nach EN 733, in Bronze

Bronze End-suction centrifugal pumps EN 733

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
5100002004000	BN 32-125F/A G	0,55	0,75	7.885,60	50	32
5100006004000	BN 32-125D/A G	0,75	1	7.955,60	50	32
5100006006000	BN 32-125D-S/A G	1,1	1,5	7.863,60	50	32
5100010004000	BN 32-125A/A G	1,1	1,5	8.044,80	50	32
5100010006000	BN 32-125A-S/A G	1,5	2	7.971,20	50	32
5100014004000	BN 32-125S/A G	1,5	2	8.154,60	50	32
5100016004000	BN 32-160B/A G	1,5	2	8.287,10	50	32
5100016006000	BN 32-160B-S/A G	2,2	3	8.336,40	50	32
5100020004000	BN 32-160A/A G	2,2	3	8.527,70	50	32
5100020006000	BN 32-160A-S/A G	3	4	8.730,30	50	32
5100024004000	BN 32-200D/A G	2,2	3	9.250,30	50	32
5100024006000	BN 32-200D-S/A G	3	4	9.434,80	50	32
5100026004000	BN 32-200C/A G	3	4	9.652,00	50	32
5100030004000	BN 32-200A/A G	4	5,5	9.890,60	50	32
5100030006000	BN 32-200A-S/A G	5,5	7,5	10.365,20	50	32
5100303004000	BN 32L-160C G	2,2	3	8.702,60	50	32
5100305004000	BN 32L-160B G	3	4	9.105,60	50	32
5100307004000	BN 32L-160A G	4	5,5	9.344,30	50	32
5100309004000	BN 32L-200C G	4	5,5	10.186,70	50	32
5100310004000	BN 32L-200B G	5,5	7,5	10.898,70	50	32
5100312004000	BN 32L-200A G	7,5	10	11.126,20	50	32
5100034004000	BN 40-125F/A G	1,1	1,5	8.195,20	65	40
5100038004000	BN 40-125C/A G	1,5	2	8.305,10	65	40
5100042004000	BN 40-125A/A G	2,2	3	8.545,60	65	40
5100046004000	BN 40-160C/A G	2,2	3	8.849,00	65	40
5100050004000	BN 40-160B/A G	3	4	9.251,60	65	40
5100054004000	BN 40-160A/A G	4	5,5	9.456,20	65	40
5100054006000	BN 40-160A-S/A G	5,5	7,5	9.943,90	65	40
5100058014000	BN 40-200D/A G	4	5,5	10.564,40	65	40
5100058016000	BN 40-200D-S/A G	5,5	7,5	10.831,80	65	40
5100058004000	BN 40-200C/A G	4	5,5	10.564,40	65	40
5100058006000	BN 40-200C-S/A G	5,5	7,5	10.831,80	65	40
5100060004000	BN 40-200B/A G	5,5	7,5	11.081,70	65	40
5100060006000	BN 40-200B-S/A G	7,5	10	11.075,80	65	40
5100064004000	BN 40-200AR/A G	5,5	7,5	11.081,70	65	40
5100064006000	BN 40-200AR-S/A G	7,5	10	11.075,80	65	40
5100066004000	BN 40-200A/A G	7,5	10	11.330,40	65	40
5100070004000	BN 40-250C/A G	11	15	13.767,50	65	40
5100074004000	BN 40-250B/A G	11	15	13.767,50	65	40
5100078004000	BN 40-250A/A G	15	20	14.572,70	65	40
5100082004000	BN 50-125F/A G	2,2	3	8.948,90	65	50
5100086004000	BN 50-125D/A G	3	4	9.351,40	65	50
5100090004000	BN 50-125A/A G	4	5,5	9.588,50	65	50
5100090A04000	BN 50-125S/A G	4	5,5	9.588,50	65	50
5100090A06000	BN 50-125S-S/A G	5,5	7,5	10.071,20	65	50
5100094004000	BN 50-160B/A G	5,5	7,5	10.809,00	65	50
5100098004000	BN 50-160A/A G	7,5	10	11.056,90	65	50
5100104004000	BN 50-200B/A G	11	15	12.643,20	65	50
5100108004000	BN 50-200A/A G	11	15	12.643,20	65	50
5100108A04000	BN 50-200S/A G	15	20	13.487,10	65	50
5100112004000	BN 50-250C/A G	11	15	14.254,90	65	50
5100116004000	BN 50-250B/A G	15	20	15.060,10	65	50
5100120004000	BN 50-250A/A G	18,5	25	15.728,40	65	50
5100120A04000	BN 50-250S/A G	22	30	14.742,80	65	50


Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
5100124104000	BN 65-125E/B G	4	5,5	10.520,40	80	65
5100128104000	BN 65-125C/B G	5,5	7,5	11.037,60	80	65
5100132104000	BN 65-125A/B G	7,5	10	11.285,40	80	65
5100138104000	BN 65-160D/B G	7,5	10	11.359,80	80	65
5100140104000	BN 65-160C/B G	11	15	12.324,50	80	65
5100144104000	BN 65-160B/B G	11	15	12.324,50	80	65
5100148104000	BN 65-160A/B G	15	20	13.132,10	80	65
5100148A04000	BN 65-160AR G	15	20	13.132,10	80	65
5100152104000	BN 65-200C/B G	15	20	13.855,40	80	65
5100154104000	BN 65-200B/B G	18,5	25	14.523,70	80	65
5100158104000	BN 65-200A/B G	22	30	13.614,40	80	65
5100162104000	BN 65-250C/B G	22	30	15.871,40	80	65
5100164104000	BN 65-250B/B G	30	40	17.551,90	80	65
5100168104000	BN 65-250A/B G	37	50	18.964,00	80	65
5100178104000	BN 80-160E/B G	7,5	10	12.455,70	100	80
5100180104000	BN 80-160D/B G	11	15	13.238,40	100	80
5100182104000	BN 80-160C/B G	11	15	13.238,40	100	80
5100186104000	BN 80-160B/B G	15	20	14.092,30	100	80
5100190104000	BN 80-160A/B G	18,5	25	14.712,00	100	80
5100196104000	BN 80-200B/B G	22	30	15.544,20	100	80
5100200104000	BN 80-200A/B G	30	40	17.586,50	100	80
5100204004000	BN 80-250E/A G	22	30	17.683,60	100	80
5100206004000	BN 80-250D/A G	30	40	19.364,00	100	80
5100208004000	BN 80-250C/A G	37	50	20.776,10	100	80
5100212004000	BN 80-250B/A G	45	60	23.383,00	100	80
5100216004000	BN 80-250A/A G	55	75	25.832,70	100	80
5100232004000	BN 100-200E/A G	18,5	25	18.017,60	125	100
5100234004000	BN 100-200D/A G	22	30	16.704,90	125	100
5100236004000	BN 100-200C/A G	30	40	18.385,40	125	100
5100240004000	BN 100-200B/A G	37	50	19.797,40	125	100
5100244004000	BN 100-200A/A G	45	60	22.404,50	125	100
5100248004000	BN 100-250B/A G	55	75	27.918,00	125	100
5100252004000	BN 100-250A/A G	75	100	32.124,10	125	100

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
IE4-Motor auf Anfrage bis zu 55 kW Standard ab 75 kW.
Standard-Elektromotor, Bauform B3, Schutzart IP55.

Preis beinhaltet:
Pumpe
hinterer Fuß für Lagergehäuse
Elektromotor
elastische Kupplung
Kupplungsschutz
Grundplatte

Counterflanges KIT including: Screws - Nuts - Gaskets
IE4 motor on request up to 55 kW standard from 75 kW
Standardised electric motor, B3 construction IP55 protection.

The price includes:
pump
rear foot for bearing housing
electric motor
flexible coupling
coupling guard
baseplate



BN4

n = 1450 1/min

Kreiselpumpen mit axialem Eintritt nach EN 733, in Bronze

Bronze End-suction centrifugal pumps EN 733

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
5100004004000	BN4 32-125F/A G	0,25	0,34	7.763,30	50	32
5100008004000	BN4 32-125D/A G	0,25	0,34	7.763,30	50	32
5100012004000	BN4 32-125A/A G	0,25	0,34	7.763,30	50	32
5100018004000	BN4 32-160B/A G	0,37	0,5	7.942,80	50	32
5100022004000	BN4 32-160A/A G	0,37	0,5	7.942,80	50	32
5100028004000	BN4 32-200B/A G	0,55	0,75	8.763,70	50	32
5100032004000	BN4 32-200A/A G	0,75	1	8.814,00	50	32
5100048004000	BN4 40-160C/A G	0,37	0,5	8.235,20	65	40
5100052004000	BN4 40-160B/A G	0,55	0,75	8.330,60	65	40
5100056004000	BN4 40-160A/A G	0,75	1	8.381,00	65	40
5100062004000	BN4 40-200B/A G	1,1	1,5	9.664,60	65	40
5100068004000	BN4 40-200A/A G	1,1	1,5	9.664,60	65	40
5100072004000	BN4 40-250C/A G	1,5	2	11.438,00	65	40
5100076004000	BN4 40-250B/A G	2,2	3	11.820,30	65	40
5100080004000	BN4 40-250A/A G	3	4	11.956,50	65	40
5100084004000	BN4 50-125F/A G	0,37	0,5	8.364,50	65	50
5100088004000	BN4 50-125D/A G	0,55	0,75	8.460,00	65	50
5100092004000	BN4 50-125A/A G	0,75	1	8.510,20	65	50
5100092A04000	BN4 50-125S/A G	0,75	1	8.510,20	65	50
5100096004000	BN4 50-160B/A G	1,1	1,5	9.390,90	65	50
5100100004000	BN4 50-160A/A G	1,1	1,5	9.390,90	65	50
5100102004000	BN4 50-200C/A G	1,1	1,5	10.014,70	65	50
5100106004000	BN4 50-200B/A G	1,5	2	10.141,60	65	50
5100110004000	BN4 50-200A/A G	2,2	3	10.531,00	65	50
5100114014000	BN4 50-250D G	2,2	3	12.307,70	65	50
5100114004000	BN4 50-250C/A G	2,2	3	12.307,70	65	50
5100118004000	BN4 50-250B/A G	3	4	12.444,00	65	50
5100122004000	BN4 50-250A/A G	4	5,5	12.681,80	65	50
5100126104000	BN4 65-125E/B G	0,75	1	9.508,50	80	65
5100130104000	BN4 65-125C/B G	0,75	1	9.508,50	80	65
5100134104000	BN4 65-125A/B G	1,1	1,5	9.619,40	80	65
5100142104000	BN4 65-160C/B G	1,1	1,5	9.693,70	80	65
5100146104000	BN4 65-160B/B G	1,1	1,5	9.693,70	80	65
5100150104000	BN4 65-160A/B G	1,5	2	9.822,80	80	65
5100150A04000	BN4 65-160S G	2,2	3	10.453,10	80	65
5100156104000	BN4 65-200B/B G	2,2	3	11.100,50	80	65
5100160104000	BN4 65-200A/B G	3	4	11.239,30	80	65
5100166104000	BN4 65-250B/B G	4	5,5	14.983,50	80	65
5100170104000	BN4 65-250A/B G	5,5	7,5	15.525,00	80	65
5100172004000	BN4 65-315C/A G	5,5	7,5	18.522,70	80	65
5100174004000	BN4 65-315B/A G	7,5	10	18.958,60	80	65
5100176004000	BN4 65-315A/A G	11	15	19.585,00	80	65
5100184104000	BN4 80-160C/B G	1,1	1,5	10.787,30	100	80
5100188104000	BN4 80-160B/B G	1,5	2	10.914,10	100	80
5100192104000	BN4 80-160A/B G	2,2	3	11.296,20	100	80
5100194104000	BN4 80-200C/B G	2,2	3	13.380,90	100	80
5100198104000	BN4 80-200B/B G	3	4	13.519,80	100	80
5100202104000	BN4 80-200A/B G	4	5,5	13.757,60	100	80
5100210004000	BN4 80-250C/A G	4	5,5	16.081,40	100	80
5100214004000	BN4 80-250B/A G	5,5	7,5	16.622,60	100	80
5100218004000	BN4 80-250A/A G	7,5	10	17.058,60	100	80
5100220104000	BN4 80-315C/B G	11	15	20.034,10	100	80
5100222104000	BN4 80-315B/B G	11	15	20.034,10	100	80
5100224104000	BN4 80-315A/B G	15	20	20.836,40	100	80
5100224A04000	BN4 80-315S G	18,5	25	22.150,70	100	80
5100226104000	BN4 80-400C/B G	18,5	25	30.466,10	125	80
5100228104000	BN4 80-400B/B G	22	30	26.694,70	125	80
5100230104000	BN4 80-400A/B G	30	40	28.423,90	125	80
5100230A04000	BN4 80-400S G	37	50	29.408,20	125	80

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
5100238004000	BN4 100-200C/A G	3	4	14.706,40	125	100
5100242004000	BN4 100-200B/A G	4	5,5	14.939,50	125	100
5100246004000	BN4 100-200A/A G	5,5	7,5	15.483,30	125	100
5100250004000	BN4 100-250B/A G	7,5	10	18.278,00	125	100
5100254004000	BN4 100-250A/A G	11	15	19.011,30	125	100
5100256004000	BN4 100-315C/A G	11	15	20.557,30	125	100
5100258004000	BN4 100-315B/A G	15	20	21.359,40	125	100
5100260004000	BN4 100-315A/A G	18,5	25	22.673,80	125	100
5100262004000	BN4 100-400C/A G	22	30	27.054,70	125	100
5100264004000	BN4 100-400B/A G	30	40	28.786,10	125	100
5100266004000	BN4 100-400A/A G	37	50	29.770,30	125	100
5100268004000	BN4 125-250E/A G	5,5	7,5	19.894,40	150	125
5100270004000	BN4 125-250D/A G	7,5	10	20.330,30	150	125
5100272004000	BN4 125-250C/A G	11	15	21.109,80	150	125
5100274004000	BN4 125-250B/A G	11	15	21.109,80	150	125
5100276004000	BN4 125-250A/A G	15	20	21.914,20	150	125
5100278004000	BN4 125-315C/A G	18,5	25	34.372,60	150	125
5100280004000	BN4 125-315B/A G	22	30	30.043,10	150	125
5100282004000	BN4 125-315A/A G	30	40	31.774,30	150	125
5100284004000	BN4 125-400C/A G	37	50	35.173,10	150	125
5100286004000	BN4 125-400B/A G	45	60	36.328,00	150	125
5100288004000	BN4 125-400A/A G	55	75	38.082,60	150	125
5100290004000	BN4 150-315D/B G	18,5	25	36.010,50	200	150
5100292004000	BN4 150-315C/B G	22	30	31.445,00	200	150
5100294104000	BN4 150-315B/B G	30	40	33.176,10	200	150
5100296104000	BN4 150-315A/B G	37	50	34.160,30	200	150
5100296A04000	BN4 150-315S G	45	60	34.518,20	200	150
5100300104000	BN4 150-400B/B G	55	75	43.058,50	200	150
5100302104000	BN4 150-400A/B G	75	100	47.150,70	200	150
5100302A04000	BN4 150-400S G	90	120	47.779,20	200	150

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
IE4-Motor auf Anfrage bis zu 55 kW Standard ab 75 kW.
Standard-Elektromotor, Bauform B3, Schutzart IP55.

Preis beinhaltet:
Pumpe
hinterer Fuß für Lagergehäuse
Elektromotor
elastische Kupplung
Kupplungsschutz
Grundplatte

Counterflanges KIT including: Screws - Nuts - Gaskets
IE4 motor on request up to 55 kW standard from 75 kW
Standardised electric motor, B3 construction IP55 protection.

The price includes:
pump
rear foot for bearing housing
electric motor
flexible coupling
coupling guard
baseplate



NR

n = 2900 1/min
Inline-Pumpen
In-line pumps

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
70M004100000	NR 50D/A	0,45	0,6	767,80	50	50
70M0043100000	NR 50C/B	0,75	1	837,10	50	50
70MA006000000	NR 32/125B	0,55	0,75	550,60	32	32
70MA008000000	NR 32/125A	0,75	1	579,20	32	32
70MA011100000	NR 32/160B/A	1,1	1,5	768,40	32	32
70MA009100000	NR 32/160A/A	1,5	2	847,30	32	32
70MA017100000	NR 32/200B/A	2,2	3	1.223,50	32	32
70MA015000000	NR 32/200A	3	4	1.371,30	32	32
70MA014100000	NR 32/200S/A	4	5,5	1.566,30	32	32
70MA020000000	NR 40/125C	0,75	1	860,40	40	40
70MA024100000	NR 40/125B/A	1,1	1,5	876,60	40	40
70MA028100000	NR 40/125A/A	1,5	2	968,00	40	40
70MA038100000	NR 40/160B/A	1,5	2	1.026,90	40	40
70MA032100000	NR 40/160A/A	2,2	3	1.174,90	40	40
70MA044000000	NR 40/200B	3	4	1.428,70	40	40
70MA042100000	NR 40/200A/A	4	5,5	1.623,50	40	40
70MA050100000	NR 50/125F/A	1,1	1,5	925,50	50	50
70MA054100000	NR 50/125C/A	1,5	2	1.019,40	50	50
70MA058200000	NR 50/125A/B	2,2	3	1.108,80	50	50
70MA062200000	NR 50/160C/B	2,2	3	1.212,10	50	50
70MA066100000	NR 50/160B/A	3	4	1.360,00	50	50
70MA072200000	NR 50/160A/B	4	5,5	1.590,30	50	50
70MA076200000	NR 50/200D/B	4	5,5	1.678,20	50	50
70MA080100000	NR 50/200B/A	5,5	7,5	2.256,60	50	50
70MA088100000	NR 50/200A/A	7,5	10	2.482,30	50	50
70MA092200000	NR 50/250C/B	9,2	12,5	3.697,30	50	50
70MA096100000	NR 50/250B/A	11	15	4.081,50	50	50
70MA100200000	NR 50/250A/B	15	20	4.548,80	50	50
70MA102200000	NR 65/125F/B	2,2	3	1.256,60	65	65
70MA106100000	NR 65/125D/A	3	4	1.407,00	65	65
70MA112200000	NR 65/125A/B	4	5,5	1.599,80	65	65
70MA116200000	NR 65/125S/B	4	5,5	1.599,80	65	65
70MA120100000	NR 65/160B/A	5,5	7,5	2.238,10	65	65
70MA124100000	NR 65/160A/A	7,5	10	2.426,80	65	65
70MA132200000	NR 65/200B/B	9,2	12,5	3.393,70	65	65
70MA136100000	NR 65/200A/A	11	15	3.775,60	65	65
70MA140200000	NR 65/200S/B	15	20	4.238,00	65	65
70MA144100000	NR 65/250C/A	11	15	4.162,30	65	65
70MA148200000	NR 65/250B/B	15	20	4.619,90	65	65
70MA152300000	NR 65/250A/C	18,5	25	5.649,80	65	65
70MA156000000	NR 80/125E	4	5,5	1.842,90	80	80
70MA160000000	NR 80/125C	5,5	7,5	2.392,20	80	80
70MA164000000	NR 80/125A	7,5	10	2.497,40	80	80
70MA168000000	NR 80/160D	7,5	10	2.133,80	80	80
70MA172000000	NR 80/160C	9,2	12,5	2.939,00	80	80
70MA176000000	NR 80/160B	11	15	3.163,60	80	80
70MA184000000	NR 80/160AR	15	20	3.667,50	80	80
70MA180000000	NR 80/160A	15	20	3.667,50	80	80
70MA188000000	NR 80/200C	15	20	4.023,40	80	80
70MA192000000	NR 80/200B	18,5	25	4.628,60	80	80
70MA196000000	NR 80/200A	22	30	4.781,80	80	80

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70N0041000000	NRM 50D/A	0,45	0,6	641,40
70N0043100000	NRM 50C/A	0,75	1	596,10
70NA006100000	NRM 32/125B	0,55	0,75	639,00
70NA008100000	NRM 32/125A	0,75	1	823,40
70NA011100000	NRM 32/160B	1,1	1,5	875,30
70NA009000000	NRM 32/160A	1,5	2	916,90
70NA020100000	NRM 40/125C	0,75	1	946,80
70NA024100000	NRM 40/125B	1,1	1,5	998,70
70NA028000000	NRM 40/125A	1,5	2	1.061,00
70NA038000000	NRM 40/160B	1,5	2	979,20
70NA050100000	NRM 50/125F	1,1	1,5	754,00
70NA054000000	NRM 50/125C	1,5	2	806,00

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00
44029752000	DN125 - DN125	NR(4) 125..	163,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets



NR EI

n = 2900 1/min

Inline-Pumpen mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT

Variable speed in-line pumps with onboard I-MAT frequency converter

Pumpen mit individuellem Drucksensor für Betriebsart Konstantdruck
Electropump with single transducer constant pressure

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
I70M00410000	NR EI 50D/A	0,45	0,6	3.172,80	50	50
I70M00431000	NR EI 50C/B	0,75	1	3.172,80	50	50
I70MA00600000	NR EI 32/125B	0,55	0,75	3.237,90	32	32
I70MA00800000	NR EI 32/125A	0,75	1	3.237,90	32	32
I70MA01110000	NR EI 32/160B/A	1,1	1,5	3.173,40	32	32
I70MA00910000	NR EI 32/160A/A	1,5	2	3.173,40	32	32
I70MA01710000	NR EI 32/200B/A	2,2	3	3.247,40	32	32
I70MA01500000	NR EI 32/200A	3	4	3.870,30	32	32
I70MA01410000	NR EI 32/200S/A	4	5,5	4.009,20	32	32
I70MA02000000	NR EI 40/125C	0,75	1	4.192,60	40	40
I70MA02410000	NR EI 40/125B/A	1,1	1,5	3.260,00	40	40
I70MA02810000	NR EI 40/125A/A	1,5	2	3.275,20	40	40
I70MA03810000	NR EI 40/160B/A	1,5	2	3.361,00	40	40
I70MA03210000	NR EI 40/160A/A	2,2	3	3.416,40	40	40
I70MA04400000	NR EI 40/200B	3	4	3.824,70	40	40
I70MA04210000	NR EI 40/200A/A	4	5,5	4.063,20	40	40
I70MA05010000	NR EI 50/125F/A	1,1	1,5	4.246,40	50	50
I70MA05410000	NR EI 50/125C/A	1,5	2	3.321,10	50	50
I70MA05820000	NR EI 50/125A/B	2,2	3	3.409,40	50	50
I70MA06220000	NR EI 50/160C/B	2,2	3	3.762,40	50	50
I70MA06610000	NR EI 50/160B/A	3	4	3.859,60	50	50
I70MA07220000	NR EI 50/160A/B	4	5,5	3.998,70	50	50
I70MA07620000	NR EI 50/200D/B	4	5,5	4.215,20	50	50
I70MA08010000	NR EI 50/200B/A	5,5	7,5	4.297,80	50	50
I70MA08810000	NR EI 50/200A/A	7,5	10	4.841,70	50	50
I70MA09220000	NR EI 50/250C/B	9,2	12,5	6.470,10	50	50
I70MA09610000	NR EI 50/250B/A	11	15	7.612,60	50	50
I70MA10020000	NR EI 50/250A/B	15	20	7.973,90	50	50
I70MA10220000	NR EI 65/125F/B	2,2	3	12.620,90	65	65
I70MA10610000	NR EI 65/125D/A	3	4	3.901,40	65	65
I70MA11220000	NR EI 65/125A/B	4	5,5	4.042,90	65	65
I70MA11620000	NR EI 65/125S/B	4	5,5	4.224,00	65	65
I70MA12010000	NR EI 65/160B/A	5,5	7,5	4.224,00	65	65
I70MA12410000	NR EI 65/160A/A	7,5	10	4.824,20	65	65
I70MA13220000	NR EI 65/200B/B	9,2	12,5	6.417,90	65	65
I70MA13610000	NR EI 65/200A/A	11	15	7.327,10	65	65
I70MA14020000	NR EI 65/200S/B	15	20	7.686,10	65	65
I70MA14410000	NR EI 65/250C/A	11	15	12.328,50	65	65
I70MA14820000	NR EI 65/250B/B	15	20	8.049,70	65	65
I70MA15230000	NR EI 65/250A/C	18,5	25	12.687,70	65	65
I70MA15600000	NR EI 80/125E	4	5,5	4.283,90	80	80
I70MA16000000	NR EI 80/125C	5,5	7,5	4.800,40	80	80
I70MA16400000	NR EI 80/125A	7,5	10	6.318,30	80	80
I70MA16800000	NR EI 80/160D	7,5	10	6.097,30	80	80
I70MA17200000	NR EI 80/160C	9,2	12,5	6.909,40	80	80
I70MA17600000	NR EI 80/160B	11	15	7.121,80	80	80
I70MA18400000	NR EI 80/160AR	15	20	11.510,70	80	80
I70MA18000000	NR EI 80/160A	15	20	11.510,70	80	80
I70MA18800000	NR EI 80/200C	15	20	11.844,10	80	80
I70MA19200000	NR EI 80/200B	18,5	25	12.547,50	80	80
I70MA19600000	NR EI 80/200A	22	30	12.691,60	80	80

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
System bestehend aus:

- Pumpe
- Frequenzumrichter I-MAT
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

Counterflanges KIT including: Screws - Nuts - Gaskets
The system consists of:

- Pump
- I-MAT Frequency converter
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer

Pumpen mit Differenzdruckwandler für Betriebsart Proportionaldruck
Electropump with differential transducer proportional pressure

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
I70M00410001	NR EI 50D/A	0,45	0,6	4.200,90	50	50
I70M00431001	NR EI 50C/B	0,75	1	4.200,90	50	50
I70MA00600001	NR EI 32/125B	0,55	0,75	4.266,10	32	32
I70MA00800001	NR EI 32/125A	0,75	1	4.266,10	32	32
I70MA01110001	NR EI 32/160B/A	1,1	1,5	4.201,60	32	32
I70MA00910001	NR EI 32/160A/A	1,5	2	4.201,60	32	32
I70MA01710001	NR EI 32/200B/A	2,2	3	4.275,60	32	32
I70MA01500001	NR EI 32/200A	3	4	4.898,50	32	32
I70MA01410001	NR EI 32/200S/A	4	5,5	5.037,40	32	32
I70MA02000001	NR EI 40/125C	0,75	1	5.220,80	40	40
I70MA02410001	NR EI 40/125B/A	1,1	1,5	4.288,10	40	40
I70MA02810001	NR EI 40/125A/A	1,5	2	4.303,30	40	40
I70MA03810001	NR EI 40/160B/A	1,5	2	4.389,10	40	40
I70MA03210001	NR EI 40/160A/A	2,2	3	4.444,50	40	40
I70MA04400001	NR EI 40/200B	3	4	4.852,80	40	40
I70MA04210001	NR EI 40/200A/A	4	5,5	5.091,30	40	40
I70MA05010001	NR EI 50/125F/A	1,1	1,5	5.274,60	50	50
I70MA05410001	NR EI 50/125C/A	1,5	2	4.349,20	50	50
I70MA05820001	NR EI 50/125A/B	2,2	3	4.437,60	50	50
I70MA06220001	NR EI 50/160C/B	2,2	3	4.790,50	50	50
I70MA06610001	NR EI 50/160B/A	3	4	4.887,80	50	50
I70MA07220001	NR EI 50/160A/B	4	5,5	5.026,80	-	-
I70MA07620001	NR EI 50/200D/B	4	5,5	5.243,30	50	50
I70MA08010001	NR EI 50/200B/A	5,5	7,5	5.326,00	50	50
I70MA08810001	NR EI 50/200A/A	7,5	10	5.870,00	50	50
I70MA09220001	NR EI 50/250C/B	9,2	12,5	7.498,20	50	50
I70MA09610001	NR EI 50/250B/A	11	15	8.640,80	50	50
I70MA10020001	NR EI 50/250A/B	15	20	9.001,90	50	50
I70MA10220001	NR EI 65/125F/B	2,2	3	13.648,80	65	65
I70MA10610001	NR EI 65/125D/A	3	4	4.929,60	65	65
I70MA11220001	NR EI 65/125A/B	4	5,5	5.071,10	65	65
I70MA11620001	NR EI 65/125S/B	4	5,5	5.252,20	65	65
I70MA12010001	NR EI 65/160B/A	5,5	7,5	5.252,20	65	65
I70MA12410001	NR EI 65/160A/A	7,5	10	5.852,40	65	65
I70MA13220001	NR EI 65/200B/B	9,2	12,5	7.446,10	65	65
I70MA13610001	NR EI 65/200A/A	11	15	8.355,30	65	65
I70MA14020001	NR EI 65/200S/B	15	20	8.714,30	65	65
I70MA14410001	NR EI 65/250C/A	11	15	13.356,60	65	65
I70MA14820001	NR EI 65/250B/B	15	20	9.077,90	65	65
I70MA15230001	NR EI 65/250A/C	18,5	25	13.715,80	65	65
I70MA15600001	NR EI 80/125E	4	5,5	5.314,50	80	80
I70MA16000001	NR EI 80/125C	5,5	7,5	5.831,10	80	80
I70MA16400001	NR EI 80/125A	7,5	10	7.349,00	80	80
I70MA16800001	NR EI 80/160D	7,5	10	7.128,00	80	80
I70MA17200001	NR EI 80/160C	9,2	12,5	9.331,60	80	80
I70MA17600001	NR EI 80/160B	11	15	8.151,30	80	80
I70MA18400001	NR EI 80/160AR	15	20	12.541,40	80	80
I70MA18000001	NR EI 80/160A	15	20	12.541,40	80	80
I70MA18800001	NR EI 80/200C	15	20	12.874,80	80	80
I70MA19200001	NR EI 80/200B	18,5	25	13.578,20	80	80
I70MA19600001	NR EI 80/200A	22	30	13.721,00	80	80

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00
44029752000	DN125 - DN125	NR(4) 125..	163,70



NR4

n = 1450 1/min
Inline-Pumpen
In-line pumps

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
70M1002000000	NR4 50C/A	0,25	0,34	776,70	50	50
70M1004000000	NR4 50B/A	0,25	0,34	776,70	50	50
70M1006000000	NR4 50A/A	0,25	0,34	776,70	50	50
70M1008000000	NR4 65C/A	0,25	0,34	835,60	65	65
70M1010000000	NR4 65B/A	0,33	0,45	868,10	65	65
70M1012000000	NR4 65A/A	0,33	0,45	868,10	65	65
70M0020300000	NR4 100C/B	1,1	1,5	1.713,80	100	100
70M0022300000	NR4 100B/B	1,1	1,5	1.713,80	100	100
70M0024300000	NR4 100A/B	1,5	2	1.940,50	100	100
70M0028300000	NR4 125C/B	2,2	3	2.456,80	125	125
70M0032200000	NR4 125B/A	3	4	2.726,20	125	125
70M0038200000	NR4 125A/A	4	5,5	2.861,90	125	125
70MB0111000000	NR4 32/160B/A	0,37	0,5	916,20	32	32
70MB0091000000	NR4 32/160A/A	0,37	0,5	916,20	32	32
70MB0191000000	NR4 32/200C/A	0,37	0,5	1.127,00	32	32
70MB0171000000	NR4 32/200B/A	0,55	0,75	1.197,90	32	32
70MB0151000000	NR4 32/200A/A	0,75	1	1.344,50	32	32
70MB0381000000	NR4 40/160B/A	0,37	0,5	1.093,80	40	40
70MB0321000000	NR4 40/160A/A	0,37	0,5	1.093,80	40	40
70MB0441000000	NR4 40/200B/A	0,55	0,75	1.233,80	40	40
70MB0401000000	NR4 40/200A/A	0,75	1	1.374,10	40	40
70MB0621000000	NR4 50/160C/A	0,37	0,5	1.127,50	50	50
70MB0661000000	NR4 50/160B/A	0,55	0,75	1.193,20	50	50
70MB0702000000	NR4 50/160A/B	0,75	1	1.332,10	50	50
70MB0792000000	NR4 50/200B/B	1,1	1,5	1.611,20	50	50
70MB0862000000	NR4 50/200A/B	1,1	1,5	1.611,20	50	50
70MB0902000000	NR4 50/250C/B	1,5	2	2.125,20	50	50
70MB0942000000	NR4 50/250B/B	2,2	3	2.293,90	50	50
70MB0981000000	NR4 50/250A/A	3	4	2.428,00	50	50
70MB1021000000	NR4 65/125F/A	0,37	0,5	1.039,80	65	65
70MB1061000000	NR4 65/125D/A	0,55	0,75	1.101,70	65	65
70MB1122000000	NR4 65/125A/B	0,75	1	1.222,10	65	65
70MB1162000000	NR4 65/125S/B	0,75	1	1.222,10	65	65
70MB1182000000	NR4 65/160B/B	1,1	1,5	1.590,50	65	65
70MB1222000000	NR4 65/160A/B	1,1	1,5	1.590,50	65	65
70MB1262000000	NR4 65/200C/B	1,1	1,5	1.746,40	65	65
70MB1302000000	NR4 65/200B/B	1,5	2	1.864,60	65	65
70MB1342000000	NR4 65/200A/B	2,2	3	2.038,30	65	65
70MB1382000000	NR4 65/250D/B	2,2	3	2.293,90	65	65
70MB1422000000	NR4 65/250C/B	2,2	3	2.293,90	65	65
70MB1461000000	NR4 65/250B/A	3	4	2.434,70	65	65
70MB1521000000	NR4 65/250A/A	4	5,5	2.699,00	65	65
70MB1700000000	NR4 80/160C	1,1	1,5	1.666,20	80	80
70MB1740000000	NR4 80/160B	1,1	1,5	1.666,20	80	80
70MB1780000000	NR4 80/160A	1,5	2	1.789,60	80	80
70MB1820000000	NR4 80/160S	2,2	3	1.955,80	80	80
70MB1900000000	NR4 80/200B	2,2	3	2.202,60	80	80
70MB1940000000	NR4 80/200A	3	4	2.340,30	80	80

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70N1002000000	NR4M 50C/A	0,25	0,34	838,60
70N1004000000	NR4M 50B/A	0,25	0,34	838,60
70N1006000000	NR4M 50A/A	0,25	0,34	838,60
70N1008000000	NR4M 65C/A	0,25	0,34	900,50

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00
44029752000	DN125 - DN125	NR(4) 125..	163,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets



NR4 EI

n = 1450 1/min

Inline-Pumpen mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT

Variable speed in-line pumps with onboard I-MAT frequency converter

Pumpen mit Differenzdruckwandler für Betriebsart Proportionaldruck
Electropump with differential transducer proportional pressure

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
I70M10020001	NR4 EI 50C/A	0,25	0,34	4.209,30	50	50
I70M10040001	NR4 EI 50B/A	0,25	0,34	4.209,30	50	50
I70M10060001	NR4 EI 50A/A	0,25	0,34	4.209,30	50	50
I70M10080001	NR4 EI 65C/A	0,25	0,34	4.264,60	65	65
I70M10100001	NR4 EI 65B/A	0,33	0,45	4.295,10	65	65
I70M10120001	NR4 EI 65A/A	0,33	0,45	4.295,10	65	65
I70M00203001	NR4 EI 100C/B	1,1	1,5	5.090,50	100	100
I70M00223001	NR4 EI 100B/B	1,1	1,5	5.090,50	100	100
I70M00243001	NR4 EI 100A/B	1,5	2	5.303,60	100	100
I70M00283001	NR4 EI 125C/B	2,2	3	5.789,00	125	125
I70M00322001	NR4 EI 125B/A	3	4	6.311,50	125	125
I70M00382001	NR4 EI 125A/A	4	5,5	6.439,00	125	125
I70MB0111001	NR4 EI 32/160B/A	0,37	0,5	4.348,60	32	32
I70MB0091001	NR4 EI 32/160A/A	0,37	0,5	4.348,60	32	32
I70MB0191001	NR4 EI 32/200C/A	0,37	0,5	4.547,60	32	32
I70MB0171001	NR4 EI 32/200B/A	0,55	0,75	4.614,80	32	32
I70MB0151001	NR4 EI 32/200A/A	0,75	1	4.743,30	32	32
I70MB0381001	NR4 EI 40/160B/A	0,37	0,5	4.515,90	40	40
I70MB0321001	NR4 EI 40/160A/A	0,37	0,5	4.515,90	40	40
I70MB0441001	NR4 EI 40/200B/A	0,55	0,75	4.647,80	40	40
I70MB0401001	NR4 EI 40/200A/A	0,75	1	4.771,10	40	40
I70MB0621001	NR4 EI 50/160C/A	0,37	0,5	4.547,60	50	50
I70MB0661001	NR4 EI 50/160B/A	0,55	0,75	4.609,90	50	50
I70MB0702001	NR4 EI 50/160A/B	0,75	1	4.731,60	50	50
I70MB0792001	NR4 EI 50/200B/B	1,1	1,5	4.994,10	50	50
I70MB0862001	NR4 EI 50/200A/B	1,1	1,5	4.994,10	50	50
I70MB0902001	NR4 EI 50/250C/B	1,5	2	5.477,20	50	50
I70MB0942001	NR4 EI 50/250B/B	2,2	3	5.636,00	50	50
I70MB0981001	NR4 EI 50/250A/A	3	4	6.031,10	50	50
I70MB1021001	NR4 EI 65/125F/A	0,37	0,5	4.465,80	65	65
I70MB1061001	NR4 EI 65/125D/A	0,55	0,75	4.523,20	65	65
I70MB1122001	NR4 EI 65/125A/B	0,75	1	4.628,10	65	65
I70MB1162001	NR4 EI 65/125S/B	0,75	1	4.628,10	65	65
I70MB1182001	NR4 EI 65/160B/B	1,1	1,5	4.974,60	65	65
I70MB1222001	NR4 EI 65/160A/B	1,1	1,5	4.974,60	65	65
I70MB1262001	NR4 EI 65/200C/B	1,1	1,5	5.121,20	65	65
I70MB1302001	NR4 EI 65/200B/B	1,5	2	5.232,30	65	65
I70MB1342001	NR4 EI 65/200A/B	2,2	3	5.395,60	65	65
I70MB1382001	NR4 EI 65/250D/B	2,2	3	5.636,00	65	65
I70MB1422001	NR4 EI 65/250C/B	2,2	3	5.636,00	65	65
I70MB1461001	NR4 EI 65/250B/A	3	4	6.037,40	65	65
I70MB1521001	NR4 EI 65/250A/A	4	5,5	6.286,00	65	65
I70MB1700001	NR4 EI 80/160C	1,1	1,5	4.999,50	80	80
I70MB1740001	NR4 EI 80/160B	1,1	1,5	4.999,50	80	80
I70MB1780001	NR4 EI 80/160A	1,5	2	5.116,70	80	80
I70MB1820001	NR4 EI 80/160S	2,2	3	5.611,30	80	80
I70MB1900001	NR4 EI 80/200B	2,2	3	5.843,30	80	80
I70MB1940001	NR4 EI 80/200A	3	4	5.972,70	80	80

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00
44029752000	DN125 - DN125	NR(4) 125..	163,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
System bestehend aus:

- Pumpe
- Frequenzumrichter I-MAT vorprogrammiert in Betriebsart Proportionaldruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

Counterflanges KIT including: Screws - Nuts - Gaskets
The system consists of:

- Pump
- I-MAT Frequency converter programmed in proportional pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer



NRD

n = 2900 1/min

Doppelte Inline-Pumpen

Twin head In-line pumps

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
70MC0500000	NRD 50/125F	1,1	1,5	2.369,50	50	50
70MC0540000	NRD 50/125C	1,5	2	2.607,20	50	50
70MC0580000	NRD 50/125A	2,2	3	2.844,60	50	50
70MC0620000	NRD 50/160C	2,2	3	2.925,00	50	50
70MC0660000	NRD 50/160B	3	4	3.269,70	50	50
70MC0720000	NRD 50/160A	4	5,5	3.973,30	50	50
70MC1020000	NRD 65/125F	2,2	3	3.014,30	65	65
70MC1060000	NRD 65/125D	3	4	3.371,40	65	65
70MC1120000	NRD 65/125A	4	5,5	4.007,20	65	65
70MC1200000	NRD 65/160B	5,5	7,5	4.491,90	65	65
70MC1240000	NRD 65/160A	7,5	10	4.509,80	65	65

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00
44029752000	DN125 - DN125	NR(4) 125..	163,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

Art.Nr. Code	Artikel Article	Preis Price €
44061980000	KIT CHIUSURA NRD 50/125	216,50
44061990000	KIT CHIUSURA NRD 50/160,65/125	239,70



NRD EI

n = 2900 1/min

Doppelte Inline-Pumpen mit variabler Drehzahl und vorinstalliertem

Frequenzumrichter I-MAT

Variable speed Twin head In-line pumps with onboard I-MAT frequency converter

Pumpe mit Differenzdruckwandler für Betriebsart Proportionaldruck
Electropump with differential transducer proportional pressure

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
I70MC0500001	NRD EI 50/125F	1,1	1,5	8.319,40	50	50
I70MC0540001	NRD EI 50/125C	1,5	2	8.542,80	50	50
I70MC0580001	NRD EI 50/125A	2,2	3	9.303,90	50	50
I70MC0620001	NRD EI 50/160C	2,2	3	9.379,60	50	50
I70MC0660001	NRD EI 50/160B	3	4	9.703,70	50	50
I70MC0720001	NRD EI 50/160A	4	5,5	10.365,20	50	50
I70MC1020001	NRD EI 65/125F	2,2	3	9.463,40	65	65
I70MC1060001	NRD EI 65/125D	3	4	9.799,30	65	65
I70MC1120001	NRD EI 65/125A	4	5,5	10.397,00	65	65
I70MC1200001	NRD EI 65/160B	5,5	7,5	10.865,50	65	65
I70MC1240001	NRD EI 65/160A	7,5	10	13.691,30	65	65

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00
44029752000	DN125 - DN125	NR(4) 125..	163,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

System bestehend aus:

- Pumpe
- Frequenzumrichter I-MAT
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

Counterflanges KIT including: Screws - Nuts - Gaskets

The system consists of:

- Pump
- I-MAT Frequency converter
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer



NRD4

n = 1450 1/min

Doppelte Inline-Pumpen

Twin head In-line pumps

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
70MD0620000	NRD4 50/160C	0,37	0,5	2.823,60	50	50
70MD0660000	NRD4 50/160B	0,55	0,75	2.989,90	50	50
70MD0700000	NRD4 50/160A	0,75	1	3.337,20	50	50
70MD1020000	NRD4 65/125F	0,37	0,5	2.604,70	65	65
70MD1060000	NRD4 65/125D	0,55	0,75	2.759,40	65	65
70MD1120000	NRD4 65/125A	0,75	1	3.061,40	65	65
70MD1180000	NRD4 65/160B	1,1	1,5	3.415,40	65	65
70MD1220000	NRD4 65/160A	1,1	1,5	3.415,40	65	65

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00
44029752000	DN125 - DN125	NR(4) 125..	163,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets



NRD4 EI

n = 1450 1/min

Doppelte Inline-Pumpen mit variabler Drehzahl und vorinstalliertem

Frequenzumrichter I-MAT

Variable speed Twin head In-line pumps with onboard I-MAT frequency converter

Pumpe mit Differenzdruckwandler für Betriebsart Proportionaldruck
Electropump with differential transducer proportional pressure

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
I70MD0620001	NRD4 EI 50/160C	0,37	0,5	8.757,40	50	50
I70MD0660001	NRD4 EI 50/160B	0,55	0,75	8.913,80	50	50
I70MD0700001	NRD4 EI 50/160A	0,75	1	9.240,40	50	50
I70MD1020001	NRD4 EI 65/125F	0,37	0,5	8.551,60	65	65
I70MD1060001	NRD4 EI 65/125D	0,55	0,75	8.697,00	65	65
I70MD1120001	NRD4 EI 65/125A	0,75	1	8.981,00	65	65
I70MD1180001	NRD4 EI 65/160B	1,1	1,5	9.313,50	65	65
I70MD1220001	NRD4 EI 65/160A	1,1	1,5	9.313,50	65	65

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00
44029752000	DN125 - DN125	NR(4) 125..	163,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

System bestehend aus:

- Pumpe
- Frequenzumrichter I-MAT
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

Counterflanges KIT including: Screws - Nuts - Gaskets

The system consists of:

- Pump
- I-MAT Frequency converter
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer



MXH, MXHL

Horizontale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl

Horizontal multi-stage close coupled stainless steel pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
62210021000	MXH 202E	0,25	0,34	510,50
62210031000	MXH 203E	0,37	0,5	546,90
62230041000	MXH 204/A	0,55	0,75	687,50
62250051000	MXH 205/B	0,75	1	772,60
62250061000	MXH 206/C	1,1	1,5	1.103,20
62211021000	MXH 402E	0,37	0,5	583,50
62231031000	MXH 403/A	0,55	0,75	788,20
62251041000	MXH 404/B	0,75	1	854,30
62251051000	MXH 405/C	1,1	1,5	1.013,90
62251061000	MXH 406/A	1,5	2	1.218,50
62252021000	MXH 802/B	0,75	1	939,30
62252031000	MXH 803/A	1,1	1,5	1.106,00
62252041000	MXH 804/A	1,5	2	1.180,60
62252051000	MXH 805/B	1,8	2,5	1.382,00
62253021000	MXH 1602/A	1,5	2	1.027,20
62253031000	MXH 1603/B	1,8	2,5	1.153,40
62243041000	MXH 1604/A	3	4	1.950,60
62253051000	MXH 1605/B	3,7	5	2.128,80
62253061000	MXH 1606/B	4	5,5	2.243,40

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
62310021000	MXHM 202E	0,25	0,34	510,50
62310031000	MXHM 203E	0,37	0,5	546,90
62340041000	MXHM 204/A	0,55	0,75	687,50
62340051000	MXHM 205/A	0,75	1	772,60
62340061000	MXHM 206	1,1	1,5	1.187,50
62311021000	MXHM 402E	0,37	0,5	583,50
62341031000	MXHM 403/A	0,55	0,75	788,20
62341041000	MXHM 404/A	0,75	1	854,30
62331051000	MXHM 405	1,1	1,5	1.180,60
62321061000	MXHM 406	1,5	2	1.311,90
62332021000	MXHM 802/A	0,75	1	939,30
62332031000	MXHM 803	1,1	1,5	1.106,00
62322041000	MXHM 804	1,5	2	1.180,60
62312051000	MXHM 805/A	1,8	2,5	1.501,30

MXHL AISI 316L

Horizontale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl

Horizontal multi-stage close coupled stainless steel pumps



Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
63210021000	MXHL 202E	0,25	0,34	570,00
63210031000	MXHL 203E	0,37	0,5	610,70
63230041000	MXHL 204/A	0,55	0,75	767,70
63250051000	MXHL 205/B	0,75	1	862,60
63250061000	MXHL 206/C	1,1	1,5	1.231,70
63211021000	MXHL 402E	0,37	0,5	651,40
63231031000	MXHL 403/A	0,55	0,75	880,10
63251041000	MXHL 404/B	0,75	1	953,80
63251051000	MXHL 405/C	1,1	1,5	1.132,20
63251061000	MXHL 406/A	1,5	2	1.360,40
63252021000	MXHL 802/B	0,75	1	1.048,80
63252031000	MXHL 803/A	1,1	1,5	1.234,70
63252041000	MXHL 804/A	1,5	2	1.318,20
63252051000	MXHL 805/B	1,8	2,5	1.543,00

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
63310021000	MXHLM 202E	0,25	0,34	570,00
63310031000	MXHLM 203E	0,37	0,5	610,70
63340041000	MXHLM 204/A	0,55	0,75	767,70
63340051000	MXHLM 205/A	0,75	1	862,60
63340061000	MXHLM 206	1,1	1,5	1.325,70
63311021000	MXHLM 402E	0,37	0,5	651,40
63341031000	MXHLM 403/A	0,55	0,75	880,10
63341041000	MXHLM 404/A	0,75	1	953,80
63331051000	MXHLM 405	1,1	1,5	1.318,20
63321061000	MXHLM 406	1,5	2	1.464,60
63332021000	MXHLM 802/A	0,75	1	1.048,80
63332031000	MXHLM 803	1,1	1,5	1.234,70
63322041000	MXHLM 804	1,5	2	1.318,20
63312051000	MXHLM 805/A	1,8	2,5	1.676,20



MXH EI

Horizontale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT
Variable speed Horizontal multi-stage close coupled stainless steel pumps with on-board I-MAT frequency converter

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
162230041000	MXH EI 204/A	0,55	0,75	3.142,60
162250051000	MXH EI 205/B	0,75	1	3.207,30
162250061000	MXH EI 206/C	1,1	1,5	3.458,70
162231031000	MXH EI 403/A	0,55	0,75	3.219,20
162251041000	MXH EI 404/B	0,75	1	3.269,50
162251051000	MXH EI 405/C	1,1	1,5	3.390,80
162251061000	MXH EI 406/A	1,5	2	3.546,20
162252031000	MXH EI 803/A	1,1	1,5	3.460,70
162252041000	MXH EI 804/A	1,5	2	3.517,50
162252051000	MXH EI 805/B	1,8	2,5	3.670,50
162253031000	MXH EI 1603/B	1,8	2,5	3.546,50
162243041000	MXH EI 1604/A	3	4	4.421,50
162253051000	MXH EI 1605/B	3,7	5	4.557,00
162253061000	MXH EI 1606/B	4	5,5	4.644,10

System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

The system consists of:

- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer

MXH, MXHL

Horizontale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl
Horizontal multi-stage close coupled stainless steel pumps



Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
62256011000	MXH 2001/A	1,1	1,5	1.434,80
62256021000	MXH 2002/A	1,8	2,5	1.698,70
62206031000	MXH 2003	3	4	2.139,30
62216041000	MXH 2004/A	4	5,5	2.374,80
62206051000	MXH 2005	5,5	7,5	3.275,00
62254011000	MXH 3201/B	2,2	3	1.516,10
62254021000	MXH 3202/B	4	5,5	1.995,10
62244031000	MXH 3203/A	5,5	7,5	2.931,50
62244041000	MXH 3204/A	7,5	10	3.779,30
62245011000	MXH 4801/A	3	4	2.076,60
62245021000	MXH 4802/A	5,5	7,5	3.086,40
62245031000	MXH 4803/A	7,5	10	4.199,20



MXH-V

Horizontale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl mit Victaulic Anschlüssen

Horizontal multi-stage close coupled stainless steel pumps with Victaulic ports

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	Victaulic	
		kW	HP		DN1	DN2
62254011200	MXH-V 3201/B	2,2	3	1.579,80	76,1 (DN65)	60,3 (DN50)
62254021200	MXH-V 3202/B	4	5,5	2.058,80	76,1 (DN65)	60,3 (DN50)
62244031200	MXH-V 3203/A	5,5	7,5	2.997,40	76,1 (DN65)	60,3 (DN50)
62244041200	MXH-V 3204/A	7,5	10	3.845,00	76,1 (DN65)	60,3 (DN50)
62245011200	MXH-V 4801/A	3	4	2.140,40	88,9 (DN 80)	76,1 (DN65)
62245021200	MXH-V 4802/A	5,5	7,5	3.152,00	88,9 (DN 80)	76,1 (DN65)
62245031200	MXH-V 4803/A	7,5	10	4.264,80	88,9 (DN 80)	76,1 (DN65)

Art.Nr. Code	Kupplungs-Kit Victaulic Kit Victaulic couplings	Artikel Article	Preis Price
24057090000	G2 1/2 - G2	MXH-V 32	126,10
24057100000	G3 - G2 1/2	MXH-V 48	145,80



MXH-F

Horizontale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl mit Flanschen

Horizontal multi-stage close coupled stainless steel pumps with flanged ports

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €		
		kW	HP		DN1	DN2
62256011100	MXH-F 2001/A	1,1	1,5	1.552,70		40
62256021100	MXH-F 2002/A	1,8	2,5	1.816,50		40
62206031100	MXH-F 2003	3	4	2.257,20		40
62216041100	MXH-F 2004/A	4	5,5	2.492,70		40
62206051100	MXH-F 2005	5,5	7,5	3.392,70		40
62254011100	MXH-F 3201/B	2,2	3	1.656,10		50
62254021100	MXH-F 3202/B	4	5,5	2.135,30		50
62244031100	MXH-F 3203/A	5,5	7,5	3.076,00		50
62244041100	MXH-F 3204/A	7,5	10	3.923,60		50
62245011100	MXH-F 4801/A	3	4	2.216,90		65
62245021100	MXH-F 4802/A	5,5	7,5	3.230,80		65
62245031100	MXH-F 4803/A	7,5	10	4.343,60		65

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44027752000	DN40 - DN50	MXH-F 20	238,00
44027750000	DN50 - DN65	MXH-F 32	305,80
44027751000	DN65 - DN80	MXH-F 48	384,90

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets



MXH EI

Horizontale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT
Variable speed Horizontal multi-stage close coupled stainless steel pumps with on-board I-MAT frequency converter

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
I62256021000	MXH EI 2002/A	1,8	2,5	4.274,70
I62206031000	MXH EI 2003	3	4	4.621,20
I62216041000	MXH EI 2004/A	4	5,5	4.806,40
I62206051000	MXH EI 2005	5,5	7,5	5.514,10
I62254021000	MXH EI 3202/B	4	5,5	4.516,70
I62244031000	MXH EI 3203/A	5,5	7,5	5.252,90
I62244041000	MXH EI 3204/A	7,5	10	7.335,70
I62245021000	MXH EI 4802/A	5,5	7,5	5.387,20
I62245031000	MXH EI 4803/A	7,5	10	7.678,40

System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

The system consists of:

- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer



MXH-F EI

Horizontale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT
Variable speed Horizontal multi-stage close coupled stainless steel pumps with on-board I-MAT frequency converter

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
I62256021100	MXH-F EI 2002/A	1,8	2,5	4.164,30	50	40
I62206031100	MXH-F EI 2003	3	4	4.510,80	50	40
I62216041100	MXH-F EI 2004/A	4	5,5	4.696,10	50	40
I62206051100	MXH-F EI 2005	5,5	7,5	5.403,80	50	40
I62254021100	MXH-F EI 3202/B	4	5,5	4.507,50	65	50
I62244031100	MXH-F EI 3203/A	5,5	7,5	5.247,30	65	50
I62244041100	MXH-F EI 3204/A	7,5	10	7.386,60	65	50
I62245021100	MXH-F EI 4802/A	5,5	7,5	5.369,10	80	65
I62245031100	MXH-F EI 4803/A	7,5	10	7.716,90	80	65

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
44027752000	DN40 - DN50	MXH-F 20	238,00
44027750000	DN50 - DN65	MXH-F 32	305,80
44027751000	DN65 - DN80	MXH-F 48	384,90

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor, nicht mit der Pumpe verbunden

Counterflanges KIT including: Screws - Nuts - Gaskets

The system consists of:

- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer not connected to the pump



MXP

Horizontale, mehrstufige Blockpumpen

Horizontal multi-stage close coupled pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
66200021000	MXP 202	0,25	0,34	380,60
66200031000	MXP 203	0,37	0,5	400,30
66200041000	MXP 204/A	0,55	0,75	445,50
66200051100	MXP 205/A	0,75	1	509,50
66200061000	MXP 206	0,75	1	624,00
66201021000	MXP 402	0,37	0,5	415,40
66201031000	MXP 403/A	0,55	0,75	475,80
66201041100	MXP 404/B	0,75	1	528,50
66201051000	MXP 405	1,1	1,5	644,80
66201061000	MXP 406	1,1	1,5	814,50

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
66300021000	MXPM 202	0,25	0,34	380,60
66300031000	MXPM 203	0,37	0,5	400,30
66300041100	MXPM 204/A	0,55	0,75	445,50
66300051100	MXPM 205	0,75	1	509,50
66300061100	MXPM 206	0,75	1	624,00
66301021000	MXPM 402	0,37	0,5	415,40
66301031100	MXPM 403/A	0,55	0,75	475,80
66301041100	MXPM 404/A	0,75	1	528,50
66301051100	MXPM 405	1,1	1,5	644,80
66301061100	MXPM 406	1,1	1,5	814,50



MGP

Horizontale, mehrstufige Blockpumpen

Horizontal multi-stage close coupled pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
60250021000	MGP 202	0,25	0,34	370,90
60250031000	MGP 203	0,37	0,5	393,30
60250041000	MGP 204	0,45	0,6	446,70
60250051100	MGP 205/A	0,75	1	519,30
60251021000	MGP 402	0,37	0,5	412,80
60251031100	MGP 403/A	0,55	0,75	483,10
60251041100	MGP 404/A	0,75	1	546,10
60251051000	MGP 405	1,1	1,5	679,50

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
60350021000	MGPM 202	0,25	0,34	370,70
60350031000	MGPM 203	0,37	0,5	393,30
60350041000	MGPM 204	0,45	0,6	446,70
60350051100	MGPM 205	0,75	1	519,30
60351021000	MGPM 402	0,37	0,5	412,80
60351031200	MGPM 403/A	0,55	0,75	483,10
60351041100	MGPM 404	0,75	1	546,00
60351051100	MGPM 405	1,1	1,5	679,50



MPSU

Vertikale, mehrstufige Blockpumpen

Vertical multi-stage close-coupled pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
76H13041000	MPSU 304/A	0,55	0,75	930,50
76H13051000	MPSU 305/A	0,75	1	989,60
76H13061000	MPSU 306/A	0,9	1,2	1.104,20
76H13071000	MPSU 307/A	0,9	1,2	1.198,80
76H14041000	MPSU 504/A	0,9	1,2	1.088,70
76H14051000	MPSU 505/A	1,1	1,5	1.185,50
76H14061000	MPSU 506/A	1,1	1,5	1.269,10
76H14071000	MPSU 507/A	1,5	2	1.447,30

Drehstromausführung: Kabellänge 5 m.

Wechselstromausführung: eingebauter Überhitzungsschutz, 5 m Kabel.

Eingebauter Kondensator.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
76L13041000	MPSUM 304/A	0,55	0,75	930,50
76L13051000	MPSUM 305/A	0,75	1	989,60
76L13061000	MPSUM 306/A	0,9	1,2	1.104,20
76L13071000	MPSUM 307/A	0,9	1,2	1.198,80
76L14041000	MPSUM 504/A	0,9	1,2	1.088,70
76L14051000	MPSUM 505/A	1,1	1,5	1.185,50
76L14061000	MPSUM 506/A	1,1	1,5	1.269,10
76L14071000	MPSUM 507/A	1,5	2	1.447,30

Three-phase version: cable length 5 m.

Single-phase version: built-in thermal protector, cable length 5 m.

Incorporated capacitor



MXV-B

Vertikale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl
Vertical multi-stage close coupled stainless steel pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
62H40301000	MXV-B 25-303 O	0,75	1	1.364,50
62H40401000	MXV-B 25-304 O	0,75	1	1.443,30
62H40501000	MXV-B 25-305 O	0,75	1	1.129,40
62H40601000	MXV-B 25-306 O	1,1	1,5	1.164,90
62H40701000	MXV-B 25-307 O	1,1	1,5	1.205,60
62H40801000	MXV-B 25-308 O	1,5	2	1.256,80
62H41001000	MXV-B 25-310 O	1,5	2	1.321,20
62H50301000	MXV-B 32-503 O	0,75	1	1.394,70
62H50401000	MXV-B 32-504 O	1,1	1,5	1.476,20
62H50501000	MXV-B 32-505 O	1,1	1,5	1.199,00
62H50601000	MXV-B 32-506 O	1,5	2	1.235,80
62H50701000	MXV-B 32-507 O	1,5	2	1.297,60
62H50801000	MXV-B 32-508 O	2,2	3	1.375,00
62H51001000	MXV-B 32-510 O	2,2	3	1.614,00
62H60301000	MXV-B 40-903 O	1,1	1,5	1.656,10
62H60401000	MXV-B 40-904 O	1,5	2	1.893,80
62H60501000	MXV-B 40-905 O	2,2	3	1.316,10
62H60601000	MXV-B 40-906 O	2,2	3	1.380,40
62H60701000	MXV-B 40-907 O	3	4	1.617,70
62H60801000	MXV-B 40-908 O	3	4	1.985,80
62H61001000	MXV-B 40-910 O	3,7	5	2.451,00
62H70201000	MXV-B 50-1502 O	1,5	2	2.542,20
62H70301000	MXV-B 50-1503 O	2,2	3	2.636,90
62H70401000	MXV-B 50-1504 O	3	4	3.008,60
62H70501000	MXV-B 50-1505 O	4	5,5	3.105,60
62H70601000	MXV-B 50-1506 O	5,5	7,5	2.097,00
62H70701000	MXV-B 50-1507 O	5,5	7,5	2.175,00
62H70801000	MXV-B 50-1508 O	5,5	7,5	2.256,00
62H70901000	MXV-B 50-1509 O	7,5	10	2.574,00
62H71001000	MXV-B 50-1510 O	7,5	10	2.657,00

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
62L41301000	MXV-BM 25-303 O	0,75	1	1.120,20
62L41401000	MXV-BM 25-304 O	0,75	1	1.157,00
62L41501000	MXV-BM 25-305 O	0,75	1	1.192,50
62L40601100	MXV-BM 25-306 O	1,1	1,5	1.281,80
62L40701100	MXV-BM 25-307 O	1,1	1,5	1.326,40
62L40801000	MXV-BM 25-308 O	1,5	2	1.407,80
62L41001000	MXV-BM 25-310 O	1,5	2	1.489,30
62L51301000	MXV-BM 32-503 O	0,75	1	1.163,60
62L50401100	MXV-BM 32-504 O	1,1	1,5	1.200,40
62L50501100	MXV-BM 32-505 O	1,1	1,5	1.241,10
62L50601000	MXV-BM 32-506 O	1,5	2	1.302,80
62L50701000	MXV-BM 32-507 O	1,5	2	1.367,20
62L60301100	MXV-BM 40-903 O	1,1	1,5	1.245,00
62L60401000	MXV-BM 40-904 O	1,5	2	1.281,80

Preis beinhaltet Gegenflansch KIT
Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Gegenflansche KIT in AISI 304

The price includes counterflanges KIT
Counterflanges KIT including: Screws - Nuts - Gaskets
Counterflanges KIT in AISI 304

Adapterset für vorherige Pumpenserie MXV(L) 25, MXV(L) 32
Adaptor kit for previous pump series MXV (L) 25, MXV (L) 32 with threaded connections

Art.Nr. Code	Adapter KIT Adapter KIT	Typ Type	Preis Price €
44060570000	Adapter KIT MXV	MXV(B)25-2-25-3.O, 32-4-32-5.O	302,00

Adapter KIT enthält: Abstandhalter AISI 316 -
Schrauben - Muttern - Dichtungen - Adapter
Adaptor KIT including: - AISI 316 spacers - Screws
- Nuts - Gaskets - Adaptor





MXV-B EI

Vertikale, mehrstufige Blockpumpen aus Chrom-Nickel-Stahl mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT

Variable speed Vertical multi-stage close coupled stainless steel pumps with on-board I-MAT frequency converter

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
I62H40301000	MXV-B EI 25-303 O	0,75	1	3.595,50
I62H40401000	MXV-B EI 25-304 O	0,75	1	3.632,60
I62H40501000	MXV-B EI 25-305 O	0,75	1	3.666,90
I62H40601000	MXV-B EI 25-306 O	1,1	1,5	3.757,40
I62H40701000	MXV-B EI 25-307 O	1,1	1,5	3.808,20
I62H40801000	MXV-B EI 25-308 O	1,5	2	3.881,00
I62H41001000	MXV-B EI 25-310 O	1,5	2	3.963,30
I62H50301000	MXV-B EI 32-503 O	0,75	1	3.635,30
I62H50401000	MXV-B EI 32-504 O	1,1	1,5	3.672,30
I62H50501000	MXV-B EI 32-505 O	1,1	1,5	3.714,90
I62H50601000	MXV-B EI 32-506 O	1,5	2	3.768,50
I62H50701000	MXV-B EI 32-507 O	1,5	2	3.835,70
I62H50801000	MXV-B EI 32-508 O	2,2	3	4.182,00
I62H51001000	MXV-B EI 32-510 O	2,2	3	4.267,10
I62H60301000	MXV-B EI 40-903 O	1,1	1,5	3.708,00
I62H60401000	MXV-B EI 40-904 O	1,5	2	3.746,50
I62H60501000	MXV-B EI 40-905 O	2,2	3	4.080,50
I62H60601000	MXV-B EI 40-906 O	2,2	3	4.161,40
I62H60701000	MXV-B EI 40-907 O	3	4	4.411,10
I62H60801000	MXV-B EI 40-908 O	3	4	4.455,00
I62H61001000	MXV-B EI 40-910 O	3,7	5	4.703,40
I62H70201000	MXV-B EI 50-1502 O	1,5	2	*
I62H70301000	MXV-B EI 50-1503 O	2,2	3	*
I62H70401000	MXV-B EI 50-1504 O	3	4	*
I62H70501000	MXV-B EI 50-1505 O	4	5,5	*
I62H70601000	MXV-B EI 50-1506 O	5,5	7,5	*
I62H70701000	MXV-B EI 50-1507 O	5,5	7,5	*
I62H70801000	MXV-B EI 50-1508 O	5,5	7,5	*
I62H70901000	MXV-B EI 50-1509 O	7,5	10	*
I62H71001000	MXV-B EI 50-1510 O	7,5	10	*

System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

The system consists of:

- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer

Preis beinhaltet Gegenflansch KIT

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Gegenflansche KIT in AISI 304

The price includes counterflanges KIT

*Counterflanges KIT including: Screws - Nuts - Gaskets
Counterflanges KIT in AISI 304*

Preis beinhaltet Gegenflansche KIT

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Gegenflansche KIT in AISI 304

The price includes counterflanges KIT

Counterflanges KIT in AISI 304


Counterflanges KIT including: Screws - Nuts - Gaskets

Adapterset für vorherige Pumpenserie MXV(L) 25, MXV(L) 32

Adaptor kit for previous pump series MXV (L) 25, MXV (L) 32 with threaded connections

Art.Nr. Code	Adapter KIT Adapter KIT	Typ Type	Preis Price €
44060570000	Adapter KIT MXV	MXV(B)25-2-25-3.O, 32-4-32-5.O	302,00

Adapter KIT enthält: Abstandhalter AISI 316 -
Schrauben - Muttern - Dichtungen - Adapter
*Adaptor KIT including: - AISI 316 spacers - Screws
- Nuts - Gaskets -Adaptor*



* Preise auf Anfrage

** Price on request*



MXV

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl
Vertical stainless steel multi-stage in-line pumps

OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
52A04111000	MXV 25-304	0,75	1	1.090,50	25	25
52A05111000	MXV 25-305	0,75	1	1.120,20	25	25
52A06111000	MXV 25-306	1,1	1,5	1.213,70	25	25
52A07111000	MXV 25-307	1,1	1,5	1.249,40	25	25
52A08111000	MXV 25-308	1,5	2	1.492,30	25	25
52A10111000	MXV 25-310	1,5	2	1.574,50	25	25
52A12111000	MXV 25-312	2,2	3	1.775,50	25	25
52A14111000	MXV 25-314	2,2	3	1.889,10	25	25
52A16111000	MXV 25-316	3	4	2.047,20	25	25
52A18111000	MXV 25-318	3	4	2.128,00	25	25
52A20111000	MXV 25-320	3	4	2.286,10	25	25
52B04111000	MXV 32-504	1,1	1,5	1.176,00	32	32
52B05111000	MXV 32-505	1,1	1,5	1.205,60	32	32
52B06111000	MXV 32-506	1,5	2	1.403,20	32	32
52B07111000	MXV 32-507	1,5	2	1.446,10	32	32
52B08111000	MXV 32-508	2,2	3	1.518,60	32	32
52B10111000	MXV 32-510	2,2	3	1.597,60	32	32
52B12111000	MXV 32-512	3	4	1.871,00	32	32
52B14111000	MXV 32-514	3	4	1.974,80	32	32
52B16111000	MXV 32-516	4	5,5	2.230,10	32	32
52B18111000	MXV 32-518	4	5,5	2.434,30	32	32
52C04111000	MXV 40-904	1,5	2	1.559,20	40	40
52C05111000	MXV 40-905	2,2	3	1.661,90	40	40
52C06111000	MXV 40-906	2,2	3	1.812,70	40	40
52C07111000	MXV 40-907	3	4	1.961,80	40	40
52C08111000	MXV 40-908	3	4	2.025,70	40	40
52C10111000	MXV 40-910	4	5,5	2.286,30	40	40
52C11111000	MXV 40-911	4	5,5	2.493,90	40	40
52C13111000	MXV 40-913	5,5	7,5	2.926,70	40	40
52C15111000	MXV 40-915	5,5	7,5	3.146,50	40	40
52C17111000	MXV 40-917	7,5	10	3.368,30	40	40
52C19111000	MXV 40-919	7,5	10	3.611,20	40	40

MIT MOTOR WITH MOTOR


Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
52A04211000	MXV 25-304	0,75	1	1.333,60	25	25
52A05211000	MXV 25-305	0,75	1	1.363,30	25	25
52A06211000	MXV 25-306	1,1	1,5	1.487,90	25	25
52A07211000	MXV 25-307	1,1	1,5	1.523,80	25	25
52A08211000	MXV 25-308	1,5	2	1.823,30	25	25
52A10211000	MXV 25-310	1,5	2	1.905,70	25	25
52A12211000	MXV 25-312	2,2	3	2.197,20	25	25
52A14211000	MXV 25-314	2,2	3	2.310,80	25	25
52A16211000	MXV 25-316	3	4	2.584,20	25	25
52A18211000	MXV 25-318	3	4	2.664,80	25	25
52A20211000	MXV 25-320	3	4	2.823,10	25	25
52B04211000	MXV 32-504	1,1	1,5	1.465,90	32	32
52B05211000	MXV 32-505	1,1	1,5	1.495,60	32	32
52B06211000	MXV 32-506	1,5	2	1.734,30	32	32
52B07211000	MXV 32-507	1,5	2	1.777,20	32	32
52B08211000	MXV 32-508	2,2	3	1.940,20	32	32
52B10211000	MXV 32-510	2,2	3	2.019,20	32	32
52B12211000	MXV 32-512	3	4	2.407,90	32	32
52B14211000	MXV 32-514	3	4	2.511,70	32	32
52B16211000	MXV 32-516	4	5,5	2.856,00	32	32
52B18211000	MXV 32-518	4	5,5	3.060,10	32	32
52C04211000	MXV 40-904	1,5	2	1.915,60	40	40
52C05211000	MXV 40-905	2,2	3	2.116,10	40	40
52C06211000	MXV 40-906	2,2	3	2.266,90	40	40
52C07211000	MXV 40-907	3	4	2.540,00	40	40
52C08211000	MXV 40-908	3	4	2.603,70	40	40
52C10211000	MXV 40-910	4	5,5	2.960,30	40	40
52C11211000	MXV 40-911	4	5,5	3.167,90	40	40
52C13211000	MXV 40-913	5,5	7,5	3.850,80	40	40
52C15211000	MXV 40-915	5,5	7,5	4.070,70	40	40
52C17211000	MXV 40-917	7,5	10	4.533,60	40	40
52C19211000	MXV 40-919	7,5	10	4.776,70	40	40

Motor IE4: auf Anfrage
IE4 motor: on request

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
94016770000	DN25	MXV 25..	120,20
94016780000	DN32	MXV 32..	130,70
94016790000	DN40	MXV 40..	146,10

Gegenflansche KIT in AISI 304
Counterflanges KIT in AISI 304
Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€



Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €	ISO 228	
		kW	HP		DN1	DN2
52A04311000	MXVM 25-304	0,75	1	1.462,90	25	25
52A05311000	MXVM 25-305	0,75	1	1.492,60	25	25
52A06311000	MXVM 25-306	1,1	1,5	1.621,90	25	25
52A07311000	MXVM 25-307	1,1	1,5	1.657,60	25	25
52A08311000	MXVM 25-308	1,5	2	1.958,40	25	25
52A10311000	MXVM 25-310	1,5	2	2.040,70	25	25
52A12311000	MXVM 25-312	1,8	2,5	2.345,40	25	25
52A14311000	MXVM 25-314	2,2	3	2.459,00	25	25
52B04311000	MXVM 32-504	1,1	1,5	1.607,40	32	32
52B05311000	MXVM 32-505	1,1	1,5	1.637,10	32	32
52B06311000	MXVM 32-506	1,5	2	1.869,40	32	32
52B07311000	MXVM 32-507	1,5	2	1.913,80	32	32
52B08311000	MXVM 32-508	1,8	2,5	2.088,40	32	32
52B10311000	MXVM 32-510	2,2	3	2.167,50	32	32
52C04311000	MXVM 40-904	1,5	2	2.061,20	40	40
52C05311000	MXVM 40-905	1,8	2,5	2.275,60	40	40
52C06311000	MXVM 40-906	2,2	3	2.428,20	40	40



MXV

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl mit ovalen Flanschen

Vertical stainless steel multi-stage in-line pumps with oval flange connections

OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
52A04112000	MXV 25-304 O	0,75	1	997,20	25	25
52A05112000	MXV 25-305 O	0,75	1	1.026,60	25	25
52A06112000	MXV 25-306 O	1,1	1,5	1.120,20	25	25
52A07112000	MXV 25-307 O	1,1	1,5	1.156,00	25	25
52A08112000	MXV 25-308 O	1,5	2	1.393,40	25	25
52A10112000	MXV 25-310 O	1,5	2	1.475,60	25	25
52A12112000	MXV 25-312 O	2,2	3	1.676,60	25	25
52A14112000	MXV 25-314 O	2,2	3	1.790,30	25	25
52B04112000	MXV 32-504 O	1,1	1,5	1.069,00	32	32
52B05112000	MXV 32-505 O	1,1	1,5	1.098,60	32	32
52B06112000	MXV 32-506 O	1,5	2	1.296,30	32	32
52B07112000	MXV 32-507 O	1,5	2	1.339,00	32	32
52B08112000	MXV 32-508 O	2,2	3	1.411,50	32	32
52B10112000	MXV 32-510 O	2,2	3	1.490,60	32	32
52B12112000	MXV 32-512 O	3	4	1.763,90	32	32
52B14112000	MXV 32-514 O	3	4	1.867,70	32	32
52C04112000	MXV 40-904 O	1,5	2	1.429,60	40	40
52C05112000	MXV 40-905 O	2,2	3	1.532,40	40	40
52C06112000	MXV 40-906 O	2,2	3	1.683,30	40	40
52C07112000	MXV 40-907 O	3	4	1.832,20	40	40
52C08112000	MXV 40-908 O	3	4	1.896,10	40	40
52C10112000	MXV 40-910 O	4	5,5	2.156,90	40	40
52C11112000	MXV 40-911 O	4	5,5	2.364,30	40	40
52C13112000	MXV 40-913 O	5,5	7,5	2.797,20	40	40

Preis beinhaltet Gegenflansche KIT
The price includes counterflanges KIT

Preis beinhaltet Gegenflansche KIT
Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Gegenflansche KIT in AISI 304
The price includes counterflanges KIT
Counterflanges KIT in AISI 304
Counterflanges KIT including: Screws - Nuts - Gaskets

Adapterset für vorherige Pumpenserie MXV(L) 25, MXV(L) 32
Adaptor kit for previous pump series MXV (L) 25, MXV (L) 32 with threaded connections

Art.Nr. Code	Adapter KIT Adapter KIT	Typ Type	Preis Price €
44060570000	Adapter KIT MXV	MXV(B)25-2-25-3.O, 32-4-32-5.O	302,00

Adapter KIT enthält: Abstandhalter AISI 316 - Schrauben - Muttern - Dichtungen - Adapter
Adaptor KIT including: - AISI 316 spacers - Screws - Nuts - Gaskets - Adaptor




MIT MOTOR WITH MOTOR

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
52A04212000	MXV 25-304 O	0,75	1	1.240,10	25	25
52A05212000	MXV 25-305 O	0,75	1	1.269,80	25	25
52A06212000	MXV 25-306 O	1,1	1,5	1.394,50	25	25
52A07212000	MXV 25-307 O	1,1	1,5	1.430,30	25	25
52A08212000	MXV 25-308 O	1,5	2	1.724,40	25	25
52A10212000	MXV 25-310 O	1,5	2	1.806,90	25	25
52A12212000	MXV 25-312 O	2,2	3	2.098,40	25	25
52A14212000	MXV 25-314 O	2,2	3	2.211,90	25	25
52B04212000	MXV 32-504 O	1,1	1,5	1.358,90	32	32
52B05212000	MXV 32-505 O	1,1	1,5	1.388,40	32	32
52B06212000	MXV 32-506 O	1,5	2	1.627,30	32	32
52B07212000	MXV 32-507 O	1,5	2	1.670,00	32	32
52B08212000	MXV 32-508 O	2,2	3	1.833,20	32	32
52B10212000	MXV 32-510 O	2,2	3	1.912,10	32	32
52B12212000	MXV 32-512 O	3	4	2.300,90	32	32
52B14212000	MXV 32-514 O	3	4	2.404,60	32	32
52C04212000	MXV 40-904 O	1,5	2	1.786,20	40	40
52C05212000	MXV 40-905 O	2,2	3	1.986,50	40	40
52C06212000	MXV 40-906 O	2,2	3	2.137,40	40	40
52C07212000	MXV 40-907 O	3	4	2.410,40	40	40
52C08212000	MXV 40-908 O	3	4	2.474,30	40	40
52C10212000	MXV 40-910 O	4	5,5	2.830,80	40	40
52C11212000	MXV 40-911 O	4	5,5	3.038,50	40	40
52C13212000	MXV 40-913 O	5,5	7,5	3.721,20	40	40

Motor IE4: auf Anfrage
IE4 motor: on request

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €	ISO 228	
		kW	HP		DN1	DN2
52A04312000	MXVM 25-304 O	0,75	1	1.369,40	25	25
52A05312000	MXVM 25-305 O	0,75	1	1.399,10	25	25
52A06312000	MXVM 25-306 O	1,1	1,5	1.528,40	25	25
52A07312000	MXVM 25-307 O	1,1	1,5	1.564,10	25	25
52A08312000	MXVM 25-308 O	1,5	2	1.859,50	25	25
52A10312000	MXVM 25-310 O	1,5	2	1.941,80	25	25
52A12312000	MXVM 25-312 O	1,8	2,5	2.246,60	25	25
52A14312000	MXVM 25-314 O	2,2	3	2.360,10	25	25
52B04312000	MXVM 32-504 O	1,1	1,5	1.500,40	32	32
52B05312000	MXVM 32-505 O	1,1	1,5	1.530,00	32	32
52B06312000	MXVM 32-506 O	1,5	2	1.762,30	32	32
52B07312000	MXVM 32-507 O	1,5	2	1.806,90	32	32
52B08312000	MXVM 32-508 O	1,8	2,5	1.981,40	32	32
52B10312000	MXVM 32-510 O	2,2	3	2.060,40	32	32
52C04312000	MXVM 40-904 O	1,5	2	1.931,50	40	40
52C05312000	MXVM 40-905 O	1,8	2,5	2.146,20	40	40
52C06312000	MXVM 40-906 O	2,2	3	2.298,60	40	40

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€





MXV

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl
Vertical stainless steel multi-stage in-line pumps


OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN1	DN2
		kW	HP			
53380121000	MXV 50-1501	1,1	1,5	1.349,10	50	50
53380221000	MXV 50-1502	1,5	2	1.386,10	50	50
53380321000	MXV 50-1503	2,2	3	1.433,90	50	50
53380421000	MXV 50-1504	3	4	1.550,10	50	50
53380521000	MXV 50-1505	4	5,5	1.870,20	50	50
53380621000	MXV 50-1506	5,5	7,5	2.549,80	50	50
53380721000	MXV 50-1507	5,5	7,5	2.667,00	50	50
53380821000	MXV 50-1508	5,5	7,5	2.776,70	50	50
53380921000	MXV 50-1509	7,5	10	2.977,40	50	50
53381021000	MXV 50-1510	7,5	10	3.087,90	50	50
53381121000	MXV 50-1511	9,2	12,5	3.413,30	50	50
53381221000	MXV 50-1512	9,2	12,5	3.522,70	50	50
53381321000	MXV 50-1513	11	15	3.631,30	50	50
53381421000	MXV 50-1514	11	15	3.734,80	50	50
53381521000	MXV 50-1515	11	15	3.942,00	50	50
53381621000	MXV 50-1516	15	20	4.047,00	50	50
53381721000	MXV 50-1517	15	20	4.238,10	50	50
53390121000	MXV 50-2001	1,1	1,5	1.355,30	50	50
53390221000	MXV 50-2002	2,2	3	1.392,20	50	50
53390321000	MXV 50-2003	3	4	1.466,10	50	50
53390421000	MXV 50-2004	4	5,5	1.556,30	50	50
53390521000	MXV 50-2005	5,5	7,5	2.191,40	50	50
53390621000	MXV 50-2006	7,5	10	2.557,30	50	50
53390721000	MXV 50-2007	7,5	10	2.674,40	50	50
53390821000	MXV 50-2008	9,2	12,5	2.972,20	50	50
53390921000	MXV 50-2009	9,2	12,5	3.173,00	50	50
53391021000	MXV 50-2010	11	15	3.283,60	50	50
53391121000	MXV 50-2011	11	15	3.420,90	50	50
53391221000	MXV 50-2012	15	20	3.529,40	50	50
53391321000	MXV 50-2013	15	20	3.638,80	50	50
53391421000	MXV 50-2014	15	20	3.838,40	50	50
53391521000	MXV 50-2015	15	20	3.949,50	50	50
53391621000	MXV 50-2016	18,5	25	4.054,60	50	50
53391721000	MXV 50-2017	18,5	25	4.245,60	50	50

MIT MOTOR WITH MOTOR

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1	DN2
		kW	HP			
53480121H00	MXV 50-1501	1,1	1,5	1.660,80	50	50
53480221H00	MXV 50-1502	1,5	2	1.741,40	50	50
53480321R00	MXV 50-1503/A	2,2	3	1.887,10	50	50
53480421A00	MXV 50-1504	3	4	2.127,70	50	50
53480521L00	MXV 50-1505	4	5,5	2.543,40	50	50
53480621B00	MXV 50-1506	5,5	7,5	3.472,50	50	50
53480721B00	MXV 50-1507	5,5	7,5	3.589,70	50	50
53480821L00	MXV 50-1508/A	5,5	7,5	3.940,80	50	50
53480921B00	MXV 50-1509	7,5	10	4.141,70	50	50
53481021B00	MXV 50-1510	7,5	10	4.252,10	50	50
53481121L00	MXV 50-1511	9,2	12,5	5.003,60	50	50
53481221L00	MXV 50-1512	9,2	12,5	5.112,80	50	50
53481321L00	MXV 50-1513	11	15	5.378,20	50	50
53481421L00	MXV 50-1514	11	15	5.481,70	50	50
53481521L00	MXV 50-1515	11	15	5.689,00	50	50
53481621L00	MXV 50-1516	15	20	6.285,90	50	50
53481721L00	MXV 50-1517	15	20	6.477,10	50	50
53490121H00	MXV 50-2001	1,1	1,5	1.667,00	50	50
53490221H00	MXV 50-2002	2,2	3	1.845,60	50	50
53490321A00	MXV 50-2003	3	4	2.043,80	50	50
53490421L00	MXV 50-2004	4	5,5	2.229,50	50	50
53490521B00	MXV 50-2005	5,5	7,5	3.114,30	50	50
53490621B00	MXV 50-2006	7,5	10	3.721,40	50	50
53490721B00	MXV 50-2007	7,5	10	3.838,70	50	50
53490821L00	MXV 50-2008	9,2	12,5	4.562,50	50	50
53490921L00	MXV 50-2009	9,2	12,5	4.763,30	50	50
53491021L00	MXV 50-2010	11	15	5.030,50	50	50
53491121L00	MXV 50-2011	11	15	5.167,90	50	50
53491221L00	MXV 50-2012	15	20	5.768,10	50	50
53491321L00	MXV 50-2013	15	20	5.877,70	50	50
53491421L00	MXV 50-2014	15	20	6.077,10	50	50
53491521L00	MXV 50-2015	15	20	6.188,40	50	50
53491621L00	MXV 50-2016	18,5	25	6.699,10	50	50
53491721L00	MXV 50-2017	18,5	25	6.890,20	50	50

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€



Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
94022320000	DN50	MXV 50..	80,80

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Motor IE4: auf Anfrage

Counterflanges KIT including: Screws - Nuts - Gaskets
Motor IE4: auf Anfrage



MXV

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl mit ovalen Flanschen

Vertical stainless steel multi-stage in-line pumps with oval flange connections


OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN1	DN2
		kW	HP			
53380141000	MXV 50-1501 O	1,1	1,5	1.292,70	50	50
53380241000	MXV 50-1502 O	1,5	2	1.329,60	50	50
53380341000	MXV 50-1503 O	2,2	3	1.377,30	50	50
53380441000	MXV 50-1504 O	3	4	1.493,60	50	50
53380541000	MXV 50-1505 O	4	5,5	1.813,80	50	50
53380641000	MXV 50-1506 O	5,5	7,5	2.493,20	50	50
53380741000	MXV 50-1507 O	5,5	7,5	2.610,50	50	50
53380841000	MXV 50-1508 O	5,5	7,5	2.720,30	50	50
53380941000	MXV 50-1509 O	7,5	10	2.921,00	50	50
53381041000	MXV 50-1510 O	7,5	10	3.031,50	50	50
53390141000	MXV 50-2001 O	1,1	1,5	1.298,80	50	50
53390241000	MXV 50-2002 O	2,2	3	1.335,80	50	50
53390341000	MXV 50-2003 O	3	4	1.409,70	50	50
53390441000	MXV 50-2004 O	4	5,5	1.499,80	50	50
53390541000	MXV 50-2005 O	5,5	7,5	2.135,10	50	50
53390641000	MXV 50-2006 O	7,5	10	2.500,80	50	50
53390741000	MXV 50-2007 O	7,5	10	2.618,00	50	50
53390841000	MXV 50-2008 O	9,2	12,5	2.915,80	50	50
53390941000	MXV 50-2009 O	9,2	12,5	3.116,50	50	50
53391041000	MXV 50-2010 O	11	15	3.227,20	50	50

MIT MOTOR WITH MOTOR

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1	DN2
		kW	HP			
53480141H00	MXV 50-1501 O	1,1	1,5	1.604,40	50	50
53480241H00	MXV 50-1502 O	1,5	2	1.684,90	50	50
53480341R00	MXV 50-1503/A O	2,2	3	1.830,60	50	50
53480441A00	MXV 50-1504 O	3	4	2.071,20	50	50
53480541L00	MXV 50-1505 O	4	5,5	2.487,10	50	50
53480641B00	MXV 50-1506 O	5,5	7,5	3.416,00	50	50
53480741B00	MXV 50-1507 O	5,5	7,5	3.533,20	50	50
53480841L00	MXV 50-1508/A O	5,5	7,5	3.884,30	50	50
53480941B00	MXV 50-1509 O	7,5	10	4.085,10	50	50
53481041B00	MXV 50-1510 O	7,5	10	4.195,50	50	50
53490141H00	MXV 50-2001 O	1,1	1,5	1.610,60	50	50
53490241H00	MXV 50-2002 O	2,2	3	1.789,10	50	50
53490341A00	MXV 50-2003 O	3	4	1.987,30	50	50
53490441L00	MXV 50-2004 O	4	5,5	2.173,00	50	50
53490541B00	MXV 50-2005 O	5,5	7,5	3.057,80	50	50
53490641B00	MXV 50-2006 O	7,5	10	3.665,00	50	50
53490741B00	MXV 50-2007 O	7,5	10	3.782,20	50	50
53490841L00	MXV 50-2008 O	9,2	12,5	4.506,00	50	50
53490941L00	MXV 50-2009 O	9,2	12,5	4.706,80	50	50
53491041L00	MXV 50-2010 O	11	15	4.974,10	50	50

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€



Preis beinhaltet Gegenflansche KIT
Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Motor IE4: auf Anfrage

The price includes counterflanges KIT
Counterflanges KIT including: Screws - Nuts - Gaskets
Motor IE4: auf Anfrage



MXV

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl
Vertical stainless steel multi-stage in-line pumps

OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
50340221000	MXV 65-3202	4	5,5	2.689,80	65	65
50340321000	MXV 65-3203	5,5	7,5	3.493,20	65	65
50340421000	MXV 65-3204	7,5	10	3.797,90	65	65
50340521000	MXV 65-3205	11	15	4.471,70	65	65
50340621000	MXV 65-3206	11	15	5.097,50	65	65
50340721000	MXV 65-3207	15	20	6.385,10	65	65
50340821000	MXV 65-3208	15	20	6.786,10	65	65
50340921000	MXV 65-3209	18,5	25	7.144,90	65	65
50341021000	MXV 65-3210	18,5	25	7.852,00	65	65
50341221000	MXV 65-3212	22	30	8.420,50	65	65
50350121000	MXV 80-4801	4	5,5	2.825,40	80	80
50350221000	MXV 80-4802	5,5	7,5	3.396,80	80	80
50350321000	MXV 80-4803	7,5	10	3.917,00	80	80
50350421000	MXV 80-4804	11	15	4.684,40	80	80
50350521000	MXV 80-4805	15	20	5.207,60	80	80
50350621000	MXV 80-4806	15	20	5.960,00	80	80
50350721000	MXV 80-4807	18,5	25	6.942,80	80	80
50350821000	MXV 80-4808	22	30	7.797,70	80	80
50H10111000	MXV 100-6501/A	5,5	7,5	3.768,10	100	100
50H22111000	MXV 100-6502-2R/A	7,5	10	4.453,10	100	100
50H20111000	MXV 100-6502/A	11	15	4.991,90	100	100
50H32111000	MXV 100-6503-2R/A	15	20	5.931,40	100	100
50H30111000	MXV 100-6503/B	18,5	25	5.931,40	100	100
50H42111000	MXV 100-6504-2R/B	18,5	25	6.472,30	100	100
50H40111000	MXV 100-6504/A	22	30	6.936,10	100	100
50H52111000	MXV 100-6505-2R/A	30	40	7.557,90	100	100
50H50111000	MXV 100-6505/A	30	40	7.557,90	100	100
50H62111000	MXV 100-6506-2R/A	30	40	8.039,60	100	100
50H60111000	MXV 100-6506/A	37	50	8.444,20	100	100
50H72111000	MXV 100-6507-2R/A	37	50	8.951,50	100	100
50H70111000	MXV 100-6507/A	45	60	9.478,40	100	100
50H82111000	MXV 100-6508-2R/A	45	60	11.231,20	100	100
50H80111000	MXV 100-6508/A	45	60	11.231,20	100	100
50L11111000	MXV 100-9001-1R/A	5,5	7,5	4.072,10	100	100
50L10111000	MXV 100-9001/A	7,5	10	4.453,10	100	100
50L22111000	MXV 100-9002-2R/A	11	15	5.011,60	100	100
50L20111000	MXV 100-9002/A	15	20	5.601,80	100	100
50L32111000	MXV 100-9003-2R/B	18,5	25	6.424,90	100	100
50L30111000	MXV 100-9003/A	22	30	6.815,70	100	100
50L42111000	MXV 100-9004-2R/A	30	40	6.957,80	100	100
50L40111000	MXV 100-9004/A	30	40	6.957,80	100	100
50L52111000	MXV 100-9005-2R/A	37	50	8.454,00	100	100
50L50111000	MXV 100-9005/A	37	50	8.477,70	100	100
50L62111000	MXV 100-9006-2R/A	45	60	9.423,20	100	100
50L60111000	MXV 100-9006/A	45	60	9.423,20	100	100

MIT MOTOR WITH MOTOR

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
50440221L00	MXV 65-3202/D	4	5,5	3.363,00	65	65
50440321B00	MXV 65-3203/C	5,5	7,5	4.416,00	65	65
50440421B00	MXV 65-3204/C	7,5	10	4.962,00	65	65
50440521L00	MXV 65-3205/D	11	15	6.218,80	65	65
50440621L00	MXV 65-3206/D	11	15	6.844,50	65	65
50440721L00	MXV 65-3207/D	15	20	8.623,80	65	65
50440821L00	MXV 65-3208/D	15	20	9.024,90	65	65
50440921S00	MXV 65-3209/E	18,5	25	9.791,10	65	65
50441021S00	MXV 65-3210/E	18,5	25	10.498,30	65	65
50441221L00	MXV 65-3212/D	22	30	11.589,40	65	65
50450121L00	MXV 80-4801/D	4	5,5	3.498,60	80	80
50450221B00	MXV 80-4802/C	5,5	7,5	4.319,50	80	80
50450321B00	MXV 80-4803/C	7,5	10	5.081,00	80	80
50450421L00	MXV 80-4804/D	11	15	6.431,20	80	80
50450521L00	MXV 80-4805/D	15	20	7.446,40	80	80
50450621L00	MXV 80-4806/D	15	20	8.198,80	80	80
50450721S00	MXV 80-4807/E	18,5	25	9.589,20	80	80
50450821L00	MXV 80-4808/D	22	30	10.966,50	80	80
50H10211000	MXV 100-6501/A	5,5	7,5	4.672,20	100	100
50H22211000	MXV 100-6502-2R/A	7,5	10	5.593,90	100	100
50H20211000	MXV 100-6502/A	11	15	6.703,20	100	100
50H32211000	MXV 100-6503-2R/A	15	20	8.122,50	100	100
50H30211000	MXV 100-6503/B	18,5	25	8.521,10	100	100
50H42211000	MXV 100-6504-2R/B	18,5	25	9.061,90	100	100
50H40211000	MXV 100-6504/A	22	30	10.039,00	100	100
50H52211000	MXV 100-6505-2R/A	30	40	14.377,50	100	100
50H50211000	MXV 100-6505/A	30	40	14.377,50	100	100
50H62211000	MXV 100-6506-2R/A	30	40	14.859,20	100	100
50H60211000	MXV 100-6506/A	37	50	16.929,80	100	100
50H72211000	MXV 100-6507-2R/A	37	50	17.437,00	100	100
50H70211000	MXV 100-6507/A	45	60	19.193,80	100	100
50H82211000	MXV 100-6508-2R/A	45	60	20.946,60	100	100
50H80211000	MXV 100-6508/A	45	60	20.946,60	100	100
50L11211000	MXV 100-9001-1R/A	5,5	7,5	4.974,10	100	100
50L10211000	MXV 100-9001/A	7,5	10	5.593,90	100	100
50L22211000	MXV 100-9002-2R/A	11	15	6.722,90	100	100
50L20211000	MXV 100-9002/A	15	20	7.794,80	100	100
50L32211000	MXV 100-9003-2R/B	18,5	25	9.016,60	100	100
50L30211000	MXV 100-9003/A	22	30	9.918,60	100	100
50L42211000	MXV 100-9004-2R/A	30	40	13.777,60	100	100
50L40211000	MXV 100-9004/A	30	40	13.777,60	100	100
50L52211000	MXV 100-9005-2R/A	37	50	16.939,60	100	100
50L50211000	MXV 100-9005/A	37	50	16.963,30	100	100
50L62211000	MXV 100-9006-2R/A	45	60	19.138,50	100	100
50L60211000	MXV 100-9006/A	45	60	19.138,50	100	100


Motor IE4: auf Anfrage
IE4 motor: on request

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
94022330000	DN65	MXV 65..	116,90
94024240000	DN80	MXV 80..	158,00
18011720000	DN100	MXV 100	220,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets

Nur für MXV 69.80
Only for MXV 69,80
Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€





MXV EI

Vertikale, mehrstufige Inline-Pumpen mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT

Variable speed Vertical multi-stage in-line pumps with on-boards I-MAT frequency converter

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €		
		kW	HP		DN1	DN2
I52A04211000	MXV EI 25-304	0,75	1	3.845,70	25	25
I52A05211000	MXV EI 25-305	0,75	1	3.876,60	25	25
I52A06211000	MXV EI 25-306	1,1	1,5	4.008,70	25	25
I52A07211000	MXV EI 25-307	1,1	1,5	4.046,10	25	25
I52A08211000	MXV EI 25-308	1,5	2	4.254,80	25	25
I52A10211000	MXV EI 25-310	1,5	2	4.336,50	25	25
I52A12211000	MXV EI 25-312	2,2	3	4.893,80	25	25
I52A14211000	MXV EI 25-314	2,2	3	5.006,30	25	25
I52A16211000	MXV EI 25-316	3	4	5.278,60	25	25
I52B04211000	MXV EI 32-504	1,1	1,5	3.902,70	32	32
I52B05211000	MXV EI 32-505	1,1	1,5	3.932,00	32	32
I52B06211000	MXV EI 32-506	1,5	2	4.166,80	32	32
I52B07211000	MXV EI 32-507	1,5	2	4.209,20	32	32
I52B08211000	MXV EI 32-508	2,2	3	4.639,40	32	32
I52B10211000	MXV EI 32-510	2,2	3	4.717,70	32	32
I52B12211000	MXV EI 32-512	3	4	5.102,60	32	32
I52B14211000	MXV EI 32-514	3	4	5.206,70	32	32
I52B16211000	MXV EI 32-516	4	5,5	5.545,80	32	32
I52C04211000	MXV EI 40-904	1,5	2	4.479,80	40	40
I52C05211000	MXV EI 40-905	2,2	3	4.664,00	40	40
I52C06211000	MXV EI 40-906	2,2	3	4.802,50	40	40
I52C07211000	MXV EI 40-907	3	4	5.055,40	40	40
I52C08211000	MXV EI 40-908	3	4	5.112,30	40	40
I52C10211000	MXV EI 40-910	4	5,5	5.440,00	40	40
I52C11211000	MXV EI 40-911	4	5,5	5.630,70	40	40
I52C13211000	MXV EI 40-913	5,5	7,5	6.258,30	40	40
I52C15211000	MXV EI 40-915	5,5	7,5	6.460,50	40	40

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
94016770000	DN25	MXV 25..	120,20
94016780000	DN32	MXV 32..	130,70
94016790000	DN40	MXV 40..	146,10

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €		
		kW	HP		DN1	DN2
I52A04212000	MXV EI 25-304 O	0,75	1	3.747,70	25	25
I52A05212000	MXV EI 25-305 O	0,75	1	3.778,80	25	25
I52A06212000	MXV EI 25-306 O	1,1	1,5	3.910,80	25	25
I52A07212000	MXV EI 25-307 O	1,1	1,5	3.948,40	25	25
I52A08212000	MXV EI 25-308 O	1,5	2	4.157,00	25	25
I52A10212000	MXV EI 25-310 O	1,5	2	4.238,50	25	25
I52A12212000	MXV EI 25-312 O	2,2	3	4.796,00	25	25
I52A14212000	MXV EI 25-314 O	2,2	3	4.908,50	25	25
I52B04212000	MXV EI 32-504 O	1,1	1,5	3.796,70	32	32
I52B05212000	MXV EI 32-505 O	1,1	1,5	3.826,10	32	32
I52B06212000	MXV EI 32-506 O	1,5	2	4.060,80	32	32
I52B07212000	MXV EI 32-507 O	1,5	2	4.103,20	32	32
I52B08212000	MXV EI 32-508 O	2,2	3	4.533,60	32	32
I52B10212000	MXV EI 32-510 O	2,2	3	4.611,80	32	32
I52B12212000	MXV EI 32-512 O	3	4	4.996,50	32	32
I52B14212000	MXV EI 32-514 O	3	4	5.100,80	32	32
I52C04212000	MXV EI 40-904 O	1,5	2	4.360,80	40	40
I52C05212000	MXV EI 40-905 O	2,2	3	4.545,00	40	40
I52C06212000	MXV EI 40-906 O	2,2	3	4.683,60	40	40
I52C07212000	MXV EI 40-907 O	3	4	4.936,20	40	40
I52C08212000	MXV EI 40-908 O	3	4	4.993,20	40	40
I52C10212000	MXV EI 40-910 O	4	5,5	5.320,90	40	40
I52C11212000	MXV EI 40-911 O	4	5,5	5.511,70	40	40
I52C13212000	MXV EI 40-913 O	5,5	7,5	6.139,30	40	40

Preis beinhaltet Gegenflansche KIT

Gegenflansche KIT in AISI 304

The price includes counterflanges KIT

Counterflanges KIT in AISI 304

Counterflanges KIT including: Screws - Nuts - Gaskets

The system consists of:

- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer



MXV EI

Vertikale, mehrstufige Inline-Pumpen mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT

Variable speed Vertical multi-stage in-line pumps with on-boards I-MAT frequency converter

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1	DN2
		kW	HP			
I53480221H00	MXV EI 50-1502	1,5	2	4.051,20	50	50
I53480321R00	MXV EI 50-1503/A	2,2	3	4.901,30	50	50
I53480421A00	MXV EI 50-1504	3	4	4.675,40	50	50
I53480521L00	MXV EI 50-1505	4	5,5	5.057,60	50	50
I53480621B00	MXV EI 50-1506	5,5	7,5	5.911,30	50	50
I53480721B00	MXV EI 50-1507	5,5	7,5	6.019,00	50	50
I53480821L00	MXV EI 50-1508/A	5,5	7,5	6.122,90	50	50
I53480921B00	MXV EI 50-1509	7,5	10	7.942,50	50	50
I53481021B00	MXV EI 50-1510	7,5	10	8.043,90	50	50
I53481121L00	MXV EI 50-1511	9,2	12,5	8.734,70	50	50
I53481221L00	MXV EI 50-1512	9,2	12,5	8.835,20	50	50
I53481321L00	MXV EI 50-1513	11	15	9.079,00	50	50
I53481421L00	MXV EI 50-1514	11	15	9.174,20	50	50
I53481521L00	MXV EI 50-1515	11	15	9.364,70	50	50
I53481621L00	MXV EI 50-1516	15	20	13.896,00	50	50
I53481721L00	MXV EI 50-1517	15	20	14.071,60	50	50
I53490221H00	MXV EI 50-2002	2,2	3	4.416,00	50	50
I53490321A00	MXV EI 50-2003	3	4	4.598,20	50	50
I53490421L00	MXV EI 50-2004	4	5,5	4.769,00	50	50
I53490521B00	MXV EI 50-2005	5,5	7,5	5.582,10	50	50
I53490621B00	MXV EI 50-2006	7,5	10	7.556,30	50	50
I53490721B00	MXV EI 50-2007	7,5	10	7.664,10	50	50
I53490821L00	MXV EI 50-2008	9,2	12,5	8.329,30	50	50
I53490921L00	MXV EI 50-2009	9,2	12,5	8.513,90	50	50
I53491021L00	MXV EI 50-2010	11	15	8.759,50	50	50
I53491121L00	MXV EI 50-2011	11	15	8.885,80	50	50
I53491221L00	MXV EI 50-2012	15	20	13.420,00	50	50
I53491321L00	MXV EI 50-2013	15	20	13.520,70	50	50
I53491421L00	MXV EI 50-2014	15	20	13.704,10	50	50
I53491521L00	MXV EI 50-2015	15	20	13.806,40	50	50
I53491621L00	MXV EI 50-2016	18,5	25	14.275,80	50	50

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1	DN2
		kW	HP			
I53480241H00	MXV EI 50-1502 O	1,5	2	3.999,40	50	50
I53480341R00	MXV EI 50-1503/A O	2,2	3	4.844,30	50	50
I53480441A00	MXV EI 50-1504 O	3	4	4.623,50	50	50
I53480541L00	MXV EI 50-1505 O	4	5,5	5.005,50	50	50
I53480641B00	MXV EI 50-1506 O	5,5	7,5	5.859,50	50	50
I53480741B00	MXV EI 50-1507 O	5,5	7,5	5.967,10	50	50
I53480841L00	MXV EI 50-1508/A O	5,5	7,5	6.070,90	50	50
I53480941B00	MXV EI 50-1509 O	7,5	10	7.890,70	50	50
I53481041B00	MXV EI 50-1510 O	7,5	10	7.992,10	50	50
I53490241H00	MXV EI 50-2002 O	2,2	3	4.364,00	50	50
I53490341A00	MXV EI 50-2003 O	3	4	4.546,30	50	50
I53490441L00	MXV EI 50-2004 O	4	5,5	4.717,00	50	50
I53490541B00	MXV EI 50-2005 O	5,5	7,5	5.530,10	50	50
I53490641B00	MXV EI 50-2006 O	7,5	10	7.504,50	50	50
I53490741B00	MXV EI 50-2007 O	7,5	10	7.612,20	50	50
I53490841L00	MXV EI 50-2008 O	9,2	12,5	8.277,40	50	50
I53490941L00	MXV EI 50-2009 O	9,2	12,5	8.462,00	50	50
I53491041L00	MXV EI 50-2010 O	11	15	8.707,60	50	50

Preis beinhaltet Gegenflansche KIT
The price includes counterflanges KIT

System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

The system consists of:


- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
94022320000	DN50	MXV 50..	80,80

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen

Counterflanges KIT including: Screws - Nuts - Gaskets

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€





MXV EI

Vertikale, mehrstufige Inline-Pumpen mit variabler Drehzahl und vorinstalliertem Frequenzumrichter I-MAT

Variable speed Vertical multi-stage in-line pumps with on-boards I-MAT frequency converter

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1	DN2
		kW	HP			
I50440221L00	MXV EI 65-3202/D	4	5,5	5.810,70	65	65
I50440321B00	MXV EI 65-3203/C	5,5	7,5	6.778,50	65	65
I50440421B00	MXV EI 65-3204/C	7,5	10	8.696,60	65	65
I50440521L00	MXV EI 65-3205/D	11	15	9.851,60	65	65
I50440621L00	MXV EI 65-3206/D	11	15	10.426,60	65	65
I50440721L00	MXV EI 65-3207/D	15	20	16.269,70	65	65
I50440821L00	MXV EI 65-3208/D	15	20	16.638,40	65	65
I50440921S00	MXV EI 65-3209/E	18,5	25	17.342,60	65	65
I50441021S00	MXV EI 65-3210/E	18,5	25	17.992,40	65	65
I50441221L00	MXV EI 65-3212/D	22	30	18.995,10	65	65
I50450221B00	MXV EI 80-4802/C	5,5	7,5	6.689,80	80	80
I50450321B00	MXV EI 80-4803/C	7,5	10	8.805,80	80	80
I50450421L00	MXV EI 80-4804/D	11	15	10.046,90	80	80
I50450521L00	MXV EI 80-4805/D	15	20	15.187,50	80	80
I50450621L00	MXV EI 80-4806/D	15	20	15.879,00	80	80
I50450721S00	MXV EI 80-4807/E	18,5	25	17.156,80	80	80
I50450821L00	MXV EI 80-4808/D	22	30	18.422,80	80	80
I50H10211000	MXV EI 100-6501/A	5,5	7,5	8.521,10	100	100
I50H22211000	MXVEI100-6502-2R/A	7,5	10	9.386,30	100	100
I50H20211000	MXVEI100-6502/A	11	15	10.427,40	100	100
I50H32211000	MXVEI100-6503-2R/A	15	20	15.967,10	100	100
I50H30211000	MXVEI100-6503/B	18,5	25	16.341,30	100	100
I50H42211000	MXVEI100-6504-2R/B	18,5	25	16.848,90	100	100
I50H40211000	MXVEI100-6504/A	22	30	17.765,90	100	100
I50L10211000	MXVEI100-9001/A	7,5	10	9.386,30	100	100
I50L22211000	MXVEI100-9002-2R/A	11	15	10.446,00	100	100
I50L20211000	MXVEI100-9002/A	15	20	15.659,60	100	100
I50L32211000	MXVEI100-9003-2R/B	18,5	25	16.806,30	100	100
I50L30211000	MXVEI100-9003/A	22	30	17.652,90	100	100

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
94022330000	DN65	MXV 65..	116,90
94024240000	DN80	MXV 80..	158,00
18011720000	DN100	MXV 100	220,70

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

System bestehend aus:

- Pumpe
- I-MAT Frequenzumrichter vorprogrammiert in Betriebsart Konstantdruck
- Adapter für die Montage am Motor
- Verbindungskabel zwischen Frequenzumrichter und Motor
- Drucksensor

The system consists of:

- Pump
- I-MAT Frequency converter programmed in constant pressure
- Motor adapter for the motor mounting of the frequency converter
- Connection cable between frequency converter and induction motor
- Pressure transducer



MXVL AISI 316L

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl
Vertical stainless steel multi-stage in-line pumps

OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
53A04111000	MXVL 25-304	0,75	1	1.268,20	25	25
53A05111000	MXVL 25-305	0,75	1	1.302,80	25	25
53A06111000	MXVL 25-306	1,1	1,5	1.411,50	25	25
53A07111000	MXVL 25-307	1,1	1,5	1.454,40	25	25
53A08111000	MXVL 25-308	1,5	2	1.642,20	25	25
53A10111000	MXVL 25-310	1,5	2	1.732,60	25	25
53A12111000	MXVL 25-312	2,2	3	1.953,30	25	25
53A14111000	MXVL 25-314	2,2	3	2.078,40	25	25
53A16111000	MXVL 25-316	3	4	2.253,10	25	25
53A18111000	MXVL 25-318	3	4	2.342,10	25	25
53A20111000	MXVL 25-320	3	4	2.515,00	25	25
53B04111000	MXVL 32-504	1,1	1,5	1.294,50	32	32
53B05111000	MXVL 32-505	1,1	1,5	1.327,50	32	32
53B06111000	MXVL 32-506	1,5	2	1.544,80	32	32
53B07111000	MXVL 32-507	1,5	2	1.591,10	32	32
53B08111000	MXVL 32-508	2,2	3	1.671,80	32	32
53B10111000	MXVL 32-510	2,2	3	1.757,30	32	32
53B12111000	MXVL 32-512	3	4	2.058,70	32	32
53B14111000	MXVL 32-514	3	4	2.172,40	32	32
53B16111000	MXVL 32-516	4	5,5	2.454,00	32	32
53B18111000	MXVL 32-518	4	5,5	2.678,10	32	32
53C04111000	MXVL 40-904	1,5	2	1.715,20	40	40
53C05111000	MXVL 40-905	2,2	3	1.828,80	40	40
53C06111000	MXVL 40-906	2,2	3	1.995,50	40	40
53C07111000	MXVL 40-907	3	4	2.158,60	40	40
53C08111000	MXVL 40-908	3	4	2.229,60	40	40
53C10111000	MXVL 40-910	4	5,5	2.515,10	40	40
53C11111000	MXVL 40-911	4	5,5	2.743,90	40	40
53C13111000	MXVL 40-913	5,5	7,5	3.219,30	40	40
53C15111000	MXVL 40-915	5,5	7,5	3.462,30	40	40
53C17111000	MXVL 40-917	7,5	10	3.705,30	40	40
53C19111000	MXVL 40-919	7,5	10	3.973,20	40	40

MIT MOTOR WITH MOTOR


Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN	
		kW	HP		DN1	DN2
53A04211000	MXVL 25-304	0,75	1	1.525,10	25	25
53A05211000	MXVL 25-305	0,75	1	1.559,70	25	25
53A06211000	MXVL 25-306	1,1	1,5	1.701,40	25	25
53A07211000	MXVL 25-307	1,1	1,5	1.744,20	25	25
53A08211000	MXVL 25-308	1,5	2	1.973,20	25	25
53A10211000	MXVL 25-310	1,5	2	2.063,80	25	25
53A12211000	MXVL 25-312	2,2	3	2.374,90	25	25
53A14211000	MXVL 25-314	2,2	3	2.500,10	25	25
53A16211000	MXVL 25-316	3	4	2.790,00	25	25
53A18211000	MXVL 25-318	3	4	2.879,00	25	25
53A20211000	MXVL 25-320	3	4	3.052,00	25	25
53B04211000	MXVL 32-504	1,1	1,5	1.584,40	32	32
53B05211000	MXVL 32-505	1,1	1,5	1.617,50	32	32
53B06211000	MXVL 32-506	1,5	2	1.876,00	32	32
53B07211000	MXVL 32-507	1,5	2	1.922,00	32	32
53B08211000	MXVL 32-508	2,2	3	2.093,40	32	32
53B10211000	MXVL 32-510	2,2	3	2.179,00	32	32
53B12211000	MXVL 32-512	3	4	2.595,60	32	32
53B14211000	MXVL 32-514	3	4	2.709,40	32	32
53B16211000	MXVL 32-516	4	5,5	3.079,90	32	32
53B18211000	MXVL 32-518	4	5,5	3.303,90	32	32
53C04211000	MXVL 40-904	1,5	2	2.071,70	40	40
53C05211000	MXVL 40-905	2,2	3	2.282,80	40	40
53C06211000	MXVL 40-906	2,2	3	2.449,60	40	40
53C07211000	MXVL 40-907	3	4	2.736,80	40	40
53C08211000	MXVL 40-908	3	4	2.807,70	40	40
53C10211000	MXVL 40-910	4	5,5	3.189,20	40	40
53C11211000	MXVL 40-911	4	5,5	3.418,00	40	40
53C13211000	MXVL 40-913	5,5	7,5	4.143,40	40	40
53C15211000	MXVL 40-915	5,5	7,5	4.386,30	40	40
53C17211000	MXVL 40-917	7,5	10	4.870,60	40	40
53C19211000	MXVL 40-919	7,5	10	5.138,50	40	40

Motor IE4: auf Anfrage
IE4 motor: on request

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
94035260000	DN25	MXVL 25..	132,40
94035270000	DN32	MXVL 32..	143,80
94035280000	DN40	MXVL 40..	160,80

Gegenflansche KIT in AISI 316L
Counterflanges KIT in AISI 316L
Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€



Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €	ISO 228	
		kW	HP		DN1	DN2
53A04311000	MXVLM 25-304	0,75	1	1.661,80	25	25
53A05311000	MXVLM 25-305	0,75	1	1.696,40	25	25
53A06311000	MXVLM 25-306	1,1	1,5	1.843,00	25	25
53A07311000	MXVLM 25-307	1,1	1,5	1.885,80	25	25
53A08311000	MXVLM 25-308	1,5	2	2.108,20	25	25
53A10311000	MXVLM 25-310	1,5	2	2.198,80	25	25
53A12311000	MXVLM 25-312	1,8	2,5	2.523,10	25	25
53A14311000	MXVLM 25-314	2,2	3	2.648,30	25	25
53B04311000	MXVLM 32-504	1,1	1,5	1.726,10	32	32
53B05311000	MXVLM 32-505	1,1	1,5	1.759,10	32	32
53B06311000	MXVLM 32-506	1,5	2	2.011,00	32	32
53B07311000	MXVLM 32-507	1,5	2	2.058,70	32	32
53B08311000	MXVLM 32-508	1,8	2,5	2.241,60	32	32
53B10311000	MXVLM 32-510	2,2	3	2.327,20	32	32
53C04311000	MXVLM 40-904	1,5	2	2.071,70	40	40
53C05311000	MXVLM 40-905	1,8	2,5	2.282,80	40	40
53C06311000	MXVLM 40-906	2,2	3	2.449,60	40	40



MXVL AISI 316L

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl
mit ovalen Flanschen
*Vertical stainless steel multi-stage in-line pumps
with oval flange connections*

OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP			
53A04112000	MXVL 25-304 O	0,75	1	1.169,30	25	25
53A05112000	MXVL 25-305 O	0,75	1	1.204,10	25	25
53A06112000	MXVL 25-306 O	1,1	1,5	1.312,70	25	25
53A07112000	MXVL 25-307 O	1,1	1,5	1.355,50	25	25
53A08112000	MXVL 25-308 O	1,5	2	1.543,30	25	25
53A10112000	MXVL 25-310 O	1,5	2	1.633,80	25	25
53A12112000	MXVL 25-312 O	2,2	3	1.854,60	25	25
53A14112000	MXVL 25-314 O	2,2	3	1.979,80	25	25
53B04112000	MXVL 32-504 O	1,1	1,5	1.187,50	32	32
53B05112000	MXVL 32-505 O	1,1	1,5	1.220,50	32	32
53B06112000	MXVL 32-506 O	1,5	2	1.437,90	32	32
53B07112000	MXVL 32-507 O	1,5	2	1.484,00	32	32
53B08112000	MXVL 32-508 O	2,2	3	1.564,80	32	32
53B10112000	MXVL 32-510 O	2,2	3	1.650,30	32	32
53B12112000	MXVL 32-512 O	3	4	1.951,70	32	32
53B14112000	MXVL 32-514 O	3	4	2.065,40	32	32
53C04112000	MXVL 40-904 O	1,5	2	1.585,70	40	40
53C05112000	MXVL 40-905 O	2,2	3	1.699,20	40	40
53C06112000	MXVL 40-906 O	2,2	3	1.865,90	40	40
53C07112000	MXVL 40-907 O	3	4	2.029,20	40	40
53C08112000	MXVL 40-908 O	3	4	2.100,00	40	40
53C10112000	MXVL 40-910 O	4	5,5	2.385,60	40	40
53C11112000	MXVL 40-911 O	4	5,5	2.614,40	40	40
53C13112000	MXVL 40-913 O	5,5	7,5	3.089,90	40	40

MIT MOTOR WITH MOTOR

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP			
53A04212000	MXVL 25-304 O	0,75	1	1.426,30	25	25
53A05212000	MXVL 25-305 O	0,75	1	1.461,00	25	25
53A06212000	MXVL 25-306 O	1,1	1,5	1.602,60	25	25
53A07212000	MXVL 25-307 O	1,1	1,5	1.645,40	25	25
53A08212000	MXVL 25-308 O	1,5	2	1.874,30	25	25
53A10212000	MXVL 25-310 O	1,5	2	1.964,90	25	25
53A12212000	MXVL 25-312 O	2,2	3	2.276,10	25	25
53A14212000	MXVL 25-314 O	2,2	3	2.401,30	25	25
53B04212000	MXVL 32-504 O	1,1	1,5	1.477,40	32	32
53B05212000	MXVL 32-505 O	1,1	1,5	1.510,40	32	32
53B06212000	MXVL 32-506 O	1,5	2	1.768,90	32	32
53B07212000	MXVL 32-507 O	1,5	2	1.815,00	32	32
53B08212000	MXVL 32-508 O	2,2	3	1.986,30	32	32
53B10212000	MXVL 32-510 O	2,2	3	2.072,00	32	32
53B12212000	MXVL 32-512 O	3	4	2.488,70	32	32
53B14212000	MXVL 32-514 O	3	4	2.602,30	32	32
53C04212000	MXVL 40-904 O	1,5	2	1.942,20	40	40
53C05212000	MXVL 40-905 O	2,2	3	2.153,30	40	40
53C06212000	MXVL 40-906 O	2,2	3	2.320,00	40	40
53C07212000	MXVL 40-907 O	3	4	2.607,30	40	40
53C08212000	MXVL 40-908 O	3	4	2.678,30	40	40
53C10212000	MXVL 40-910 O	4	5,5	3.059,60	40	40
53C11212000	MXVL 40-911 O	4	5,5	3.288,50	40	40
53C13212000	MXVL 40-913 O	5,5	7,5	4.013,90	40	40

Motor IE4: auf Anfrage
IE4 motor: on request

Preis beinhaltet Gegenflansche KIT
The price includes counterflanges KIT

Gegenflansche KIT in AISI 316L
Counterflanges KIT in AISI 316L

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

Adapterset für vorherige Pumpenserie MXV(L) 25, MXV(L) 32
Adaptor kit for previous pump series MXV (L) 25, MXV (L) 32 with threaded connections

Art.Nr. Code	Adapter KIT Adapter KIT	Typ Type	Preis Price €
44060570000	Adapter KIT MXV	MXV(B)25-2-25-3.O, 32-4-32-5.O	302,00


Adapter KIT enthält: Abstandhalter AISI 316 -
Schrauben - Muttern - Dichtungen - Adapter

Adaptor KIT including: - AISI 316 spacers -
Screws - Nuts - Gaskets - Adapter



Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €	ISO 228	
		kW	HP		DN1	DN2
53A04312000	MXVLM 25-304 O	0,75	1	1.563,10	25	25
53A05312000	MXVLM 25-305 O	0,75	1	1.597,60	25	25
53A06312000	MXVLM 25-306 O	1,1	1,5	1.744,20	25	25
53A07312000	MXVLM 25-307 O	1,1	1,5	1.786,90	25	25
53A08312000	MXVLM 25-308 O	1,5	2	2.009,40	25	25
53A10312000	MXVLM 25-310 O	1,5	2	2.099,90	25	25
53A12312000	MXVLM 25-312 O	1,8	2,5	2.424,50	25	25
53A14312000	MXVLM 25-314 O	2,2	3	2.549,70	25	25
53B04312000	MXVLM 32-504 O	1,1	1,5	1.619,20	32	32
53B05312000	MXVLM 32-505 O	1,1	1,5	1.652,00	32	32
53B06312000	MXVLM 32-506 O	1,5	2	1.904,00	32	32
53B07312000	MXVLM 32-507 O	1,5	2	1.951,70	32	32
53B08312000	MXVLM 32-508 O	1,8	2,5	2.134,60	32	32
53B10312000	MXVLM 32-510 O	2,2	3	2.220,30	32	32
53C04312000	MXVLM 40-904 O	1,5	2	1.942,20	40	40
53C05312000	MXVLM 40-905 O	1,8	2,5	2.153,30	40	40
53C06312000	MXVLM 40-906 O	2,2	3	2.320,00	40	40

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€





MXVL AISI 316L

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl
Vertical stainless steel multi-stage in-line pumps

OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN1	DN2
		kW	HP			
55380121000	MXVL 50-1501	1,1	1,5	1.754,00	50	50
55380221000	MXVL 50-1502	1,5	2	1.801,80	50	50
55380321000	MXVL 50-1503	2,2	3	1.864,00	50	50
55380421000	MXVL 50-1504	3	4	2.015,20	50	50
55380521000	MXVL 50-1505	4	5,5	2.431,20	50	50
55380621000	MXVL 50-1506	5,5	7,5	3.314,70	50	50
55380721000	MXVL 50-1507	5,5	7,5	3.467,00	50	50
55380821000	MXVL 50-1508	7,5	10	3.609,70	50	50
55380921000	MXVL 50-1509	7,5	10	3.870,70	50	50
55381021000	MXVL 50-1510	7,5	10	4.014,30	50	50
55381121000	MXVL 50-1511	9,2	12,5	4.437,50	50	50
55381221000	MXVL 50-1512	9,2	12,5	4.579,30	50	50
55381321000	MXVL 50-1513	11	15	4.720,70	50	50
55381421000	MXVL 50-1514	11	15	4.855,30	50	50
55381521000	MXVL 50-1515	11	15	5.124,70	50	50
55381621000	MXVL 50-1516	15	20	5.261,10	50	50
55381721000	MXVL 50-1517	15	20	5.509,60	50	50
55390121000	MXVL 50-2001	1,1	1,5	1.761,90	50	50
55390221000	MXVL 50-2002	2,2	3	1.809,80	50	50
55390321000	MXVL 50-2003	3	4	1.906,10	50	50
55390421000	MXVL 50-2004	4	5,5	2.023,10	50	50
55390521000	MXVL 50-2005	5,5	7,5	2.849,00	50	50
55390621000	MXVL 50-2006	7,5	10	3.324,50	50	50
55390721000	MXVL 50-2007	7,5	10	3.476,80	50	50
55390821000	MXVL 50-2008	9,2	12,5	3.863,80	50	50
55390921000	MXVL 50-2009	9,2	12,5	4.125,00	50	50
55391021000	MXVL 50-2010	11	15	4.268,60	50	50
55391121000	MXVL 50-2011	11	15	4.447,20	50	50
55391221000	MXVL 50-2012	15	20	4.588,10	50	50
55391321000	MXVL 50-2013	15	20	4.730,40	50	50
55391421000	MXVL 50-2014	15	20	4.989,80	50	50
55391521000	MXVL 50-2015	15	20	5.134,30	50	50
55391621000	MXVL 50-2016	18,5	25	5.270,90	50	50
55391721000	MXVL 50-2017	18,5	25	5.519,30	50	50

MIT MOTOR WITH MOTOR


Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1	DN2
		kW	HP			
55480121H00	MXVL 50-1501	1,1	1,5	2.065,60	50	50
55480221H00	MXVL 50-1502	1,5	2	2.157,10	50	50
55480321R00	MXVL 50-1503/A	2,2	3	2.317,30	50	50
55480421A00	MXVL 50-1504	3	4	2.592,80	50	50
55480521L00	MXVL 50-1505	4	5,5	3.104,40	50	50
55480621B00	MXVL 50-1506	5,5	7,5	4.237,50	50	50
55480721B00	MXVL 50-1507	5,5	7,5	4.389,80	50	50
55480821L00	MXVL 50-1508/A	5,5	7,5	4.773,70	50	50
55480921B00	MXVL 50-1509	7,5	10	5.034,90	50	50
55481021B00	MXVL 50-1510	7,5	10	5.178,30	50	50
55481121L00	MXVL 50-1511	9,2	12,5	6.027,60	50	50
55481221L00	MXVL 50-1512	9,2	12,5	6.169,70	50	50
55481321L00	MXVL 50-1513	11	15	6.467,60	50	50
55481421L00	MXVL 50-1514	11	15	6.602,30	50	50
55481521L00	MXVL 50-1515	11	15	6.871,60	50	50
55481621L00	MXVL 50-1516	15	20	7.499,90	50	50
55481721L00	MXVL 50-1517	15	20	7.748,50	50	50
55490121H00	MXVL 50-2001	1,1	1,5	2.073,60	50	50
55490221H00	MXVL 50-2002	2,2	3	2.263,20	50	50
55490321A00	MXVL 50-2003	3	4	2.483,60	50	50
55490421L00	MXVL 50-2004	4	5,5	2.696,30	50	50
55490521B00	MXVL 50-2005	5,5	7,5	3.771,70	50	50
55490621B00	MXVL 50-2006	7,5	10	4.488,70	50	50
55490721B00	MXVL 50-2007	7,5	10	4.640,90	50	50
55490821L00	MXVL 50-2008	9,2	12,5	5.454,20	50	50
55490921L00	MXVL 50-2009	9,2	12,5	5.715,20	50	50
55491021L00	MXVL 50-2010	11	15	6.015,60	50	50
55491121L00	MXVL 50-2011	11	15	6.194,20	50	50
55491221L00	MXVL 50-2012	15	20	6.826,90	50	50
55491321L00	MXVL 50-2013	15	20	6.969,30	50	50
55491421L00	MXVL 50-2014	15	20	7.228,70	50	50
55491521L00	MXVL 50-2015	15	20	7.373,10	50	50
55491621L00	MXVL 50-2016	18,5	25	7.915,60	50	50
55491721L00	MXVL 50-2017	18,5	25	8.163,80	50	50

Art.Nr. Code	Gegenflansche KIT Counterflanges KIT	Artikel Article	Preis Price €
94037080000	DN50	MXVL 50..	948,30

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Motor IE4: auf Anfrage

Counterflanges KIT including: Screws - Nuts - Gaskets
IE4 motor: on request

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€





MXVL AISI 316L

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl
mit ovalen Flanschen
*Vertical stainless steel multi-stage in-line pumps
with oval flange connections*

OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN1	DN2
		kW	HP			
55380141000	MXVL 50-1501 O	1,1	1,5	1.697,40	50	50
55380241000	MXVL 50-1502 O	1,5	2	1.745,40	50	50
55380341000	MXVL 50-1503 O	2,2	3	1.807,50	50	50
55380441000	MXVL 50-1504 O	3	4	1.958,70	50	50
55380541000	MXVL 50-1505 O	4	5,5	2.374,70	50	50
55380641000	MXVL 50-1506 O	5,5	7,5	3.258,20	50	50
55380741000	MXVL 50-1507 O	5,5	7,5	3.410,60	50	50
55380841000	MXVL 50-1508 O	7,5	10	3.553,10	50	50
55380941000	MXVL 50-1509 O	7,5	10	3.814,30	50	50
55381041000	MXVL 50-1510 O	7,5	10	3.957,70	50	50
55390141000	MXVL 50-2001 O	1,1	1,5	1.705,40	50	50
55390241000	MXVL 50-2002 O	2,2	3	1.753,50	50	50
55390341000	MXVL 50-2003 O	3	4	1.849,60	50	50
55390441000	MXVL 50-2004 O	4	5,5	1.966,60	50	50
55390541000	MXVL 50-2005 O	5,5	7,5	2.792,50	50	50
55390641000	MXVL 50-2006 O	7,5	10	3.268,10	50	50
55390741000	MXVL 50-2007 O	7,5	10	3.420,20	50	50
55390841000	MXVL 50-2008 O	9,2	12,5	3.807,40	50	50
55390941000	MXVL 50-2009 O	9,2	12,5	4.068,60	50	50
55391041000	MXVL 50-2010 O	11	15	4.212,10	50	50


MIT MOTOR WITH MOTOR

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1	DN2
		kW	HP			
55480141H00	MXVL 50-1501 O	1,1	1,5	2.009,10	50	50
55480241H00	MXVL 50-1502 O	1,5	2	2.100,70	50	50
55480341R00	MXVL 50-1503/A O	2,2	3	2.260,80	50	50
55480441A00	MXVL 50-1504 O	3	4	2.536,30	50	50
55480541L00	MXVL 50-1505 O	4	5,5	3.048,00	50	50
55480641B00	MXVL 50-1506 O	5,5	7,5	4.181,00	50	50
55480741B00	MXVL 50-1507 O	5,5	7,5	4.333,30	50	50
55480841L00	MXVL 50-1508/A O	5,5	7,5	4.717,40	50	50
55480941B00	MXVL 50-1509 O	7,5	10	4.978,30	50	50
55481041B00	MXVL 50-1510 O	7,5	10	5.122,00	50	50
55490141H00	MXVL 50-2001 O	1,1	1,5	2.017,10	50	50
55490241H00	MXVL 50-2002 O	2,2	3	2.206,70	50	50
55490341A00	MXVL 50-2003 O	3	4	2.427,20	50	50
55490441L00	MXVL 50-2004 O	4	5,5	2.639,90	50	50
55490541B00	MXVL 50-2005 O	5,5	7,5	3.715,20	50	50
55490641B00	MXVL 50-2006 O	7,5	10	4.432,20	50	50
55490741B00	MXVL 50-2007 O	7,5	10	4.584,50	50	50
55490841L00	MXVL 50-2008 O	9,2	12,5	5.397,70	50	50
55490941L00	MXVL 50-2009 O	9,2	12,5	5.658,70	50	50
55491041L00	MXVL 50-2010 O	11	15	5.959,10	50	50

Preis beinhaltet Gegenflansche KIT
Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Motor IE4: auf Anfrage

*The price includes counterflanges KIT
Counterflanges KIT including: Screws - Nuts - Gaskets
IE4 motor: on request*

Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€





MXVL AISI 316L

Vertikale, mehrstufige Inline-Pumpen aus Chrom-Nickel-Stahl
Vertical stainless steel multi-stage in-line pumps

OHNE MOTOR WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	P2		Preis Price €	DN1 DN2	
		kW	HP		DN1	DN2
55340221000	MXVL 65-3202	4	5,5	3.496,60	65	65
55340321000	MXVL 65-3203	5,5	7,5	4.541,30	65	65
55340421000	MXVL 65-3204	7,5	10	4.937,20	65	65
55340521000	MXVL 65-3205	11	15	5.813,30	65	65
55340621000	MXVL 65-3206	11	15	6.626,80	65	65
55340721000	MXVL 65-3207	15	20	8.300,60	65	65
55340821000	MXVL 65-3208	15	20	8.822,00	65	65
55340921000	MXVL 65-3209	18,5	25	9.288,50	65	65
55341021000	MXVL 65-3210	18,5	25	10.207,60	65	65
55341221000	MXVL 65-3212	22	30	10.946,50	65	65
55350121000	MXVL 80-4801	4	5,5	3.673,00	80	80
55350221000	MXVL 80-4802	5,5	7,5	4.415,90	80	80
55350321000	MXVL 80-4803	7,5	10	5.092,00	80	80
55350421000	MXVL 80-4804	11	15	6.089,70	80	80
55350521000	MXVL 80-4805	15	20	6.769,80	80	80
55350621000	MXVL 80-4806	15	20	7.747,90	80	80
55350721000	MXVL 80-4807	18,5	25	9.025,80	80	80
55350821000	MXVL 80-4808	22	30	10.137,00	80	80
53H10111000	MXVL 100-6501/A	5,5	7,5	4.890,20	100	100
53H22111000	MXVL 100-6502-2R/A	7,5	10	5.778,80	100	100
53H20111000	MXVL 100-6502/A	11	15	6.478,20	100	100
53H32111000	MXVL 100-6503-2R/A	15	20	7.697,80	100	100
53H30111000	MXVL 100-6503/B	18,5	25	7.697,80	100	100
53H42111000	MXVL 100-6504-2R/B	18,5	25	8.399,10	100	100
53H40111000	MXVL 100-6504/A	22	30	9.002,10	100	100
53H52111000	MXVL 100-6505-2R/A	30	40	9.807,80	100	100
53H50111000	MXVL 100-6505/A	30	40	9.807,80	100	100
53H62111000	MXVL 100-6506-2R/A	30	40	10.432,40	100	100
53H60111000	MXVL 100-6506/A	37	50	10.958,50	100	100
53H72111000	MXVL 100-6507-2R/A	37	50	11.616,50	100	100
53H70111000	MXVL 100-6507/A	45	60	12.300,10	100	100
53H82111000	MXVL 100-6508-2R/A	45	60	14.573,80	100	100
53H80111000	MXVL 100-6508/A	45	60	14.573,80	100	100
53L11111000	MXVL 100-9001-1R/A	5,5	7,5	5.284,20	100	100
53L10111000	MXVL 100-9001/A	7,5	10	5.778,80	100	100
53L22111000	MXVL 100-9002-2R/A	11	15	6.503,70	100	100
53L20111000	MXVL 100-9002/A	15	20	7.270,20	100	100
53L32111000	MXVL 100-9003-2R/B	18,5	25	8.338,00	100	100
53L30111000	MXVL 100-9003/A	22	30	8.844,30	100	100
53L42111000	MXVL 100-9004-2R/A	30	40	9.029,70	100	100
53L40111000	MXVL 100-9004/A	30	40	9.029,70	100	100
53L52111000	MXVL 100-9005-2R/A	37	50	10.970,40	100	100
53L50111000	MXVL 100-9005/A	37	50	11.001,80	100	100
53L62111000	MXVL 100-9006-2R/A	45	60	12.229,20	100	100
53L60111000	MXVL 100-9006/A	45	60	12.229,20	100	100


MIT MOTOR WITH MOTOR

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €	DN1 DN2	
		kW	HP		DN1	DN2
55440221L00	MXVL 65-3202/D	4	5,5	4.169,90	65	65
55440321B00	MXVL 65-3203/C	5,5	7,5	5.463,90	65	65
55440421B00	MXVL 65-3204/C	7,5	10	6.101,40	65	65
55440521L00	MXVL 65-3205/D	11	15	7.560,20	65	65
55440621L00	MXVL 65-3206/D	11	15	8.373,70	65	65
55440721L00	MXVL 65-3207/D	15	20	10.539,40	65	65
55440821L00	MXVL 65-3208/D	15	20	11.060,80	65	65
55440921S00	MXVL 65-3209/E	18,5	25	11.934,60	65	65
55441021S00	MXVL 65-3210/E	18,5	25	12.853,90	65	65
55441221L00	MXVL 65-3212/D	22	30	14.115,50	65	65
55450121L00	MXVL 80-4801/D	4	5,5	4.346,30	80	80
55450221B00	MXVL 80-4802/C	5,5	7,5	5.338,60	80	80
55450321B00	MXVL 80-4803/C	7,5	10	6.256,10	80	80
55450421L00	MXVL 80-4804/D	11	15	7.836,70	80	80
55450521L00	MXVL 80-4805/D	15	20	9.008,70	80	80
55450621L00	MXVL 80-4806/D	15	20	9.986,70	80	80
55450721S00	MXVL 80-4807/E	18,5	25	11.672,00	80	80
55450821L00	MXVL 80-4808/D	22	30	13.305,90	80	80
53H10211000	MXVL 100-6501/A	5,5	7,5	5.792,50	100	100
53H22211000	MXVL 100-6502-2R/A	7,5	10	6.917,50	100	100
53H20211000	MXVL 100-6502/A	11	15	8.186,30	100	100
53H32211000	MXVL 100-6503-2R/A	15	20	9.884,70	100	100
53H30211000	MXVL 100-6503/B	18,5	25	10.282,60	100	100
53H42211000	MXVL 100-6504-2R/B	18,5	25	10.984,00	100	100
53H40211000	MXVL 100-6504/A	22	30	12.099,30	100	100
53H52211000	MXVL 100-6505-2R/A	30	40	16.615,00	100	100
53H50211000	MXVL 100-6505/A	30	40	16.615,00	100	100
53H62211000	MXVL 100-6506-2R/A	30	40	17.239,60	100	100
53H60211000	MXVL 100-6506/A	37	50	19.428,50	100	100
53H72211000	MXVL 100-6507-2R/A	37	50	20.086,60	100	100
53H70211000	MXVL 100-6507/A	45	60	21.997,80	100	100
53H82211000	MXVL 100-6508-2R/A	45	60	24.271,40	100	100
53H80211000	MXVL 100-6508/A	45	60	24.271,40	100	100
53L11211000	MXVL 100-9001-1R/A	5,5	7,5	6.184,70	100	100
53L10211000	MXVL 100-9001/A	7,5	10	6.917,50	100	100
53L22211000	MXVL 100-9002-2R/A	11	15	8.211,90	100	100
53L20211000	MXVL 100-9002/A	15	20	9.459,10	100	100
53L32211000	MXVL 100-9003-2R/B	18,5	25	10.925,00	100	100
53L30211000	MXVL 100-9003/A	22	30	11.941,60	100	100
53L42211000	MXVL 100-9004-2R/A	30	40	15.836,80	100	100
53L40211000	MXVL 100-9004/A	30	40	15.836,80	100	100
53L52211000	MXVL 100-9005-2R/A	37	50	19.440,40	100	100
53L50211000	MXVL 100-9005/A	37	50	19.471,90	100	100
53L62211000	MXVL 100-9006-2R/A	45	60	21.926,80	100	100
53L60211000	MXVL 100-9006/A	45	60	21.926,80	100	100

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Motor IE4: auf Anfrage
Gegenflansche KIT in AISI 316L auf Anfrage

Counterflanges KIT including: Screws - Nuts - Gaskets
IE4 motor: on request
Counterflanges in AISI 316L on request

Nur für MXV 69,80
Only for MXV 69,80
Aufpreis für horizontale Ausführung MXV (O) H: 233,80€
Additional price for horizontal version MXV (O) H: 233,80€





MPC

Selbstansaugende Schwimmbadpumpen mit eingebautem Vorfilter
Self-priming swimming pool pumps with built-in strainer (plastic pumps)

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
66D20010000	MPC 11	0,37	0,5	470,20
66D20020000	MPC 21/A	0,55	0,75	505,20
66D20031000	MPC 31/B	0,75	1	526,30
66D20041000	MPC 41/A	1,1	1,5	622,50
66D10051000	MPC 51/A	1,1	1,5	700,00
66D10061000	MPC 61/A	1,5	2	726,30
66D10072000	MPC 71/B	2,2	3	789,40

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
66E20011000	MPCM 11	0,37	0,5	470,20
66E20022000	MPCM 21/A	0,55	0,75	505,20
66E20032000	MPCM 31/A	0,75	1	526,30
66E20042000	MPCM 41	1,1	1,5	622,50
66E10052000	MPCM 51	1,1	1,5	700,00
66E10061000	MPCM 61	1,5	2	726,30
66E10073000	MPCM 71/B	1,8	2,5	868,80

Inklusive Grundplatte.

Base-plate kit included.



I-MPC

Selbstansaugende Schwimmbadpumpen mit eingebautem Vorfilter und integriertem FREQUENZUMRICHTER
Variable speed self-priming swimming pool pumps with integrated control

Art.Nr. Code	Wechselstrom Single-phase	P1	Preis Price €
		W	
T66E20030000	I-MPCM 31	1,05	1.284,70

Inklusive Grundplatte.

Base-plate kit included.




NMP

Selbstansaugende Kreiselpumpen mit Vorfilter in Blockbauweise
Cast iron self-priming centrifugal pumps with built-in strainer

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price
		kW	HP	
60D00021000	NMP 32/12FE	0,55	0,75	1.214,10
60D00041000	NMP 32/12DE	0,75	1	1.251,10
60D00062000	NMP 32/12A/A	1,1	1,5	1.272,30
60D00082000	NMP 32/12S/A	1,5	2	1.321,70
60D0082H200	NMP 50/12H/A	1,1	1,5	1.336,20
60D0082G200	NMP 50/12G/A	1,5	2	1.383,40
60D00823000	NMP 50/12F/B	2,2	3	1.510,40
60D00862000	NMP 50/12D/A	3	4	1.702,40
60D01360000	NMP 65/12E	4	5,5	2.218,40
60D01400000	NMP 65/12C	5,5	7,5	2.653,70
60D01440000	NMP 65/12A	7,5	10	2.840,30

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price
		kW	HP	
60E00021000	NMPM 32/12FE	0,55	0,75	1.293,40
60E00042000	NMPM 32/12DE	0,75	1	1.309,30
60E00062000	NMPM 32/12AE	1,1	1,5	1.371,10
60E00081000	NMPM 32/12SE	1,5	2	1.506,80
60E0082H200	NMPM 50/12HE	1,1	1,5	1.431,00
60E0082G100	NMPM 50/12GE	1,5	2	1.582,50




BNMP

Selbstansaugende Kreiselpumpen mit Vorfilter in Blockbauweise, in Bronze
Bronze self-priming pumps with built-in strainer

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price
		kW	HP	
61D00021000	BNMP 32/12FE	0,55	0,75	3.505,70
61D00041000	BNMP 32/12DE	0,75	1	3.562,70
61D00062000	BNMP 32/12A/A	1,1	1,5	3.585,70
61D00082000	BNMP 32/12S/A	1,5	2	3.642,60
61D0082H200	BNMP 50/12H/A	1,1	1,5	3.939,00
61D0082G200	BNMP 50/12G/A	1,5	2	3.998,00
61D00823000	BNMP 50/12F/B	2,2	3	4.155,60
61D00862000	BNMP 50/12D/A	3	4	4.471,10
61D01360000	BNMP 65/12E	4	5,5	7.588,00
61D01400000	BNMP 65/12C	5,5	7,5	8.396,60
61D01440000	BNMP 65/12A	7,5	10	8.624,70

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price
		kW	HP	
61E00021000	BNMPM 32/12FE	0,55	0,75	3.598,90
61E00042000	BNMPM 32/12DE	0,75	1	3.625,40
61E00062000	BNMPM 32/12AE	1,1	1,5	3.699,60
61E00081000	BNMPM 32/12SE	1,5	2	4.246,90
61E0082H200	BNMPM 50/12HE	1,1	1,5	4.058,60
61E0082G100	BNMPM 50/12GE	1,5	2	4.604,10



A Selbstansaugende Kreiselpumpen mit offenem Laufrad Self-priming centrifugal open impeller pumps

BA Selbstansaugende Kreiselpumpen mit offenem Laufrad, in Bronze Bronze self-priming centrifugal pumps with open impeller

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
60F00341000	A 40-110B/A	0,55	0,75	885,80
60F00382000	A 40-110A/B	0,75	1	966,90
60F00821000	A 50-125CE	0,75	1	1.226,50
60F00862000	A 50-125B/A	1,1	1,5	1.251,10
60F00902000	A 50-125A/A	1,5	2	1.302,20
60F01542000	A 65-150C/B	2,2	3	1.889,10
60F01583000	A 65-150B/B	3	4	2.067,10
60F01644000	A 65-150A/C	4	5,5	2.120,10
60F02022000	A 80-170B/A	5,5	7,5	3.060,20
60F02042000	A 80-170A/A	7,5	10	3.254,90

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
60G00342000	AM 40-110B/A	0,55	0,75	885,80
60G00382000	AM 40-110A/A	0,75	1	966,90
60G00822000	AM 50-125CE	0,75	1	1.275,90
60G00862000	AM 50-125BE	1,1	1,5	1.325,20
60G00901000	AM 50-125AE	1,5	2	1.429,20

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
61F00341000	BA 40-110B/A	0,55	0,75	2.401,00
61F00382000	BA 40-110A/B	0,75	1	2.483,60
61F00821000	BA 50-125CE	0,75	1	2.800,70
61F00862000	BA 50-125B/A	1,1	1,5	2.843,90
61F00902000	BA 50-125A/A	1,5	2	2.926,60
61F01542000	BA 65-150C/B	2,2	3	4.491,10
61F01582000	BA 65-150B/A	3	4	4.670,80
61F01643000	BA 65-150A/B	4	5,5	4.724,80
61F02022000	BA 80-170B/A	5,5	7,5	8.394,70
61F02042000	BA 80-170A/A	7,5	10	8.649,80

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
61G00342000	BAM 40-110B/A	0,55	0,75	2.401,00
61G00382000	BAM 40-110A/A	0,75	1	2.483,60
61G00822000	BAM 50-125CE	0,75	1	2.899,50
61G00862000	BAM 50-125BE	1,1	1,5	2.942,80
61G00901000	BAM 50-125AE	1,5	2	3.066,70



C Kreiselpumpen mit offenem Laufrad Centrifugal pumps with open impeller

BC Kreiselpumpen mit offenem Laufrad in Bronze Bronze centrifugal pumps with open impeller

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70630020000	C 16/1E	0,15	0,2	496,10
70630040000	C 20E	0,25	0,34	558,80
70630061000	C 22/1/A	0,45	0,6	574,50
70630070000	C 22E	0,55	0,75	619,70
70630080000	C 4/1/A	0,55	0,75	713,60
70630091000	C 4/B	0,75	1	809,70
70600112000	C 41/A	1,1	1,5	978,40

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70730020000	CM 16/1E	0,15	0,2	507,80
70730040000	CM 20E	0,25	0,34	558,80
70730060000	CM 22/1E	0,45	0,6	609,80
70730070000	CM 22E	0,55	0,75	670,60
70730081000	CM 4/1/A	0,55	0,75	748,90
70730091000	CM 4/A	0,75	1	809,70
70700112000	CM 41E	1,1	1,5	1.061,00

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
71630020000	BC 16/1E	0,15	0,2	943,40
71610040000	BC 20/A	0,37	0,5	1.049,30
71610060000	BC 22/1/A	0,45	0,6	1.103,40
71610070000	BC 22/A	0,55	0,75	1.119,50
71600101000	BC 41/1E	0,75	1	1.551,10
71600112000	BC 41/A	1,1	1,5	1.569,10

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
71730020000	BCM 16/1E	0,15	0,2	943,40
71710040000	BCM 20/A	0,37	0,5	1.049,30
71710060000	BCM 22/1/A	0,45	0,6	1.121,40
71710071000	BCM 22/A	0,55	0,75	1.149,50
71700102000	BCM 41/1E	0,75	1	1.551,10
71700112000	BCM 41E	1,1	1,5	1.663,00



CT,T,TP

Peripheralpumpe, aus Grauguss und Messing
Cast iron and brass peripheral pumps

BCT,BT,BTP

Peripheralpumpe, in Bronze und Messing
Bronze and brass peripheral pumps

ICT

Peripheralpumpe, aus Edelstahl und Messing
Stainless steel and brass peripheral pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70220020000	CT 60/A	0,33	0,45	222,10
70220010000	CT 61/A	0,33	0,45	222,10
70020022000	T 61/A	0,33	0,45	280,30
70020030000	T 65E	0,45	0,6	408,70
70020041000	T 70/B	0,75	1	470,50
70000052000	T 76/A	1,1	1,5	743,60
70000102000	T 100/A	3	4	1.321,70
70020060000	TP 78/A	0,37	0,5	484,60
70000071000	TP 80E	0,75	1	731,40
70000083000	TP 100/B	2,2	3	1.113,70
70000152000	TP 132R/A	5,5	7,5	2.875,10
70000172000	TP 132/A	7,5	10	3.033,10


Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70320021000	CTM 60/A	0,3	0,4	222,10
70320011000	CTM 61/A	0,3	0,4	222,10
70130021000	TM 61E	0,33	0,45	280,30
70120030000	TM 65E	0,45	0,6	440,60
70120041000	TM 70/A	0,75	1	512,80
70100052000	TM 76E	1,1	1,5	835,40
70120060000	TPM 78/A	0,37	0,5	484,60
70100072000	TPM 80E	0,75	1	791,30

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
71220010000	BCT 61/A	0,33	0,45	395,20
71020022000	BT 61/A	0,33	0,45	713,20
71020030000	BT 65E	0,45	0,6	767,00
71020041000	BT 70/B	0,75	1	878,50
71020060000	BTP 78/A	0,37	0,5	1.117,50
71000071000	BTP 80E	0,75	1	1.347,50

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
71320011000	BCTM 61/A	0,3	0,4	395,20
71120022000	BTM 61E	0,33	0,45	713,20
71120030000	BTM 65E	0,45	0,6	767,00
71120041000	BTM 70/A	0,75	1	902,00
71120060000	BTPM 78/A	0,37	0,5	1.117,50
71100072000	BTPM 80E	0,75	1	1.347,50

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €
		kW	HP	
73220010000	ICT 61	0,33	0,45	386,40

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
73320011000	ICTM 61	0,3	0,4	398,50



CA

Selbstansaugende Flüssigkeitsringpumpen
Self-priming liquid ring pumps

BCA

Selbstansaugende Flüssigkeitsringpumpen, in Bronze
Bronze self-priming liquid ring pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70820011000	CA 60E	0,15	0,2	458,80
70820020000	CA 80E	0,45	0,6	494,70
70820030000	CA 90/A	0,55	0,75	553,20
70820041000	CA 91/B	0,75	1	651,50

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70920011000	CAM 60E	0,15	0,2	458,80
70920020000	CAM 80E	0,45	0,6	515,50
70920031000	CAM 90/A	0,55	0,75	604,30
70920041000	CAM 91/A	0,75	1	651,50

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
71820011000	BCA 60E	0,15	0,2	852,70
71810020000	BCA 80/A	0,45	0,6	974,00
71810030000	BCA 90/A	0,55	0,75	1.100,90
71810041000	BCA 91/B	0,75	1	1.206,80

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
71920011000	BCAM 60E	0,15	0,2	852,70
71910020000	BCAM 80/A	0,45	0,6	993,10
71910031000	BCAM 90/A	0,55	0,75	1.147,20
71910041000	BCAM 91/A	0,75	1	1.206,80



NGX

Selbstansaugende Jetpumpen
Self-priming jet pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
72A51021000	NGX 2/80/A	0,55	0,75	303,80
72A51030000	NGX 3/100	0,65	0,9	312,20
72A51040000	NGX 4/110	0,75	1	332,80
72A50370000	NGX 4/16	1,1	1,5	691,50
72A50371000	NGX 4/18	1,1	1,5	691,50
72A50372000	NGX 4/22	1,1	1,5	691,50
72A50044200	NGX 6/18/A	1,5	2	880,00
72A50045200	NGX 6/22/A	1,5	2	880,00

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
72B51022000	NGXM 2/80/A	0,55	0,75	303,80
72B51031000	NGXM 3/100	0,65	0,9	312,20
72B51041000	NGXM 4/110	0,75	1	332,80
72B5037A000	NGXM 4/16	1,1	1,5	691,50
72B5037B000	NGXM 4/18	1,1	1,5	691,50
72B5037C000	NGXM 4/22	1,1	1,5	691,50
72B50044100	NGXM 6/18	1,5	2	880,00
72B50045100	NGXM 6/22	1,5	2	880,00



NGL

Selbstansaugende Jetpumpen
Self-priming jet pumps

Art.Nr. Code	Drehstrom Three-phase	P2		Preis Price €
		kW	HP	
70A51021000	NGL 2/80/A	0,55	0,75	283,20
70A51030000	NGL 3/100	0,65	0,9	288,70
70A51040000	NGL 4/110	0,75	1	309,30

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70B51022000	NGLM 2/80/A	0,55	0,75	283,20
70B51031000	NGLM 3/100	0,65	0,9	288,70
70B51041000	NGLM 4/110	0,75	1	309,30



NG

Selbstansaugende Jetpumpen
Self-priming jet pumps

BNG

Selbstansaugende Jetpumpen, in Bronze
Bronze self-priming jet pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70A40031000	NG 3/A	0,55	0,75	505,70
70A40042000	NG 4/B	0,75	1	556,80
70A00041200	NG 5/16/A	1,1	1,5	955,20
70A00042300	NG 5/18/A	1,1	1,5	955,20
70A00043200	NG 5/22/A	1,1	1,5	955,20
70A00044200	NG 6/18/A	1,5	2	1.080,40
70A00045200	NG 6/22/A	1,5	2	1.080,40
70A00048300	NG 7/16/B	2,2	3	1.175,50
70A00046300	NG 7/18/B	2,2	3	1.175,50
70A00047300	NG 7/22/B	2,2	3	1.175,50

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70B40032000	NGM 3/A	0,55	0,75	505,70
70B40042000	NGM 4/A	0,75	1	556,80
70B00041200	NGM 5/16E	1,1	1,5	1.016,90
70B00042200	NGM 5/18E	1,1	1,5	1.016,90
70B00043200	NGM 5/22E	1,1	1,5	1.016,90
70B00044100	NGM 6/18E	1,5	2	1.256,40
70B00045100	NGM 6/22E	1,5	2	1.256,40

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
71A40030000	BNG 3/A	0,55	0,75	1.744,40
71A40041000	BNG 4/B	0,75	1	1.800,10
71A00041200	BNG 5/16/A	1,1	1,5	2.436,10
71A00042300	BNG 5/18/A	1,1	1,5	2.436,10
71A00043200	BNG 5/22/A	1,1	1,5	2.436,10
71A00044200	BNG 6/18/A	1,5	2	2.583,40
71A00045200	BNG 6/22/A	1,5	2	2.583,40
71A00048300	BNG 7/16/B	2,2	3	2.694,70
71A00046300	BNG 7/18/B	2,2	3	2.694,70
71A00047300	BNG 7/22/B	2,2	3	2.694,70

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
71B40031000	BNGM 3/A	0,55	0,75	1.767,80
71B40041000	BNGM 4/A	0,75	1	1.810,90
71B00041200	BNGM 5/16E	1,1	1,5	2.511,60
71B00042200	BNGM 5/18E	1,1	1,5	2.511,60
71B00043200	BNGM 5/22E	1,1	1,5	2.511,60
71B00044100	BNGM 6/18E	1,5	2	2.762,90
71B00045100	BNGM 6/22E	1,5	2	2.762,90



MXA

Mehrstufige selbstansaugende Kreislumpumpen
Horizontal multi-stage self-priming close coupled pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
662A0031000	MXA 203	0,37	0,5	469,40
662A0041000	MXA 204/A	0,55	0,75	516,60
662A0051200	MXA 205/B	0,75	1	769,30
662A1031000	MXA 403/A	0,55	0,75	535,40
662A1041100	MXA 404/B	0,75	1	592,10
662A1051100	MXA 405/A	1,1	1,5	795,30

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
663A0031000	MXAM 203	0,37	0,5	469,40
663A0041100	MXAM 204/A	0,55	0,75	516,60
663A0051200	MXAM 205/A	0,75	1	769,30
663A1031100	MXAM 403/A	0,55	0,75	535,40
663A1041100	MXAM 404/A	0,75	1	592,10
663A1051200	MXAM 405/A	1,1	1,5	795,30



GF

GFA

GM 10-8

Entwässerungs-Tauchmotorpumpen

Submersible drainage pump

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
76U10020002	GM 10-8	0,25	0,34	274,50
76U10020010	GM 10-8 GF	0,25	0,34	274,50
76U10020011	GM 10-8 GFA	0,25	0,34	274,50
76U10020009	GM 10-8 SG	0,25	0,34	274,50

Wechselstromausführung: eingebauter Überhitzungsschutz, Schwimmerschalter, 10 m Kabel mit Stecker.

Eingebauter Kondensator.

GF: Mit magnetischem Schwimmerschalter (geschlossen)

GFA: Mit magnetischem Schwimmerschalter (geschlossen)

SG: ohne Schwimmerschalter

Single-phase version: built-in thermal protector, 10m cable and plug.

Incorporated capacitor

GF: With magnetic float switch

GFA: With magnetic float switch

SG: without float switch



GM 5-9

Entwässerungs-Tauchmotorpumpe

Submersible drainage pump

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
76U10000000	GM 5-9	0,33	0,45	157,90

Wechselstromausführung: eingebauter Überhitzungsschutz, Schwimmerschalter, 10 m Kabel mit Stecker.

Eingebauter Kondensator.

Single-phase version: built-in thermal protector, 10 m cable and plug.

Incorporated capacitor



GX ZERO

Flachsaugende Tauchmotorpumpen für reines Wasser

Submersible clean water pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
76T01010000	GX ZERO	0,25	0,34	403,10

Standard: ohne Schwimmerschalter
Drehstromausführung: Kabellänge 10 m.

Standard: without float switch

Three-phase version: cable length 10 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
76U01000000	GXM ZERO	0,25	0,34	403,10

Standard: ohne Schwimmerschalter
Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und Stecker. Eingebauter Kondensator.

Standard: without float switch

Single-phase version: built-in thermal protector, 10m cable and plug.

Incorporated capacitor



GF

GFA

GXR

Tauchmotorpumpen aus Chrom-Nickel-Stahl mit offenem Laufrad

Stainless steel submersible pumps with open impeller

Ohne Schwimmerschalter Without float switch

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
72T70060000	GXR 9	0,25	0,34	350,60
72T70110000	GXR 11	0,37	0,5	400,20
72T70160000	GXR 13	0,45	0,6	409,80
72T70210000	GXR 12-10	0,45	0,6	794,70
72T70260000	GXR 12-12	0,55	0,75	811,20
72T70310000	GXR 12-14	0,75	1	917,10
72T70360000	GXR 12-16	0,9	1,2	983,00
72T70410000	GXR 12-18	1,1	1,5	1.100,00
72T70460000	GXR 12-20	1,5	2	1.216,90

Drehstromausführung: Kabellänge 10 m

Three-phase version: cable lenght 5m (10m for GXR 12)

Mit Schwimmerschalter With float switch

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
72T70210004	GXR 12-10 CG	0,45	0,6	1.200,30
72T70260005	GXR 12-12 CG	0,55	0,75	1.222,40
72T70310005	GXR 12-14 CG	0,75	1	1.417,60
72T70360002	GXR 12-16 CG	0,9	1,2	1.505,60
72T70410001	GXR 12-18 CG	1,1	1,5	1.658,40
72T70460002	GXR 12-20 CG	1,5	2	1.810,90

Schlauchanschluss Kit Hosetail kit



Enthält:
Rückschlagventil
Kunststoffverschraubung
Klemme aus rostfreiem Stahl

*Including:
Non-return valve
Hosetail seat
Stainless steel clamp*

Art.Nr. Code	Typ Type	Preis Price €
44044180000	KIT PGM G1 1/4	25,50

Mit Schwimmerschalter With float switch

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
72U70050000	GXRM 9	0,25	0,34	350,60
72U70100000	GXRM 11	0,37	0,5	400,20
72U70150000	GXRM 13	0,45	0,6	409,80
72U70200000	GXRM 12-10	0,45	0,6	794,70
72U70250000	GXRM 12-12	0,55	0,75	811,20
72U70300000	GXRM 12-14	0,75	1	917,10
72U70350000	GXRM 12-16	0,9	1,2	983,00
72U70400000	GXRM 12-18	1,1	1,5	1.100,00
72U70450000	GXRM 12-20	1,5	2	1.350,20
72U70050009	GXRM 9 GF	0,25	0,34	390,50
72U70100012	GXRM 11 GF	0,37	0,5	438,50
72U70150010	GXRM 13 GF	0,45	0,6	448,20
72U70200001	GXRM 12-10 GF	0,45	0,6	833,30
72U70250004	GXRM 12-12 GF	0,55	0,75	851,30
72U70300002	GXRM 12-14 GF	0,75	1	955,60
72U70350003	GXRM 12-16 GF	0,9	1,2	1.023,00
72U70050025	GXRM 9 GFA	0,25	0,34	390,70
72U70100020	GXRM 11 GFA	0,37	0,5	456,00
72U70150032	GXRM 13 GFA	0,45	0,6	496,40

Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel
Eingebauter Kondensator.

Single-phase version: built-in thermal protector, cable lenght 5m (10m for GXR 12)

Incorporated capacitor

GFA: Mit magnetischem Schwimmerschalter (geschlossen)
GF: Mit magnetischem Schwimmerschalter (geschlossen)

*GFA: With magnetic float switch
GF: With magnetic float switch*

Ohne Schwimmerschalter Without float switch

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
72U70050006	GXRM 9 SG	0,25	0,34	337,00
72U70100005	GXRM 11 SG	0,37	0,5	385,10
72U70150004	GXRM 13 SG	0,45	0,6	394,60



GXV 25

Tauchmotorpumpen aus Chrom-Nickel-Stahl mit Freistromrad (Vortex-Laufrad)

Stainless steel submersible pumps with free-flow impeller (vortex impeller)

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
72T10310000	GXV 25-6	0,25	0,34	385,10
72T10360000	GXV 25-8	0,37	0,5	434,50
72T10410000	GXV 25-10	0,45	0,6	448,20

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
72U10300000	GXVM 25-6	0,25	0,34	385,10
72U10350000	GXVM 25-8	0,37	0,5	434,50
72U10400000	GXVM 25-10	0,45	0,6	448,20
72U10300003	GXVM 25-6 GFA	0,25	0,34	429,00
72U10350002	GXVM 25-8 GFA	0,37	0,5	478,60
72U10400003	GXVM 25-10 GFA	0,45	0,6	488,20
72U10300004	GXVM 25-6 SG	0,25	0,34	371,20
72U10350003	GXVM 25-8 SG	0,37	0,5	422,10
72U10400004	GXVM 25-10 SG	0,45	0,6	429,00

GXVL 25 AISI 316

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
73T10410000	GXVL 25-10	0,45	0,6	822,10

Standard: ohne Schwimmerschalter
Drehstromausführung: Kabellänge 10 m

*Standard: without float switch
Three-phase version: cable length 10 m.*

GXVLM 25 AISI 316

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
73U10400000	GXVLM 25-10	0,45	0,6	822,10
73U10400001	GXVLM 25-10 SG	0,45	0,6	772,10

Standard: Mit Schwimmerschalter
GFA: Mit magnetischem Schwimmerschalter (offen)
SG: ohne Schwimmerschalter
Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel.
Eingebauter Kondensator.

*Standard: with float switch
GFA: With magnetic float switch
SG: without float switch
Single-phase version: built-in thermal protector, cable length 10 m.
Incorporated capacitor*

Schlauchanschluss Kit Hosetail kit



Art.Nr. Code	Typ Type	Preis Price €
44044180000	KIT PGM G1 1/4	25,50

Enthält:
Rückschlagventil
Kunststoffverschraubung
Klemme aus rostfreiem Stahl

*Including:
Non-return valve
Hosetail seat
Stainless steel clamp*



HWK 220

HWK 220 / HWK 500

Hochwasserkit, inkl. Edelstahl Tauchmotorpumpe und C-Schlauch

Flood-Kit, incl. stainless steel submersible drainage pump and type C hose



HWK 500

Art. Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
C600001306	HWK 220	0,45	0,6	545,80
C600001309	HWK 500 Hochleistungsausführung	1,5	2,0	1.549,40

Standardausführung Wechselstrom:
mit Schwimmerschalter, 10m Kabellänge und Thermoschutz.

Standard execution, single phase:
with float switch, 10m cable and thermal protector

Kit enthält:
Kunststoffbox mit Tragegriffen (HWK 220)
Transportabler Edelstahlkorb (HWK 500)
15m C-Schlauch
Entwässerungs-Tauchmotorpumpe aus Edelstahl

Kit contains:
plastic box with handles (HWK 220)
portable stainless steel basket (HWK 500)
15m Type C-hose
stainless steel submersible drainage pump



GX 40

Schmutzwasser-Tauchmotorpumpen aus Chrom-Nickel-Stahl

Stainless steel submersible sewage and drainage pumps

Freistromrad (Vortex Laufrad)
Free-flow impeller (vortex impeller)

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
72T10111000	GXV 40-7	0,55	0,75	747,20
72T10131000	GXV 40-8	0,75	1	858,30
72T10151000	GXV 40-9	0,9	1,2	929,00

Drehstromausführung: Kabellänge 10 m.
Three-phase version: cable length 10 m.

Zweikanalrad
Two-passage impeller

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
72T10110000	GXC 40-10	0,55	0,75	767,40
72T10150000	GXC 40-13	0,9	1,2	949,20

Drehstromausführung: Kabellänge 10 m.
Three-phase version: cable length 10 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
72U10101000	GXVM 40-7	0,55	0,75	785,50
72U10121000	GXVM 40-8	0,75	1	894,60
72U10141000	GXVM 40-9	0,9	1,2	965,20

Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und Stecker. Eingebauter Kondensator.
Single-phase version: built-in thermal protector, 10m cable and plug.
Incorporated capacitor

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
72U10100000	GXCM 40-10	0,55	0,75	805,70
72U10140000	GXCM 40-13	0,9	1,2	985,50

Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und Stecker. Eingebauter Kondensator.
Single-phase version: built-in thermal protector, 10m cable and plug.
Incorporated capacitor



GQR 10

Entwässerungs-Tauchmotorpumpen
Submersible drainage pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T71060000	GQR 10-10	0,45	0,6	671,50
70T71110000	GQR 10-12	0,55	0,75	704,50
70T71160000	GQR 10-14	0,75	1	730,40
70T71210000	GQR 10-16	0,9	1,2	812,80
70T71260000	GQR 10-18	1,1	1,5	871,90
70T71310000	GQR 10-20	1,5	2	895,30
70T71060002	GQR 10-10 CG	0,45	0,6	891,40
70T71110004	GQR 10-12 CG	0,55	0,75	924,40
70T71160003	GQR 10-14 CG	0,75	1	950,20
70T71210002	GQR 10-16 CG	0,9	1,2	1.032,70
70T71260001	GQR 10-18 CG	1,1	1,5	1.091,60
70T71310004	GQR 10-20 CG	1,5	2	1.115,30

Standard: ohne Schwimmerschalter
CG: Mit Schwimmerschalter
Drehstromausführung: Kabellänge 10 m.

Standard: without float switch
CG: with float switch
Three-phase version: cable length 10 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U71050000	GQRM 10-10	0,45	0,6	671,50
70U71100000	GQRM 10-12	0,55	0,75	704,50
70U71150000	GQRM 10-14	0,75	1	730,40
70U71200000	GQRM 10-16	0,9	1,2	812,80
70U71250000	GQRM 10-18	1,1	1,5	871,90
70U71300000	GQRM 10-20	1,5	2	1.006,40
70U71050005	GQRM 10-10 GF	0,45	0,6	724,00
70U71100004	GQRM 10-12 GF	0,55	0,75	758,50
70U71150008	GQRM 10-14 GF	0,75	1	782,80
70U71200004	GQRM 10-16 GF	0,9	1,2	865,30
70U71250004	GQRM 10-18 GF	1,1	1,5	924,20

Standard: Mit Schwimmerschalter
GF: Mit magnetischem Schwimmerschalter (geschlossen)
Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und Stecker. Eingebauter Kondensator.

Standard: with float switch
GF: With magnetic float switch
Single-phase version: built-in thermal protector, 10m cable and plug.
Incorporated capacitor



GQR 10-32

Entwässerungs-Tauchmotorpumpen
Submersible drainage pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T72060000	GQR 10-32-10	0,45	0,6	671,50
70T72110000	GQR 10-32-12	0,55	0,75	704,50
70T72160000	GQR 10-32-14	0,75	1	730,40
70T72210000	GQR 10-32-16	0,9	1,2	812,80
70T72260000	GQR 10-32-18	1,1	1,5	871,90
70T72310000	GQR 10-32-20	1,5	2	895,30
70T72060001	GQR 10-32-10 CG	0,45	0,6	891,40
70T72110001	GQR 10-32-12 CG	0,55	0,75	924,40
70T72160002	GQR 10-32-14 CG	0,75	1	950,20
70T72210001	GQR 10-32-16 CG	0,9	1,2	1.032,70
70T72260003	GQR 10-32-18 CG	1,1	1,5	1.091,60
70T72310001	GQR 10-32-20 CG	1,5	2	1.115,30

Standard: ohne Schwimmerschalter
CG: Mit Schwimmerschalter
Drehstromausführung: Kabellänge 10 m

Standard: without float switch
CG: with float switch
Three-phase version: cable length 10 m.

Kupplung für Standfuß Duck foot coupling
SA_G2"

ZUBEHÖR siehe Seite 79
ACCESSORIES go to page 79

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U72050000	GQRM 10-32-10	0,45	0,6	671,50
70U72100000	GQRM 10-32-12	0,55	0,75	704,50
70U72150000	GQRM 10-32-14	0,75	1	730,40
70U72200000	GQRM 10-32-16	0,9	1,2	812,80
70U72250000	GQRM 10-32-18	1,1	1,5	871,90
70U72300000	GQRM 10-32-20	1,5	2	1.006,40
70U72050003	GQRM 10-32-10 GF	0,45	0,6	724,00
70U72100003	GQRM 10-32-12 GF	0,55	0,75	758,50
70U72150002	GQRM 10-32-14 GF	0,75	1	782,80
70U72200002	GQRM 10-32-16 GF	0,9	1,2	865,30
70U72250004	GQRM 10-32-18 GF	1,1	1,5	924,20

Standard: Mit Schwimmerschalter
GF: Mit magnetischem Schwimmerschalter (geschlossen)
Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und Stecker. Eingebauter Kondensator.

Standard: with float switch
GF: With magnetic float switch
Single-phase version: built-in thermal protector, 10m cable and plug.
Incorporated capacitor



GQV

Schmutzwasser-Tauchmotorpumpen Submersible sewage and drainage pumps

Freistromrad (Vortex-Laufrad) Free-flow impeller (vortex impeller)

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T81060000	GQV 50-8	0,55	0,75	801,10
70T81110000	GQV 50-9	0,75	1	824,60
70T81160000	GQV 50-11	0,9	1,2	907,10
70T81210000	GQV 50-13	1,1	1,5	989,50
70T81260000	GQV 50-15	1,5	2	1.013,00
70T81310000	GQV 50-16	2	2,7	1.033,20
70T81360000	GQV 50-18	2,6	3,5	1.106,80
70T82060000	GQV 65-9	1,1	1,5	1.246,40
70T82110000	GQV 65-11	1,5	2	1.329,50
70T82160000	GQV 65-13	2	2,7	1.377,00
70T82210000	GQV 65-15	2,6	3,5	1.424,40
70T81060002	GQV 50-8 CG	0,55	0,75	1.020,90
70T81110002	GQV 50-9 CG	0,75	1	1.044,60
70T81160003	GQV 50-11 CG	0,9	1,2	1.127,00
70T81210008	GQV 50-13 CG	1,1	1,5	1.209,50
70T81260004	GQV 50-15 CG	1,5	2	1.233,00
70T81310001	GQV 50-16 CG	2	2,7	1.245,30
70T82060002	GQV 65-9 CG	1,1	1,5	1.466,70
70T82110002	GQV 65-11 CG	1,5	2	1.549,80
70T82160001	GQV 65-13 CG	2	2,7	1.698,00

Standard: ohne Schwimmerschalter
CG: Mit Schwimmerschalter
Drehstromausführung: Kabellänge 10 m.

Standard: without float switch
CG: with float switch
Three-phase version: cable length 10 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U81050000	GQVM 50-8	0,55	0,75	801,10
70U81100000	GQVM 50-9	0,75	1	824,60
70U81150000	GQVM 50-11	0,9	1,2	907,10
70U81200000	GQVM 50-13	1,1	1,5	989,50
70U81250000	GQVM 50-15	1,5	2	1.124,10
70U82050000	GQVM 65-9	1,1	1,5	1.329,50
70U82100000	GQVM 65-11	1,5	2	1.412,60

Standard: Mit Schwimmerschalter
Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und Stecker. Eingebauter Kondensator.

Standard: with float switch
Single-phase version: built-in thermal protector, 10m cable and plug.
Incorporated capacitor

Kupplung für Standfuß Duck foot coupling
SA_G2" (GQV 50..)
SA_DN65 (GQV 65..)

ZUBEHÖR siehe Seite 79
ACCESSORIES go to page 79



GQS

Schmutzwasser-Tauchmotorpumpen Submersible sewage and drainage pumps

Freistromrad (Vortex-Laufrad) Free-flow impeller (vortex impeller)

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T90110000	GQS 40-9	0,45	0,6	630,50
70T91060000	GQS 50-8	0,55	0,75	756,20
70T91110000	GQS 50-9	0,75	1	778,70
70T91160000	GQS 50-11	0,9	1,2	863,90
70T91210000	GQS 50-13	1,1	1,5	944,60
70T91260000	GQS 50-15	1,5	2	967,10
70T91060002	GQS 50-8 CG	0,55	0,75	976,00
70T91110001	GQS 50-9 CG	0,75	1	998,50
70T91160002	GQS 50-11 CG	0,9	1,2	1.083,70
70T91210005	GQS 50-13 CG	1,1	1,5	1.164,60
70T91260002	GQS 50-15 CG	1,5	2	1.187,00

Standard: ohne Schwimmerschalter
CG: Mit Schwimmerschalter
Drehstromausführung: Kabellänge 10 m.

Standard: without float switch
CG: with float switch
Three-phase version: cable length 10 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U90100000	GQSM 40-9	0,45	0,6	630,50
70U91050000	GQSM 50-8	0,55	0,75	756,20
70U91100000	GQSM 50-9	0,75	1	778,70
70U91150000	GQSM 50-11	0,9	1,2	863,90
70U91200000	GQSM 50-13	1,1	1,5	944,60
70U91250000	GQSM 50-15	1,5	2	1.079,30
70U90100001	GQSM 40-9 SG	0,45	0,6	607,90
70U91050001	GQSM 50-8 SG	0,55	0,75	735,10
70U91100001	GQSM 50-9 SG	0,75	1	757,30
70U91150001	GQSM 50-11 SG	0,9	1,2	843,10
70U91200001	GQSM 50-13 SG	1,1	1,5	922,90
70U91250001	GQSM 50-15 SG	1,5	2	1.057,50

Standard: Mit Schwimmerschalter
Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und Stecker. Eingebauter Kondensator.

Standard: with float switch
SG: without float switch
Single-phase version: built-in thermal protector, 10m cable and plug.
Incorporated capacitor



GQN

Schmutzwasser-Tauchmotorpumpen Submersible sewage and drainage pumps

Zweikanalrad Two-passage impeller

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70TA0060000	GQN 50-13	0,9	1,2	907,00
70TA0110000	GQN 50-15	1,1	1,5	992,90
70TA0160000	GQN 50-17	1,5	2	1.020,30

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70TA0060002	GQN 50-13 CG	0,9	1,2	1.127,00
70TA0110003	GQN 50-15 CG	1,1	1,5	1.212,90
70TA0160003	GQN 50-17 CG	1,5	2	1.240,10

Standard: ohne Schwimmerschalter
CG: Mit Schwimmerschalter
Drehstromausführung: Kabellänge 10 m.

Standard: without float switch
CG: with float switch
Three-phase version: cable length 10 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70UA0050000	GQNM 50-13	0,9	1,2	907,00
70UA0100000	GQNM 50-15	1,1	1,5	992,90
70UA0150000	GQNM 50-17	1,5	2	1.133,20

Standard: Mit Schwimmerschalter
Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und Stecker. Eingebauter Kondensator.

Standard: with float switch
Single-phase version: built-in thermal protector, 10m cable and plug.
Incorporated capacitor



GQG

Tauchmotorpumpen mit Hochleistungs-Schneidwerk Submersible pumps with high power grinder

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T41060000	GQG 6-18	0,9	1,2	1.160,50
70T41110000	GQG 6-21	1,1	1,5	1.244,90
70T41160000	GQG 6-25	1,5	2	1.687,80
70T41060001	GQG 6-18 CG	0,9	1,2	1.367,30
70T41110001	GQG 6-21 CG	1,1	1,5	1.451,70
70T41160001	GQG 6-25 CG	1,5	2	1.894,80

Standard: ohne Schwimmerschalter
CG: Mit Schwimmerschalter
Drehstromausführung: Kabellänge 10 m.

Standard: without float switch
CG: with float switch
Three-phase version: cable length 10 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U41050000	GQGM 6-18	0,9	1,2	1.202,70
70U41100000	GQGM 6-21	1,1	1,5	1.287,10
70U41150000	GQGM 6-25	1,5	2	1.730,10

Standard: Mit Schwimmerschalter
Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel. Schaltkasten mit Anlaufkondensatoren.

Standard: with float switch
Single-phase version: built-in thermal protector, 10m cable and plug.
Control box with starting capacitors

Kupplung für Standfuß
Duck foot coupling

SA_G2"

ZUBEHÖR siehe Seite 79
ACCESSORIES go to page 79



GM 50

Schmutzwasser-Tauchmotorpumpen
Submersible sewage and drainage pumps

GMV: Freistromrad (Vortex-Laufrad)
GMV: free-flow impeller (vortex impeller)
GMC: Einkanallauftrad
GMC: single-channel impeller

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T20101000	GMV 50/CE	0,75	1	1.564,30
70T20121000	GMV 50/BE	1,1	1,5	1.857,40
70T20141000	GMV 50/AE	1,5	2	1.926,30

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U20091000	GMVM 50/CE	0,75	1	1.627,00
70U20111000	GMVM 50/BE	1,1	1,5	1.926,30

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T20100000	GMC 50/CE	0,75	1	1.589,30
70T20120000	GMC 50/BE	1,1	1,5	1.882,40
70T20140000	GMC 50/AE	1,5	2	1.951,40

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U20090000	GMCM 50/CE	0,75	1	1.655,80
70U20110000	GMCM 50/BE	1,1	1,5	1.958,40

Standard: ohne Schwimmerschalter
 Drehstromausführung: Kabellänge 10 m.

*Standard: without float switch
 Three-phase version: cable length 10 m.*

Standard: Mit Schwimmerschalter
 Wechselstromausführung: eingebauter Überhitzungsschutz,
 10 m Kabel und Stecker. Eingebauter Kondensator.

*Standard: with float switch
 Single-phase version: built-in thermal protector, 10m cable and plug.
 Incorporated capacitor*



GM 50-65

Schmutzwasser-Tauchmotorpumpen
Submersible sewage and drainage pumps

GMV: Freistromrad (Vortex-Laufrad)
GMV: free-flow impeller (vortex impeller)
GMC: Einkanallauftrad
GMC: single-channel impeller

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T30211000	GMV 50-65C	0,75	1	1.619,10
70T30231000	GMV 50-65B	1,1	1,5	1.912,20
70T30251000	GMV 50-65A	1,5	2	1.981,20

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U30201000	GMVM 50-65C	0,75	1	1.681,80
70U30221000	GMVM 50-65B	1,1	1,5	1.981,20

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
70T30210000	GMC 50-65C	0,75	1	1.644,20
70T30230000	GMC 50-65B	1,1	1,5	1.937,30
70T30250000	GMC 50-65A	1,5	2	2.006,30

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
70U30200000	GMCM 50-65C	0,75	1	1.706,90
70U30220000	GMCM 50-65B	1,1	1,5	2.006,30

Standard: ohne Schwimmerschalter
 Drehstromausführung: Kabellänge 10 m.


*Standard: without float switch
 Three-phase version: cable length 10 m.*

Standard: Mit Schwimmerschalter
 Wechselstromausführung: eingebauter Überhitzungsschutz, 10 m Kabel und
 Stecker. Eingebauter Kondensator.

*Standard: with float switch
 Single-phase version: built-in thermal protector, 10m cable and plug.
 Incorporated capacitor*

Kupplung für Standfuß <i>Duck foot coupling</i>	Kupplung für Standfuß <i>Duck foot coupling</i>	Gewindeflansch <i>Threaded flange</i>
SA_G2"	SA-DN65	FF-G2"

ZUBEHÖR siehe Seite 79
 ACCESSORIES go to page 79




GKV

Schmutzwasser-Tauchmotorpumpen mit Freistromrad (Vortex-Laufrad)
Submersible pumps with vortex impeller

Art.Nr. Code	Drehstrom Three-phase	P2 kW	Preis Price €	Zubehör Accessories					
				SAK	APK	APCK	SOK	CFP	CFK
70TB0140000	GKV2 65-40L-0020F	2	2.163,60	SAK 65-65-2	-	-	-	CFP65	-
70TB0170000	GKV2 65-40G-0025F	2,5	2.247,30	SAK 65-65-2	-	-	-	CFP65	-
70TB0200000	GKV2 65-40A-0031F	3,1	2.313,00	SAK 65-65-2	-	-	-	CFP65	-
70TB0230000	GKV2 65-40D-0031F	3,1	2.313,00	SAK 65-65-2	-	-	-	CFP65	-
70TB1010000	GKV2 80-80V-0048H	4,8	4.404,30	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1040000	GKV2 80-80X-0048H	4,8	4.404,30	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1070000	GKV2 80-80Z-0048H	4,8	4.404,30	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1250000	GKV2 80-80W-0048H	4,8	4.404,30	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1100000	GKV2 80-80N-0065H	6,5	4.955,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1130000	GKV2 80-80P-0065H	6,5	4.955,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1160000	GKV2 80-80Q-0065H	6,5	4.955,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1190000	GKV2 80-80R-0065H	6,5	4.955,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1220000	GKV2 80-80T-0065H	6,5	4.955,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1280000	GKV2 80-80W-0065H	6,5	4.955,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1310000	GKV2 80-80W-0090H	9	5.504,70	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1340000	GKV2 80-80T-0090H	9	5.504,70	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1370000	GKV2 80-80R-0090H	9	5.504,70	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1400000	GKV2 80-80Q-0090H	9	5.504,70	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1430000	GKV2 80-80P-0090H	9	5.504,70	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1460000	GKV2 80-80N-0090H	9	5.504,70	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1490000	GKV2 80-80R-0125L	12,5	7.617,90	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1520000	GKV2 80-80P-0165L	16,5	7.927,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1550000	GKV2 80-80L-0165L	16,5	7.927,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1580000	GKV2 80-80G-0165L	16,5	7.927,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1610000	GKV2 80-80D-0165L	16,5	7.927,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1640000	GKV2 80-80A-0165L	16,5	7.927,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB2870000	GKV2 100-80L-0260N	26	14.176,30	SAK 100-100-2A	APK 100/A	APCK 100	-	CFP100	CFK100
70TB2900000	GKV2 100-80I-0260N	26	14.176,30	SAK 100-100-2A	APK 100/A	APCK 100	-	CFP100	CFK100
70TB2930000	GKV2 100-80H-0350N	35	16.462,70	SAK 100-100-2A	APK 100/A	APCK 100	-	CFP100	CFK100
70TB2960000	GKV2 100-80G-0350N	35	16.462,70	SAK 100-100-2A	APK 100/A	APCK 100	-	CFP100	CFK100
70TB2990000	GKV2 100-80F-0350N	35	16.462,70	SAK 100-100-2A	APK 100/A	APCK 100	-	CFP100	CFK100
70TB3020000	GKV2 100-80E-0350N	35	16.462,70	SAK 100-100-2A	APK 100/A	APCK 100	-	CFP100	CFK100
70TB3050000	GKV2 100-80D-0350N	35	16.462,70	SAK 100-100-2A	APK 100/A	APCK 100	-	CFP100	CFK100

ZUBEHÖR siehe Seite 79
ACCESSORIES go to page 79

SAK = Kupplungsfuß / Duck-foot pedestal for automatic
APK = Bodengestell für Tauchpumpe / Pump submersible support
APCK = Stützfuß für Trockenkammerpumpe / Support for installation in a dry chamber
SOK = Halterung für horizontale Trockenaufstellung / Support for horizontal installation
CFP = Schlauchanschluss mit Flansch / Flanged hose connection
CFK = Flanschbogen / Flanged elbow



GKV


Schmutzwasser-Tauchmotorpumpen mit Freistromrad (Vortex-Laufrad)
Submersible pumps with vortex impeller

Art.Nr. Code	Drehstrom Three-phase	P2	Preis Price	Zubehör Accessories					
				SAK	APK	APCK	SOK	CFP	CFK
70TB0050000	GKV4 65-55G-0016F	1,6	1.926,80	SAK 65-65-2	-	-	-	CFP65	-
70TB0080000	GKV4 65-55D-0021F	2,1	1.982,00	SAK 65-65-2	-	-	-	CFP65	-
70TB0110000	GKV4 65-55A-0026F	2,6	2.115,10	SAK 65-65-2	-	-	-	CFP65	-
70TB0590000	GKV4 80-80P-0016H	1,6	2.615,40	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0620000	GKV4 80-80M-0016H	1,6	2.615,40	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0650000	GKV4 80-80I-0021H	2,1	2.697,20	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0680000	GKV4 80-80H-0029H	2,9	2.917,80	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0710000	GKV4 80-80E-0037H	3,7	3.478,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0740000	GKV4 80-80C-0046H	4,6	3.766,20	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0770000	GKV4 80-80A-0058H	5,8	4.458,50	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB2060000	GKV4 100-100R-0021H	2,1	4.304,40	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB2090000	GKV4 100-100N-0029H	2,9	4.492,80	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB2120000	GKV4 100-100L-0037H	3,7	4.938,80	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB2150000	GKV4 100-100F-0046H	4,6	5.119,50	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB2180000	GKV4 100-100A-0058H	5,8	5.272,60	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB2210000	GKV4 100-100E-0075L	7,5	6.105,70	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB2240000	GKV4 100-100C-0105L	10,5	6.969,30	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB2270000	GKV4 100-100A-0125L	12,5	7.464,80	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100

Art.Nr. Code	Drehstrom Three-phase	P2	Preis Price	Zubehör Accessories					
				SAK	APK	APCK	SOK	CFP	CFK
70TB0350000	GKV6 80-80P-0015H	1,5	3.226,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0380000	GKV6 80-80M-0015H	1,5	3.226,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0410000	GKV6 80-80I-0015H	1,5	3.226,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0440000	GKV6 80-80E-0015H	1,5	3.226,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB0470000	GKV6 80-80A-0015H	1,5	3.226,00	SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
70TB1850000	GKV6 100-100E-0040L	4	5.957,40	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB1880000	GKV6 100-100C-0040L	4	5.957,40	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
70TB1910000	GKV6 100-100A-0040L	4	5.957,40	SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100

ZUBEHÖR siehe Seite 79
ACCESSORIES go to page 79

SAK = Kupplungsfuß / Duck-foot pedestal for automatic
APK = Bodengestell für Tauchpumpe / Pump submersible support
APCK = Stützfuß für Trockenkammerpumpe / Support for installation in a dry chamber
SOK = Halterung für horizontale Trockenaufstellung / Support for horizontal installation
CFP = Schlauchanschluss mit Flansch / Flanged hose connection
CFK = Flanschbogen / Flanged elbow



GKC


Schmutzwasser-Tauchmotorpumpen mit Einkanal-Laufrad
Submersible pumps with single channel impeller

Art.Nr. Code	Drehstrom Three-phase	P2	Preis Price
		kW	€
70TB0260000	GKC2 65-40G-0020F	2	1.849,80
70TB0290000	GKC2 65-40D-0020F	2	2.004,80
70TB0320000	GKC2 65-40A-0025F	2,5	2.126,50
70TB6500000	GKC2 65-40L-0038H	3,8	4.404,30
70TB6470000	GKC2 65-40G-0038H	3,8	4.404,30
70TB6440000	GKC2 65-40D-0048H	4,8	4.489,00
70TB6410000	GKC2 65-40A-0048H	4,8	4.489,00
70TB1700000	GKC2 80-80I-0065L	6,5	6.198,90
70TB1730000	GKC2 80-80G-0065L	6,5	6.198,90
70TB1760000	GKC2 80-80E-0090L	9	6.496,60
70TB1790000	GKC2 80-80C-0125L	12,5	7.806,20
70TB1820000	GKC2 80-80A-0125L	12,5	7.806,20
70TB1670000	GKC2 80-80P-0165L	16,5	8.258,00
70TB3080000	GKC2 100-80C-0260N	26	15.822,60
70TB3110000	GKC2 100-80D-0260N	26	15.822,60
70TB3140000	GKC2 100-80G-0260N	26	15.822,60
70TB3170000	GKC2 100-80F-0260N	26	15.822,60
70TB3200000	GKC2 100-80E-0260N	26	15.822,60
70TB3230000	GKC2 100-80C-0350N	35	18.291,50
70TB3260000	GKC2 100-80D-0350N	35	18.291,50
70TB3290000	GKC2 100-80B-0350N	35	18.291,50
70TB3320000	GKC2 100-80A-0350N	35	18.291,50

Zubehör Accessories					
SAK	APK	APCK	SOK	CFP	CFK
SAK 65-65-2	-	-	-	CFP65	-
SAK 65-65-2	-	-	-	CFP65	-
SAK 65-65-2	-	-	-	CFP65	-
SAK 65-65-2	APK 80	APCK 65	SOK80/N3	-	-
SAK 65-65-2	APK 80	APCK 65	SOK80/N3	-	-
SAK 65-65-2	APK 80	APCK 65	SOK80/N3	-	-
SAK 65-65-2	APK 80	APCK 65	SOK80/N3	-	-
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100
SAK 100-100-2A	APK 100A	APCK 100	-	CFP100	CFK100

Art.Nr. Code	Drehstrom Three-phase	P2	Preis Price
		kW	€
70TB0890000	GKC4 80-75G-0016H	1,6	2.753,30
70TB0920000	GKC4 80-75D-0021H	2,1	2.884,50
70TB0800000	GKC4 80-75A-0029H	2,9	2.917,80
70TB6620000	GKC4 80-76L-0016F	1,6	3.387,60
70TB6590000	GKC4 80-76G-0016F	1,6	3.387,60
70TB6560000	GKC4 80-76D-0021F	2,1	3.473,20
70TB6530000	GKC4 80-76A-0021F	2,1	3.473,20
70TB0950000	GKC4 80-80L-0029H	2,9	2.917,80
70TB0860000	GKC4 80-80G-0037H	3,7	3.084,30
70TB0980000	GKC4 80-80D-0046H	4,6	3.336,30
70TB0830000	GKC4 80-80A-0058H	5,8	3.578,80
70TB2300000	GKC4 100-80L-0029H	2,9	3.303,00
70TB2330000	GKC4 100-80G-0037H	3,7	3.689,10
70TB2360000	GKC4 100-80D-0046H	4,6	4.238,80
70TB2390000	GKC4 100-80A-0058H	5,8	4.845,60
70TB2750000	GKC4 100-100L-0165N	16,5	13.718,90
70TB2780000	GKC4 100-100G-0193N	19,3	14.633,80
70TB2810000	GKC4 100-100D-0193N	19,3	14.633,80
70TB2840000	GKC4 100-100A-0230N	23	15.547,70
70TB2510000	GKC4 150-80D-0046H	4,6	6.992,10
70TB2540000	GKC4 150-80A-0058H	5,8	7.403,90
70TB2570000	GKC4 150-100G-0075L	7,5	6.919,80
70TB2600000	GKC4 150-100D-0105L	10,5	8.059,20
70TB2630000	GKC4 150-100A-0125L	12,5	8.625,10
70TB3350000	GKC4 150-115L-0165N	16,5	13.718,90
70TB3380000	GKC4 150-115G-0193N	19,3	14.633,80
70TB3410000	GKC4 150-115D-0210N	21	16.005,20
70TB3440000	GKC4 150-115A-0260N	26	16.462,70
70TB3860000	GKC4 150-102L-0340R	34	28.337,50
70TB3890000	GKC4 150-102G-0420R	42	28.843,40
70TB3920000	GKC4 150-102D-0510R	51	29.834,40
70TB3950000	GKC4 150-102A-0620R	62	36.262,50
70TB4700000	GKC4 150-102L-0340R-R	34	31.650,90
70TB4730000	GKC4 150-102G-0420R-R	42	32.179,70
70TB4760000	GKC4 150-102D-0510R-R	51	33.191,60
70TB4790000	GKC4 150-102A-0620R-R	62	41.271,70

Zubehör Accessories					
SAK	APK	APCK	SOK	CFP	CFK
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	-	-	-	-	-
SAK 80-80-2	-	-	-	-	-
SAK 80-80-2	-	-	-	-	-
SAK 80-80-2	-	-	-	-	-
SAK 80-80-2	APK 100	APCK 100	SOK100/N3	CFP80	CFK80
SAK 80-80-2	APK 100	APCK 100	SOK100/N3	CFP80	CFK80
SAK 80-80-2	APK 100	APCK 100	SOK100/N3	CFP80	CFK80
SAK 80-80-2	APK 100	APCK 100	SOK100/N3	CFP80	CFK80
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2	APK 150	APCK 150A	-	CFP100	CFK100
SAK 100-100-2	APK 150	APCK 150A	-	CFP100	CFK100
SAK 100-100-2	APK 150	APCK 150A	-	CFP100	CFK100
SAK 100-100-2	APK 150	APCK 150A	-	CFP100	CFK100
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
-	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
-	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
-	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-200-3	APK 150	APCK 150A	-	CFP150	CFK150
SAK 150-200-3	APK 150	APCK 150A	-	CFP150	CFK150
SAK 150-200-3	APK 150	APCK 150A	-	CFP150	CFK150
SAK 150-200-3	APK 150	APCK 150A	-	CFP150	CFK150
SAK 150-200-3	APK 150A	-	-	CFP150	CFK150
SAK 150-200-3	APK 150A	-	-	CFP150	CFK150
SAK 150-200-3	APK 150A	-	-	CFP150	CFK150
SAK 150-200-3	APK 150A	-	-	CFP150	CFK150
SAK 150-200-3	-	APCK 150	-	CFP150	CFK150
SAK 150-200-3	-	APCK 150	-	CFP150	CFK150
SAK 150-200-3	-	APCK 150	-	CFP150	CFK150
SAK 150-200-3	-	APCK 150	-	CFP150	CFK150



GKC

Schmutzwasser-Tauchmotorpumpen mit Einkanal-Laufrad
Submersible pumps with single channel impeller

Art.Nr. Code	Drehstrom Three-phase	P ₂ kW	Preis Price €
70TB5390000	GKC4 250-163M-0820R	82	48.174,40
70TB5420000	GKC4 250-163L-1000T	100	56.684,40
70TB5450000	GKC4 250-163H-1000T	100	56.684,40
70TB5480000	GKC4 250-163G-1200T	120	62.243,30
70TB5510000	GKC4 250-163E-1450T	145	77.545,70
70TB5540000	GKC4 250-163T-1450T	145	77.545,70
70TB5570000	GKC4 250-163B-1450T	145	77.545,70
70TB5600000	GKC4 250-163A-1800T	180	84.746,10
70TB5630000	GKC4 250-163M-0820R-R	82	53.788,50
70TB5660000	GKC4 250-163L-1000T-R	100	62.837,70
70TB5690000	GKC4 250-163H-1000T-R	100	62.837,70
70TB5720000	GKC4 250-163G-1200T-R	120	68.396,60
70TB5750000	GKC4 250-163E-1450T-R	145	83.699,00
70TB5780000	GKC4 250-163T-1450T-R	145	83.699,00
70TB5810000	GKC4 250-163B-1450T-R	145	83.699,00
70TB5840000	GKC4 250-163A-1800T-R	180	91.009,70

Zubehör Accessories					
SAK	APK	APCK	SOK	CFP	CFK
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	APK 350	-	-	CFP250	CFK250
SAK 250-300-3A	-	APCK 250A	-	CFP250	CFK250
SAK 250-300-3A	-	APCK 250A	SOK350-280	CFP250	CFK250
SAK 250-300-3A	-	APCK 250A	SOK350-280	CFP250	CFK250
SAK 250-300-3A	-	APCK 250A	SOK350-280	CFP250	CFK250
SAK 250-300-3A	-	APCK 250A	SOK350-280	CFP250	CFK250
SAK 250-300-3A	-	APCK 250A	SOK350-250	CFP250	CFK250
SAK 250-300-3A	-	APCK 250A	SOK350-280	CFP250	CFK250
SAK 250-300-3A	-	APCK 250A	SOK350-280	CFP250	CFK250

Art.Nr. Code	Drehstrom Three-phase	P ₂ kW	Preis Price €
70TB0500000	GKC6 80-75G-0015H	1,5	3.084,30
70TB0530000	GKC6 80-75D-0015H	1,5	3.084,30
70TB0560000	GKC6 80-75A-0015H	1,5	3.084,30
70TB1940000	GKC6 100-80L-0015H	1,5	4.349,10
70TB1970000	GKC6 100-80G-0015H	1,5	4.349,10
70TB2000000	GKC6 100-80D-0018H	1,8	4.789,50
70TB2030000	GKC6 100-80A-0018H	1,8	4.789,50
70TB2420000	GKC6 150-100G-0040L	4	6.952,20
70TB2450000	GKC6 150-100D-0040L	4	6.952,20
70TB2480000	GKC6 150-100A-0040L	4	6.952,20
70TB3470000	GKC6 200-135G-0110P	11	14.633,80
70TB3500000	GKC6 200-135D-0150P	15	15.273,80
70TB3530000	GKC6 200-135A-0195P	19,5	18.291,50
70TB4010000	GKC6 250-163L-0250R	25	31.110,70
70TB4040000	GKC6 250-163G-0340R	34	31.572,90
70TB4070000	GKC6 250-163D-0420R	42	32.664,70
70TB4100000	GKC6 250-163A-0510R	51	45.400,20
70TB4850000	GKC6 250-163L-0250R-R	25	34.492,60
70TB4880000	GKC6 250-163G-0340R-R	34	34.964,40
70TB4910000	GKC6 250-163D-0420R-R	42	36.076,10
70TB4940000	GKC6 250-163A-0510R-R	51	51.499,30


Zubehör/ACCESSORIES					
SAK	APK	APCK	SOK	CFP	CFK
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 250-300-3	APK 350	-	-	CFP250	CFK250
SAK 250-300-3	APK 350	-	-	CFP250	CFK250
SAK 250-300-3	APK 350	-	-	CFP250	CFK250
SAK 250-300-3	APK 350	-	-	CFP250	CFK250
SAK 250-300-3	-	APCK 250A	-	CFP250	CFK250
SAK 250-300-3	-	APCK 250A	-	CFP250	CFK250
SAK 250-300-3	-	APCK 250A	-	CFP250	CFK250
SAK 250-300-3	-	APCK 250A	-	CFP250	CFK250

Art.Nr. Code	Drehstrom Three-phase	P ₂ kW	Preis Price €
70TB3980000	GKC8 250-163A-0210Z	21	33.114,60
70TB4820000	GKC8 250-163A-0210Z-R	21	36.527,90

Zubehör/ACCESSORIES					
SAK	APK	APCK	SOK	CFP	CFK
SAK 250-300-3	APK 350	-	-	CFP250	CFK250
SAK 250-300-3	-	APCK 250/A	SOK350-200	CFP250	CFK250

ZUBEHÖR siehe Seite 79
ACCESSORIES go to page 79

SAK = Kupplungsfuß / Duck-foot pedestal for automatic
APK = Bodengestell für Tauchpumpe / Pump submersible support
APCK = Stützfuß für Trockenkammerpumpe / Support for installation in a dry chamber
SOK = Halterung für horizontale Trockenaufstellung / Support for horizontal installation
CFP = Schlauchanschluss mit Flansch / Flanged hose connection
CFK = Flanschbogen / Flanged elbow



GKN

Schmutzwasser-Tauchpumpen mit Kanallauftrad
submersible pumps with channels impeller

Art.Nr. Code	Drehstrom Three-phase	P2	Preis Price
		kW	€
70TB3650000	GKN4 200-100L-0165N	16,5	14.817,30
70TB3680000	GKN4 200-100G-0193N	19,3	16.005,20
70TB3710000	GKN4 200-100D-0210N	21	16.920,10
70TB3740000	GKN4 200-100A-0260N	26	17.834,10
70TB5870000	GKN4 300-143N-0820R	82	49.990,90
70TB5900000	GKN4 300-143M-0900T	90	55.858,00
70TB5930000	GKN4 300-143I-1000T	100	58.621,70
70TB5960000	GKN4 300-143G-1200T	120	63.763,10
70TB5990000	GKN4 300-143D-1450T	145	78.689,80
70TB6020000	GKN4 300-143A-1800T	180	85.395,60
70TB6050000	GKN4 300-143Q-0820R-R	82	55.738,10
70TB6080000	GKN4 300-143P-0900T-R	90	61.528,10
70TB6110000	GKN4 300-143L-1000T-R	100	64.918,60
70TB6140000	GKN4 300-143H-1200T-R	120	70.060,00
70TB6170000	GKN4 300-143E-1450T-R	145	85.065,60
70TB6200000	GKN4 300-143B-1800T-R	180	91.989,30


Zubehör Accessories					
SAK	APK	APCK	SOK	CFP	CFK
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 300-350-3A	APK 350	-	-	-	CFK300
SAK 300-350-3A	APK 350	-	-	-	CFK300
SAK 300-350-3A	APK 350	-	-	-	CFK300
SAK 300-350-3A	APK 350	-	-	-	CFK300
SAK 300-350-3A	APK 350	-	-	-	CFK300
SAK 300-350-3A	APK 350	-	-	-	CFK300
-	-	APCK 300	-	-	CFK300
SAK 300-350-3A	-	APCK 300	SOK350-250	-	CFK300
SAK 300-350-3A	-	APCK 300	SOK350-280	-	CFK300
SAK 300-350-3A	-	APCK 300	SOK350-280	-	CFK300
SAK 300-350-3A	-	APCK 300	SOK350-280	-	CFK300
SAK 300-350-3A	-	APCK 300	SOK350-316	-	CFK300

Art.Nr. Code	Drehstrom Three-phase	P2	Preis Price
		kW	€
70TB2660000	GKN6 200-100L-0075N	7,5	10.035,50
70TB2690000	GKN6 200-100G-0075N	7,5	10.035,50
70TB2720000	GKN6 200-100A-0075N	7,5	10.035,50
70TB3560000	GKN6 200-100L-0110N	11	14.633,80
70TB3590000	GKN6 200-100G-0110N	11	14.633,80
70TB3620000	GKN6 200-100A-0110N	11	14.633,80
70TB3770000	GKN6 250-115I-0110P	11	16.920,10
70TB3800000	GKN6 250-115D-0150P	15	17.377,60
70TB3830000	GKN6 250-115A-0195P	19,5	20.120,40
70TB4190000	GKN6 300-143M-0250R	25	32.629,50
70TB4220000	GKN6 300-143G-0340R	34	33.092,70
70TB4250000	GKN6 300-143D-0420R	42	34.183,60
70TB4280000	GKN6 300-143A-0510R	51	46.908,60
70TB5030000	GKN6 300-143N-0250R-R	25	36.031,40
70TB5060000	GKN6 300-143H-0340R-R	34	36.505,10
70TB5090000	GKN6 300-143E-0420R-R	42	37.616,80
70TB5120000	GKN6 300-143B-0510R-R	51	53.041,90
70TB5270000	GKN6 350-164V-0420R	42	36.449,90
70TB5300000	GKN6 350-164S-0510R	51	49.186,30
70TB5330000	GKN6 350-164W-0420R-R	42	41.382,00
70TB5360000	GKN6 350-164T-0510R-R	51	54.636,80
70TB6230000	GKN6 350-164O-0600T	60	61.540,50
70TB6260000	GKN6 350-164G-0820T	82	64.610,50
70TB6290000	GKN6 350-164A-1000T	100	66.877,80
70TB6320000	GKN6 350-164P-0600T-R	60	68.022,80
70TB6350000	GKN6 350-164H-0820T-R	82	71.028,10
70TB6380000	GKN6 350-164B-1000T-R	100	73.428,60

Zubehör Accessories					
SAK	APK	APCK	SOK	CFP	CFK
SAK 200-250-3	APK 150	APCK 200	SOK150/N3	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	SOK150/N3	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	SOK150/N3	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 200-250-3	APK 150	APCK 200	-	CFP200	CFK200
SAK 250-300-3	APK 250	APCK 250	-	CFP250	CFK250
SAK 250-300-3	APK 250	APCK 250	-	CFP250	CFK250
SAK 250-300-3	APK 250	APCK 250	-	CFP250	CFK250
SAK 300-350-3	APK 350	-	-	-	CFK300
SAK 300-350-3	APK 350	-	-	-	CFK300
SAK 300-350-3	APK 350	-	-	-	CFK300
SAK 300-350-3	APK 350	-	-	-	CFK300
-	-	APCK 300	-	-	CFK300
-	-	APCK 300	-	-	CFK300
-	-	APCK 300	-	-	CFK300
-	-	APCK 300	-	-	CFK300
SAK 350-400-3A	APK 350	-	-	-	CFK350
SAK 350-400-3A	APK 350	-	-	-	CFK350
-	-	APCK 350	-	-	CFK350
-	-	APCK 350	-	-	CFK350
SAK 350-400-3A	APK 350	-	-	-	CFK350
SAK 350-400-3A	APK 350	-	-	-	CFK350
SAK 350-400-3A	APK 350	-	-	-	CFK350
SAK 350-400-3A	-	APCK 350	-	-	CFK350
SAK 350-400-3A	-	APCK 350	SOK350-280	-	CFK350
SAK 350-400-3A	-	APCK 350	SOK350-280	-	CFK350

ZUBEHÖR siehe Seite 79
ACCESSORIES go to page 79

SAK = Kupplungsfuß / Duck-foot pedestal for automatic
APK = Bodengestell für Tauchpumpe / Pump submersible support
APCK = Stützfuß für Trockenkammerpumpe / Support for installation in a dry chamber
SOK = Halterung für horizontale Trockenaufstellung / Support for horizontal installation
CFP = Schlauchanschluss mit Flansch / Flanged hose connection
CFK = Flanschbogen / Flanged elbow



GKN

Schmutzwasser-Tauchpumpen mit Kanallauftrad
submersible pumps with channels impeller

Art.Nr. Code	Drehstrom Three-phase	P2 kW	Preis Price €	Zubehör Accessories					
				SAK	APK	APCK	SOK	CFP	CFK
70TB4130000	GKN8 300-143D-0170Z	17	33.753,70	SAK 300-350-3	APK 350	-	-	-	CFK300
70TB4160000	GKN8 300-143A-0210Z	21	34.634,30	SAK 300-350-3	APK 350	-	-	-	CFK300
70TB4970000	GKN8 300-143E-0170Z-R	17	37.176,50	SAK 300-350-3	-	APCK 300	SOK350-200	-	CFK300
70TB5000000	GKN8 300-143B-0210Z-R	21	38.080,00	SAK 300-350-3	-	APCK 300	SOK350-200	-	CFK300
70TB4310000	GKN8 350-143S-0210R	21	35.195,50	SAK 350-400-3	APK 350	-	-	-	CFK350
70TB4340000	GKN8 350-143O-0250R	25	42.009,70	SAK 350-400-3	APK 350	-	-	-	CFK350
70TB4370000	GKN8 350-143G-0340R	34	43.573,30	SAK 350-400-3	APK 350	-	-	-	CFK350
70TB4400000	GKN8 350-143A-0420R	42	48.791,70	SAK 350-400-3	APK 350	-	-	-	CFK350
70TB5150000	GKN8 350-143T-0210R-R	21	38.651,60	SAK 350-400-3	-	APCK 350	SOK350-200	-	CFK350
70TB5180000	GKN8 350-143P-0250R-R	25	47.129,20	SAK 350-400-3	-	APCK 350	SOK350-200	-	CFK350
70TB5210000	GKN8 350-143H-0340R-R	34	48.713,70	SAK 350-400-3	-	APCK 350	SOK350-225	-	CFK350
70TB5240000	GKN8 350-143B-0420R-R	42	54.955,40	SAK 350-400-3	-	APCK 350	SOK350-250	-	CFK350

ZUBEHÖR siehe Seite 79
 ACCESSORIES go to page 79

SAK = Kupplungsfuß / Duck-foot pedestal for automatic
 APK = Bodengestell für Tauchpumpe / Pump submersible support
 APCK = Stützfuß für Trockenkammerpumpe / Support for installation in a dry chamber
 SOK = Halterung für horizontale Trockenaufstellung / Support for horizontal installation
 CFP = Schlauchanschluss mit Flansch / Flanged hose connection
 CFK = Flanschbogen / Flanged elbow



GKA

Schmutzwasser-Tauchpumpen mit offenem Laufrad
Submersible pumps with open impeller

Art.Nr. Code	Drehstrom Three-phase	P2	Preis Price
		kW	€
70TB7370000	GKA4 80-34L-0016H	1.6	3.303,00
70TB7400000	GKA4 80-34G-0016H	1.6	3.303,00
70TB7430000	GKA4 80-34D-0021H	2.1	3.461,80
70TB7460000	GKA4 80-34A-0029H	2.9	3.501,80
70TB6650000	GKA4 100-38L-0075L	7,5	7.937,50
70TB6680000	GKA4100-38G-0105L	10,5	9.059,70
70TB6710000	GKA4 100-38D-0125L	12,5	9.703,60
70TB6740000	GKA4 100-38A-0125L	12,5	9.703,60
70TB7490000	GKA4 100-41L-0029H	2.9	3.964,00
70TB7520000	GKA4 100-41G-0037H	3.7	4.426,20
70TB7550000	GKA4 100-41D-0046H	4.6	5.086,20
70TB7580000	GKA4 100-41A-0058H	5.8	5.813,80
70TB6770000	GKA4 100-45L-0165N	16,5	16.462,70
70TB6800000	GKA4 100-45G-0193N	19,3	17.560,20
70TB6830000	GKA4 100-45D-0210N	21	18.108,90
70TB6860000	GKA4 100-45A-0260N	26	18.657,70
70TB7610000	GKA4 150-51P-0021H	2.1	8.172,40
70TB7640000	GKA4 150-51L-0029H	2.9	8.215,20
70TB7670000	GKA4 150-51G-0037H	3.7	8.342,60
70TB7700000	GKA4 150-51D-0046H	4.6	8.390,20
70TB7730000	GKA4 150-51A-0058H	5.8	8.885,70
70TB6890000	GKA4 150-60L-0165N	16,5	16.462,70
70TB6920000	GKA4 150-60G-0193N	19,3	17.560,20
70TB6950000	GKA4 150-60D-0210N	21	19.206,40
70TB6980000	GKA4 150-60A-0260N	26	19.755,20

Zubehör Accessories					
SAK	APK	APCK	SOK	CFP	CFK
SAK 80-80-2A	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2A	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2A	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 80-80-2A	APK 80	APCK 80	SOK80/N3	CFP80	CFK80
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2A	APK 100	APCK 100	SOK100/N3	CFP100	CFK100
SAK 100-100-2	APK 150	APCK 150A	-	CFP100	CFK100
SAK 100-100-2	APK 150	APCK 150A	-	CFP100	CFK100
SAK 100-100-2	APK 150	APCK 150A	-	CFP100	CFK100
SAK 100-100-2	APK 150	APCK 150A	-	CFP100	CFK100
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-150-2	APK 150	APCK 150A	SOK150/N3	CFP150	CFK150
SAK 150-200-3	APK 150	APCK 150A	-	CFP150	CFK150
SAK 150-200-3	APK 150	APCK 150A	-	CFP150	CFK150
SAK 150-200-3	APK 150	APCK 150A	-	CFP150	CFK150

ZUBEHÖR siehe Seite 79
ACCESSORIES go to page 79

SAK = Kupplungsfuß / Duck-foot pedestal for automatic
APK = Bodengestell für Tauchpumpe / Pump submersible support
APCK = Stützfuß für Trockenkammerpumpe / Support for installation in a dry chamber
SOK = Halterung für horizontale Trockenaufstellung / Support for horizontal installation
CFP = Schlauchanschluss mit Flansch / Flanged hose connection
CFK = Flanschbogen / Flanged elbow



GKG

Tauchmotorpumpen mit Hochleistungs-Schneidwerk
Submersible pumps with high power grinder

Art.Nr. Code	Drehstrom Three-phase	P2 kW	Preis Price €	Zubehör Accessories		
				SAK	SAK	CFF
70TB4430000	GKG2 40-4T-0020F	2	2.147,50	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"
70TB4460000	GKG2 40-4R-0020F	2	2.169,30	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"
70TB4550000	GKG2 40-4D-0020F	2	2.169,30	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"
70TB4580000	GKG2 40-4G-0020F	2	2.147,50	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"
70TB4490000	GKG2 40-4P-0025F	2,5	2.202,60	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"
70TB4520000	GKG2 40-4A-0025F	2,5	2.202,60	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"
70TB4670000	GKG2 40-4G-0038H	3,8	3.210,70	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"
70TB4640000	GKG2 40-4D-0048H	4,8	3.248,80	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"
70TB4610000	GKG2 40-4A-0065H	6,5	3.578,80	SAK 40-G11/2-3/4	SAK 40-G11/2A	CFF 1 1/2"

ZUBEHÖR siehe Seite 79
 ACCESSORIES go to page 79

SAK = Kupplungsfuß / Duck-foot pedestal for automatic

Zubehör - Accessories




Kupplungsfuß
Duck foot coupling

Art.Nr. Code	Typ Type	Preis Price €
18100010000	SA-DN65	1.115,50
18120310000	SAK 65-65-2	600,80
18120320000	SAK 65-80-2	617,60
18120350000	SAK 80-80-2	762,00
18120340000	SAK 80-100-2	778,70
18120370000	SAK 100-100-2	810,10
18120380000	SAK 100-100-2A	826,90
18120390000	SAK 150-150-2	1.020,40
18120400000	SAK 150-200-3	2.007,30
18120410000	SAK 200-250-3	2.446,00
18120420000	SAK 250-300-3	3.740,40
18120430000	SAK 300-350-3	4.437,50
18120440000	SAK 350-400-3	5.699,60
18120630000	SAK 250-300-3A	4.480,00
18120640000	SAK 300-350-3A	5.308,00
18120650000	SAK 350-400-3A	5.968,10



Kupplungsfuß
Duck foot coupling

Art.Nr. Code	Typ Type	Preis Price €
40301310000	SA-G2"	284,20
18120290000	SAK 40-G11/2-3/4	242,80
18120300000	SAK 40-G11/2A	695,90



**Kupplungsadapter für
Kupplungsfuß**
Duck foot coupling adaptors

Art.Nr. Code	Typ Type	Preis Price €
18120750000	ADA 40	101,80
18120760000	ADA 65	273,00
18120770000	ADA 65/80	450,90
18120780000	ADA 80/100	510,20
18120790000	ADF 40	154,40
18120800000	ADF 65	296,50
18120810000	ADF 80/80-100	321,10
18120820000	ADF 100/80	676,90
18120830000	ADF 100	652,30
18120840000	ADF 150	770,90
18120850000	ADF 200	866,00
18120860000	ADF 200/250	866,00
18120870000	ADF 250	866,00
18120880000	ADF 300	1.423,20
18120890000	ADF 350/300	1.482,50

Bodengestell für Tauchpumpe
Pump support



Art.Nr. Code	Typ Type	Preis Price €
18120000000	APK 80	695,90
18120010000	APK 100	695,90
18120020000	APK 100A	907,40
18120030000	APK 150	859,30
18120040000	APK 150A	924,20
18120050000	APK 250	941,00
18120060000	APK 350	1.054,00



**Stützfuß für
Trockenkammerpumpe**
*Support for installation in a
dry chamber*

Art.Nr. Code	Typ Type	Preis Price €
18120680000	APCK 65	935,40
18120690000	APCK 80	1.329,20
18120070000	APCK 100	1.945,70
18120080000	APCK 150	2.736,80
18120090000	APCK 150A	2.881,10
18120100000	APCK 200	2.881,10
18120110000	APCK 250	4.032,40
18120120000	APCK 250A	4.081,70
18120130000	APCK 300	4.437,50
18120140000	APCK 350	6.185,20

Zubehör - Accessories



**Halterung für horizontale
Trockenaufstellung**
*Support for horizontal
installation*

Art.Nr. Code	Typ Type	Preis Price €
18120450000	SOK80/N3	1.165,90
18120470000	SOK100/N3	1.329,20
18120480000	SOK150/N3	1.425,50
18120490000	SOK150-200	1.813,70
18120500000	SOK150-225	1.813,70
18120510000	SOK150-250	1.813,70
18120540000	SOK350-200	2.073,30
18120550000	SOK350-225	2.073,30
18120560000	SOK350-250	2.073,30
18120670000	SOK350-315	2.762,50
18120660000	SOK350-280	2.696,50



**Schlauchanschluss mit
Flansch**
Flanged hose connection

Art.Nr. Code	Typ Type	Preis Price €
18120220000	CFF 1 1/2"	212,60
18120230000	CFP65	276,40
18120240000	CFP80	324,50
18120250000	CFP100	438,60
18120260000	CFP150	646,70
18120270000	CFP200	1069,70
18120280000	CFP250	1.862,90



Flanschbogen
Delivery elbow

Art.Nr. Code	Typ Type	Preis Price €
18120150000	CFK80	665,70
18120160000	CFK100	876,10
18120170000	CFK150	1.038,30
18120180000	CFK200	1.086,40
18120190000	CFK250	1.974,80
18120200000	CFK300	2.153,80
18120210000	CFK350	2.639,40



GEO 40

Automatische Schmutzwasser-Hebeanlage

Einzeltank

*Automatic clear water collecting and lifting station
single tank*

Mit einzelner Entwässerungs-Tauchmotorpumpe
With one Submersible drainage pump


Art.Nr. Code	Stromversorgung Supply mains 1 ~ 230V	P2 kW	Preis Price €
8G010100000	GEO 40-GXRM 9	0,25	968,30
8G010200000	GEO 40-GXRM 9 GF	0,25	1.016,20
8G010400000	GEO 40-GXRM 11 GF	0,37	1.086,90
8G010300000	GEO 40-GXRM 13 GF	0,45	1.134,90

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 40 Liter
- 1 Pumpe
- 1 Schwimmerschalter
- 1 Rückschlagklappe druckseitig
- 1 Anschlusskit druckseitig

The automatic lifting station includes:

- 1 40 lt capacity tank*
- 1 Pump*
- 1 float switch*
- 1 non-return valve with clapet on the pump delivery side*
- 1 discharge pipe kit*



GEO 230

Automatische Schmutzwasser-Hebeanlage Einzeltank
Automatic clear water collecting and lifting station single tank

Mit einzelner Entwässerungs-Tauchmotorpumpe
With one Submersible drainage pump

Art.Nr. Code	Stromversorgung Supply mains 1 ~ 230V	P2 kW	Preis Price €
8G020100000	GEO 230-GM10	0,3	982,00
8G020500000	GEO 230-GXRM 9	0,25	991,00
8G020600000	GEO 230-GXRM 11	0,37	1.061,80
8G020700000	GEO 230-GXRM 13	0,45	1.109,90
8G020200000	GEO 230-GXVM 25-6	0,25	1.050,50
8G020300000	GEO 230-GXVM 25-8	0,37	1.116,70
8G020400000	GEO 230-GXVM 25-10	0,45	1.212,60

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
- 1 Pumpe
- 1 Schwimmerschalter
- 1 Anschlusskit druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage


Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil 139,90€
 Sicherheits-Schwimmerschalter Wechselstrom 332,20€
 Alarmpanel RA 100-A 624,30€

The automatic lifting station includes:

- 1 tank capacity 230l*
- 1 Pump*
- 1 float switch*
- 1 discharge pipe kit (ball valve and non-return ball valve on request)*
- On request: extension 300 mm*

On request

discharge pipe kit with ball valve and non-return ball valve 139,90 €
safety float switch for single-phase 332,20 €
RA 100-A control panel for remote alarm 624,30 €



GEO 230

Automatische Schmutzwasser-Hebeanlage Einzeltank
Automatic clear water collecting and lifting station single tank

Mit einzelner Entwässerungs-Tauchmotorpumpe
With one Submersible drainage pump

Art.Nr. Code	Stromversorgung Supply mains 3 ~ 400V	P2 kW	Preis Price €
8G024100000	GEO 230-GQR 10-10	0,45	2.610,10
8G024300000	GEO 230-GQR 10-12	0,55	2.642,20
8G024500000	GEO 230-GQR 10-14	0,75	2.667,20
8G024700000	GEO 230-GQR 10-16	0,9	2.747,20
8G034900000	GEO 230-GQR 10-18	1,1	2.804,20
8G025100000	GEO 230-GQR 10-20	1,5	2.827,00

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
- 1 Pumpe
- 1 Schwimmerschalter
- 1 Kontrollbox für Drehstromausführung
- 1 Anschlusskit druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil 139,90€
 Sicherheits-Schwimmerschalter Drehstrom 68,90€, Wechselstrom 332,20€
 Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1 ~ 230V	P2 kW	Preis Price €
8G024200000	GEO 230-GQRM 10-10	0,45	1.258,30
8G024400000	GEO 230-GQRM 10-12	0,55	1.290,20
8G024600000	GEO 230-GQRM 10-14	0,75	1.315,40
8G024800000	GEO 230-GQRM 10-16	0,9	1.395,30
8G025000000	GEO 230-GQRM 10-18	1,1	1.452,30
8G025150000	GEO 230-GQRM 10-20	1,5	1.582,80

The automatic lifting station includes:

- 1 tank capacity 230l*
- 1 Pump*
- 1 float switch*
- 1 control box for three-phase version*
- 1 discharge pipe kit (ball valve and non-return ball valve on request)*
- On request: extension 300 mm*

On request

discharge pipe kit with ball valve and non-return ball valve 139,90 €
safety float switch for three-phase 68,90 €, for single-phase 332,20 €
RA 100-A control panel for remote alarm 624,30 €



GEO 230

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit einzelner Schmutzwasser-Tauchmotorpumpe
With one Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G027000000	GEO 230-GXC 40-10	0,55	2.911,60
8G027200000	GEO 230-GXC 40-13	0,9	2.950,30
8G027400000	GEO 230-GXV 40-7	0,55	2.756,20
8G027600000	GEO 230-GXV 40-8	0,75	2.874,30
8G027800000	GEO 230-GXV 40-9	0,9	2.950,30

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G026070000	GEO 230 GQS 40-9	0,45	2.696,50

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
- 1 Pumpe
- 1 Schwimmerschalter
- 1 Kontrollbox für Drehstromausführung
- 1 Anschlusskit druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil 139,90€
Sicherheits-Schwimmerschalter Drehstrom 68,90€, Wechselstrom 332,20€
Alarmpanel RA 100-A 624,30€

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G027100000	GEO 230-GXCM 40-10	0,55	1.673,80
8G027300000	GEO 230-GXCM 40-13	0,9	1.715,00
8G027500000	GEO 230-GXVM 40-7	0,55	1.443,30
8G027700000	GEO 230-GXVM 40-8	0,75	1.559,00
8G027900000	GEO 230-GXVM 40-9	0,9	1.635,10

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G026080000	GEO 230 GQSM 40-9	0,45	1.545,40

The automatic lifting station includes:

- 1 tank capacity 230l
- 1 Pump
- 1 float switch
- 1 control box for three-phase version
- 1 discharge pipe kit (ball valve and non-return ball valve on request)
- On request: extension 300 mm

On request

discharge pipe kit with ball valve and non-return ball valve 139,90 €
safety float switch for three-phase 68,90 €, for single-phase 332,20 €
RA 100-A control panel for remote alarm 624,30 €



GEO 230

Automatische Schmutzwasser-Hebeanlage Einzeltank

Automatic clear water collecting and lifting station single tank

Mit einzelner Entwässerungs-Tauchmotorpumpe
With one Submersible drainage pump

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G028000000	GEO 230-GQR 10 32-10	0,45	4.082,20
8G028200000	GEO 230-GQR 10 32-12	0,55	4.114,80
8G028400000	GEO 230-GQR 10 32-14	0,75	4.140,90
8G028600000	GEO 230-GQR 10 32-16	0,9	4.219,20
8G028800000	GEO 230-GQR 10 32-18	1,1	4.277,80
8G029000000	GEO 230-GQR 10 32-20	1,5	4.299,70

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
- 1 Pumpe
- 1 Schwimmerschalter
- 1 Kontrollbox für Drehstromausführung
- 1 Anschlusskit druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- 1 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom 68,90€, Wechselstrom 332,20€
Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G028100000	GEO 230-GQRM 10-32-10	0,45	2.809,80
8G028300000	GEO 230-GQRM 10 32-12	0,55	2.842,50
8G028500000	GEO 230-GQRM 10 32-14	0,75	2.868,70
8G028700000	GEO 230-GQRM 10-32-16	0,9	2.947,00
8G028900000	GEO 230-GQRM 10 32-18	1,1	3.005,60
8G029100000	GEO 230-GQRM 10 32-20	1,5	3.136,20

The automatic lifting station includes:

- 1 tank capacity 230l
- 1 Pump
- 1 float switch
- 1 control box
- 1 discharge pipe kit with ball valve and non-return ball valve
- 1 duck foot coupling kit
- On request: extension 300 mm

On request

safety float switch for three-phase 68,90 €, for single-phase 332,20 €
RA 100-A control panel for remote alarm 624,30 €



GEO 230

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit einzelner Tauchmotorpumpe mit Hochleistungs-Schneidwerk
With one Submersible pumps with high power grinder

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G029200000	GEO 230-GQG 6-18	0,9	4.549,70
8G029400000	GEO 230-GQG 6-21	1,1	4.636,80
8G029600000	GEO 230-GQG 6-25	1,5	5.093,50

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
- 1 Pumpe
- 1 Schwimmerschalter
- 1 Kontrollbox
- 1 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
- 1 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G029300000	GEO 230-GQGM 6-18	0,9	3.588,40
8G029500000	GEO 230-GQGM 6-21	1,1	3.675,60
8G029700000	GEO 230-GQGM 6-25	1,5	4.132,30

The automatic lifting station includes:

- 1 tank capacity 230l
- 1 Pump
- 1 float switch
- 1 control box
- 1 discharge pipe kit with ball valve and non-return ball valve
- 1 duck foot coupling kit
- On request: extension 300 mm

On request

safety float switch for three-phase and single-phase 68,90 €
RA 100-A control panel for remote alarm 624,30 €



GEO 230

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit einzelner Schmutzwasser-Tauchmotorpumpe
With one Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G023100000	GEO 230-GMC 50-65C	0,75	4.860,80
8G023300000	GEO 230-GMC 50-65B	1,1	5.115,20
8G023500000	GEO 230-GMC 50-65A	1,5	5.176,20
8G023600000	GEO 230-GMV 50-65C	0,75	4.839,00
8G023800000	GEO 230-GMV 50-65B	1,1	5.093,50
8G024000000	GEO 230-GMV 50-65A	1,5	5.154,40

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
- 1 Pumpe
- 1 Schwimmerschalter
- 1 Kontrollbox für Drehstromausführung
- 1 Anschlusskit druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- 1 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom 68,90€, Wechselstrom 332,20€
Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G023200000	GEO 230-GMCM 50-65C	0,75	3.640,70
8G023400000	GEO 230-GMCM 50-65B	1,1	3.901,50
8G023700000	GEO 230-GMVM 50-65C	0,75	3.618,80
8G023900000	GEO 230-GMVM 50-65B	1,1	3.879,90

The automatic lifting station includes:

- 1 tank capacity 230l
- 1 Pump
- 1 float switch
- 1 control box
- 1 discharge pipe kit with ball valve and non-return ball valve
- 1 duck foot coupling kit
- On request: extension 300 mm

On request

safety float switch for three-phase 68,90 €, for single-phase 332,20 €
RA 100-A control panel for remote alarm 624,30 €



GEO 230

Automatische Schmutzwasser-Hebeanlage Automatic waste water collecting and lifting station

Mit einzelner Schmutzwasser-Tauchmotorpumpe
With one Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G022100000	GEO 230-GMC 50CE	0,75	3.668,90
8G022300000	GEO 230-GMC 50BE	1,1	3.923,40
8G022500000	GEO 230-GMC 50AE	1,5	3.984,30
8G022600000	GEO 230-GMV 50CE	0,75	3.647,20
8G022800000	GEO 230-GMV 50BE	1,1	3.901,50
8G023000000	GEO 230-GMV 50AE	1,5	3.962,60

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G026100000	GEO 230-GQS 50-8	0,55	3.020,90
8G026300000	GEO 230-GQS 50-9	0,75	3.042,60
8G026500000	GEO 230-GQS 50-11	0,9	3.125,30
8G026700000	GEO 230-GQS 50-13	1,1	3.203,50
8G026900000	GEO 230-GQS 50-15	1,5	3.225,30
8G029800000	GEO 230-GQN 50-13	0,9	3.167,20
8G030000000	GEO 230-GQN 50-15	1,1	3.250,60
8G030020000	GEO 230-GQN 50-17	1,5	3.276,90

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
- 1 Pumpe
- 1 Schwimmerschalter
- 1 Kontrollbox für Drehstromausführung
- 1 Anschlusskit druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- 1 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom 68,90€, Wechselstrom 332,20€

Alarmpanel RA 100-A 624,30€

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G022200000	GEO 230-GMCM 50CE	0,75	2.368,40
8G022400000	GEO 230-GMCM 50BE	1,1	2.629,30
8G022700000	GEO 230-GMVM 50CE	0,75	2.346,50
8G022900000	GEO 230-GMVM 50BE	1,1	2.607,60

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G026200000	GEO 230-GQSM 50-8	0,55	1.666,00
8G026400000	GEO 230-GQSM 50-9	0,75	1.687,60
8G026600000	GEO 230-GQSM 50-11	0,9	1.770,30
8G026800000	GEO 230-GQSM 50-13	1,1	1.848,50
8G026950000	GEO 230-GQSM 50-15	1,5	1.979,10
8G029900000	GEO 230-GQNM 50-13	0,9	1.813,00
8G030010000	GEO 230-GQNM 50-15	1,1	1.896,20
8G030030000	GEO 230-GQNM 50-17	1,5	2.032,20


The automatic lifting station includes:

- 1 tank capacity 230l
- 1 Pump
- 1 float switch
- 1 control box for three-phase version
- 1 discharge pipe kit with ball valve and non-return ball valve
- On request: extension 300 mm

On request

safety float switch for three-phase 68,90 €, for single-phase 332,20 €

RA 100-A control panel for remote alarm 624,30 €



GEO 230

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit einzelner Schmutzwasser-Tauchmotorpumpe
With one Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G025200000	GEO 230-GQV 50-8	0,55	4.206,30
8G025400000	GEO 230-GQV 50-9	0,75	4.229,20
8G025600000	GEO 230-GQV 50-11	0,9	4.309,10
8G025800000	GEO 230-GQV 50-13	1,1	4.389,00
8G026000000	GEO 230-GQV 50-15	1,5	4.411,90

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
 - 1 Pumpe
 - 1 Schwimmerschalter
 - 1 Kontrollbox
 - 1 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
 - 1 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
Alarmpanel RA 100-A 624,30€

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G025300000	GEO 230-GQVM 50-8	0,55	2.934,40
8G025500000	GEO 230-GQVM 50-9	0,75	2.957,20
8G025700000	GEO 230-GQVM 50-11	0,9	3.037,20
8G025900000	GEO 230-GQVM 50-13	1,1	3.117,10
8G026050000	GEO 230-GQVM 50-15	1,5	3.247,60

The automatic lifting station includes:

- 1 tank capacity 230l
 - 1 Pump
 - 1 float switch
 - 1 control box
 - 1 discharge pipe kit with ball valve and non-return ball valve
 - 1 duck foot coupling kit
- On request: extension 300 mm

On request

safety float switch for three-phase and single-phase 68,90 €
RA 100-A control panel for remote alarm 624,30 €



GEO 230

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit zwei Schmutzwasser- und Entwässerungs-Tauchmotorpumpen
With two Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G026071000	GEO 230-2 GQS 40-9	0,45X2	3.187,40

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 230 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 1 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
- 2 Anschlusskits druckseitig (Kugelhahn und Kugelrückschlagventil auf Anfrage)
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil 355,10€
- Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
- Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G026081000	GEO 230 2 GQSM 40-9	0,45X2	2.890,90

The automatic lifting station includes:

- 1 tank capacity 230l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kit (ball valve and non-return ball valve on request)
- On request: extension 300 mm

On request

- 2 discharge pipe kit with ball valve and non-return ball valve 355,10 €
- safety float switch for three-phase and single-phase 68,90 €
- RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit zwei Schmutzwasser-Tauchmotorpumpen
With two Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G036070000	GEO 500-2 GQS 40-9	0,45 X2	3.965,90

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskits druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil 355,10€
- Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
- Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G036080000	GEO 500-2 GQSM 40-9	0,45 X2	3.796,90

The automatic lifting station includes:

- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kit (ball valve and non-return ball valve on request)
- On request: extension 300 mm

On request

- 2 discharge pipe kit with ball valve and non-return ball valve 355,10 €
- safety float switch for three-phase and single-phase 68,90 €
- RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage Einzeltank Automatic clear water collecting and lifting station single tank

Mit zwei Entwässerungs-Tauchmotorpumpen
With two Submersible drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G030100000	GEO 500-2 GM10	0,3 X2	2.927,50
8G030500000	GEO 500-2 GXRM 9	0,25 X2	3.082,80
8G030600000	GEO 500-2 GXRM 11	0,37 X2	3.224,50
8G030700000	GEO 500-2 GXRM 13	0,45 X2	3.320,30
8G030200000	GEO 500-2 GXVM 25-6	0,37 X2	3.210,70
8G030300000	GEO 500-2 GXVM 25-8	0,25 X2	3.338,60
8G030400000	GEO 500-2 GXVM 25-10	0,45 X2	3.525,90

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskit druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage


- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil 325,80€
- Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
- Alarmpanel RA 100-A 624,30€

The automatic lifting station includes:

- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kit (ball valve and non-return ball valve on request)
- On request: extension 300 mm

On request

- 2 discharge pipe kit with ball valve and non-return ball valve 325,80 €
- safety float switch for three-phase and single-phase 68,90 €
- RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage Einzeltank Automatic clear water collecting and lifting station single tank

Mit zwei Entwässerungs-Tauchmotorpumpen
With two Submersible drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G034100000	GEO 500-2 GQR 10-10	0,45 X2	4.044,30
8G034300000	GEO 500-2 GQR 10-12	0,55 X2	4.105,90
8G034500000	GEO 500-2 GQR 10-14	0,75 X2	4.158,50
8G034710000	GEO 500-2 GQR 10-16	0,9 X2	4.318,20
8G024900000	GEO 500-2 GQR 10-18	1,1 X2	4.432,40
8G035100000	GEO 500-2 GQR 10-20	1,5 X2	4.478,10

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil 355,10€
- Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
- Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G034200000	GEO 500-2 GQRM 10-10	0,45 X2	3.614,80
8G034400000	GEO 500-2 GQRM 10-12	0,55 X2	3.678,70
8G034600000	GEO 500-2 GQRM 10-14	0,75 X2	3.729,00
8G034800000	GEO 500-2 GQRM 10-16	0,9 X2	3.889,00
8G035000000	GEO 500-2 GQRM 10-18	1,1 X2	4.003,20
8G035150000	GEO 500-2 GQRM 10-20	1,5 X2	4.264,20

The automatic lifting station includes:

- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kit (ball valve and non-return ball valve on request)
- On request: extension 300 mm

On request

- 2 discharge pipe kit with ball valve and non-return ball valve 355,10 €
- safety float switch for three-phase and single-phase 68,90 €
- RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit zwei Schmutzwasser-Tauchmotorpumpen

With two Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G037000000	GEO 500-2 GXC 40-10	0,55 X2	4.644,70
8G037200000	GEO 500-2 GXC 40-13	0,9 X2	4.720,30
8G037400000	GEO 500-2 GXV 40-7	0,55 X2	4.336,60
8G037600000	GEO 500-2 GXV 40-8	0,75 X2	4.567,90
8G037800000	GEO 500-2 GXV 40-9	0,9 X2	4.720,30

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskit druckseitig (Kugel- und Kugelrückschlagventil auf Anfrage)
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil 355,10€

Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€

Alarmpanel RA 100-A 624,30€

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G037100000	GEO 500-2 GXCM 40-10	0,55 X2	4.309,10
8G037300000	GEO 500-2 GXCM 40-13	0,9 X2	4.384,50
8G037500000	GEO 500-2 GXVM 40-7	0,55 X2	3.847,90
8G037700000	GEO 500-2 GXVM 40-8	0,75 X2	4.072,50
8G037900000	GEO 500-2 GXVM 40-9	0,9 X2	4.224,70

The automatic lifting station includes:


- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kit (ball valve and non-return ball valve on request)
- On request: extension 300 mm

On request

2 discharge pipe kit with ball valve and non-return ball valve 355,10 €

safety float switch for three-phase and single-phase 68,90 €

RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage Einzeltank

Automatic clear water collecting and lifting station single tank

Mit zwei Entwässerungs-Tauchmotorpumpen

With two Submersible drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G038000000	GEO 500-2 GQR 10 32-10	0,45 X2	6.931,10
8G038200000	GEO 500-2 GQR 10 32-12	0,55 X2	6.996,40
8G038400000	GEO 500-2 GQR 10 32-14	0,75 X2	7.046,50
8G038600000	GEO 500-2 GQR 10 32-16	0,9 X2	7.205,40
8G038800000	GEO 500-2 GQR 10 32-18	1,1 X2	7.320,60
8G039000000	GEO 500-2 GQR 10 32-20	1,5 X2	7.366,30

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
- 2 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€

Alarmpanel RA 100-A 624,30€

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G038100000	GEO 500-2 GQRM 10 32-10	0,45 X2	6.502,90
8G038300000	GEO 500-2 GQRM 10 32-12	0,55 X2	6.568,10
8G038500000	GEO 500-2 GQRM 10 32-14	0,75 X2	6.618,00
8G038700000	GEO 500-2 GQRM 10 32-16	0,9 X2	6.776,80
8G038900000	GEO 500-2 GQRM 10 32-18	1,1 X2	6.892,00
8G039100000	GEO 500-2 GQRM 10 32-20	1,5 X2	7.153,00


The automatic lifting station includes:

- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kits with ball valves and non-return ball valves
- 2 duck foot coupling kits
- On request: extension 300 mm

On request

safety float switch for three-phase and single-phase 68,90 €

RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit zwei Tauchmotorpumpen mit Hochleistungs-Schneidwerk
With two Submersible pumps with high power grinder

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G039200000	GEO 500-2 GQG 6-18	0,9 X2	7.868,60
8G039400000	GEO 500-2 GQG 6-21	1,1 X2	8.042,50
8G039600000	GEO 500-2 GQG 6-25	1,5 X2	8.955,90

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
- 2 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G039300000	GEO 500-2 GQGM 6-18	0,9 X2	7.546,70
8G039500000	GEO 500-2 GQGM 6-21	1,1 X2	7.720,70
8G039700000	GEO 500-2 GQGM 6-25	1,5 X2	8.634,10

The automatic lifting station includes:

- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kits with ball valves and non-return ball valves
- 2 duck foot coupling kits
- On request: extension 300 mm

On request

safety float switch for three-phase and single-phase 68,90 €
RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit zwei Schmutzwasser-Tauchmotorpumpen
With two Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G032100000	GEO 500-2 GMC 50CE	0,75 X2	6.159,10
8G032300000	GEO 500-2 GMC 50BE	1,1 X2	6.666,60
8G032500000	GEO 500-2 GMC 50AE	1,5 X2	6.787,70
8G032600000	GEO 500-2 GMV 50CE	0,75 X2	6.115,70
8G032800000	GEO 500-2 GMV 50BE	1,1 X2	6.622,20
8G033000000	GEO 500-2 GMV 50AE	1,5 X2	6.744,10

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G036100000	GEO 500-2 GQS 50-8	0,55 X2	4.863,00
8G036300000	GEO 500-2 GQS 50-9	0,75 X2	4.906,50
8G036500000	GEO 500-2 GQS 50-11	0,9 X2	5.069,60
8G036700000	GEO 500-2 GQS 50-13	1,1 X2	5.226,10
8G036900000	GEO 500-2 GQS 50-15	1,5 X2	5.269,60
8G039800000	GEO 500-2 GQN 50-13	0,9 X2	5.154,90
8G040000000	GEO 500-2 GQN 50-15	1,1 X2	5.321,50
8G040200000	GEO 500-2 GQN 50-17	1,5 X2	5.374,20

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
Alarmpanel RA 100-A 624,30€

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G032200000	GEO 500-2 GMCM 50CE	0,75 X2	5.804,70
8G032400000	GEO 500-2 GMCM 50BE	1,1 X2	6.326,60
8G032700000	GEO 500-2 GMVM 50CE	0,75 X2	5.761,10
8G032900000	GEO 500-2 GMVM 50BE	1,1 X2	6.283,00


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G036200000	GEO 500-2 GQSM 50-8	0,55 X2	4.399,60
8G036400000	GEO 500-2 GQSM 50-9	0,75 X2	4.443,20
8G036600000	GEO 500-2 GQSM 50-11	0,9 X2	4.608,60
8G036800000	GEO 500-2 GQSM 50-13	1,1 X2	4.765,10
8G036950000	GEO 500-2 GQSM 50-15	1,5 X2	5.026,00
8G039900000	GEO 500-2 GQNM 50-13	0,9 X2	4.694,00
8G040100000	GEO 500-2 GQNM 50-15	1,1 X2	4.860,60
8G040300000	GEO 500-2 GQNM 50-17	1,5 X2	5.132,60

The automatic lifting station includes:

- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kits with ball valves and non-return ball valves
- On request: extension 300 mm

On request

safety float switch for three-phase and single-phase 68,90 €
RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit zwei Schmutzwasser-Tauchmotorpumpen
With two Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G035200000	GEO 500-2 GQV 50-8	0,55 X2	7.181,90
8G035400000	GEO 500-2 GQV 50-9	0,75 X2	7.227,60
8G035600000	GEO 500-2 GQV 50-11	0,9 X2	7.387,50
8G035800000	GEO 500-2 GQV 50-13	1,1 X2	7.547,20
8G036000000	GEO 500-2 GQV 50-15	1,5 X2	7.593,00

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
- 2 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
Alarmpanel RA 100-A 624,30€


Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G035300000	GEO 500-2 GQVM 50-8	0,55 X2	6.752,50
8G035500000	GEO 500-2 GQVM 50-9	0,75 X2	6.798,20
8G035700000	GEO 500-2 GQVM 50-11	0,9 X2	6.958,10
8G035900000	GEO 500-2 GQVM 50-13	1,1 X2	7.118,00
8G036050000	GEO 500-2 GQVM 50-15	1,5 X2	7.379,00

The automatic lifting station includes:

- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kits with ball valves and non-return ball valves
- 2 duck foot coupling kits
- On request: extension 300 mm

On request

safety float switch for three-phase and single-phase 68,90 €
RA 100-A control panel for remote alarm 624,30 €



GEO 500

Automatische Schmutzwasser-Hebeanlage

Automatic waste water collecting and lifting station

Mit zwei Schmutzwasser-Tauchmotorpumpen
With two Submersible sewage and drainage pumps

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
8G033100000	GEO 500-2 GMC 50-65C	0,75 X2	8.488,50
8G033300000	GEO 500-2 GMC 50-65B	1,1 X2	8.997,40
8G033500000	GEO 500-2 GMC 50-65A	1,5 X2	9.119,20
8G033600000	GEO 500-2 GMV 50-65C	0,75 X2	8.445,00
8G033800000	GEO 500-2 GMV 50-65B	1,1 X2	8.953,80
8G034000000	GEO 500-2 GMV 50-65A	1,5 X2	9.075,60

Die Hebeanlage besteht aus:

- 1 Tank Kapazität 500 Liter
- 2 Pumpen
- 1 Kit mit 2 Schwimmerschaltern
- 1 Elektronische Kontrolleinheit
- 2 Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
- 2 Kupplungsfußsatz mit Abstiegsrutsche
- Auf Anfrage: Verlängerung um 300 mm

Auf Anfrage

Sicherheits-Schwimmerschalter Drehstrom und Wechselstrom 68,90€
Alarmpanel RA 100-A 624,30€

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
8G033200000	GEO 500-2 GMCM 50-65C	0,75 X2	8.133,80
8G033400000	GEO 500-2 GMCM 50-65B	1,1 X2	8.655,90
8G033700000	GEO 500-2 GMVM 50-65C	1,1 X2	8.090,30
8G033900000	GEO 500-2 GMVM 50-65B	0,75 X2	8.612,40

The automatic lifting station includes:

- 1 tank capacity 500 l
- 2 Pumps
- 1 support kit with 2 float switches
- 1 electric control box
- 2 discharge pipe kits with ball valves and non-return ball valves
- 2 duck foot coupling kits
- On request: extension 300 mm

On request

safety float switch for three-phase and single-phase 68,90 €
RA 100-A control panel for remote alarm 624,30 €

Zubehör - Accessories



Schmutzwasser-Sammeltank
Waste water collecting vessel

Art.Nr. Code	Typ Type	Preis Price €
37025480000	GEO 40	242,10




Anschlusskit druckseitig
Discharge pipe kit

Art.Nr. Code	Typ Type	Preis Price €
37025320000	KIT GEO GM 10	99,00
37025340000	KIT GEO GXR9	99,00
37025341000	KIT GEO GXR11,13, GXV25-6	99,00
37025342000	KIT GEO GXV 25-8, 25-10	99,00
37025361000	KIT GEO GX.40	108,90
37025550000	KIT GEO GQR	108,90



Schmutzwasser-Sammeltank
Waste water collecting vessel

Art.Nr. Code	Typ Type	Preis Price €
37025300000	GEO 230	535,10



Anschlusskit druckseitig mit Kugel- und Kugelrückschlagventil
Discharge pipe kit with a ball valve and non-return ball valve

Art.Nr. Code	Typ Type	Preis Price €
37025330000	KIT GEO V GM 10	259,80
37025350000	KIT GEO V GXR9	259,80
37025351000	KIT GEO V GXR11,13, GXV 25-6	259,80
37025352000	KIT GEO V GXV 25-8, 25-10	259,80
37025560000	KIT GEO V GQR	321,60
37025371000	KIT GEO V GX 40	321,60
37025380000	KIT GEO V GM.50, GQS, GQN	445,30
37025401000	KIT GEO V GM.50-65, GMG6, GQV	577,20



Schmutzwasser-Sammeltank
Waste water collecting vessel

Art.Nr. Code	Typ Type	Preis Price €
37024860000	GEO 500	993,80



Kupplungsfußsatz mit Führungseinrichtung
Duck foot coupling kits

Art.Nr. Code	Typ Type	Preis Price €
37025390000	KIT GEO SA-G2	618,50



Erweiterung
Extension

Art.Nr. Code	Typ Type	Preis Price €
37023340000	P GEO 230-500	127,40



Automatisches Alarmpanel für Fernalarm
Auto-supplied control panel for remote alarm

Art.Nr. Code	Moonofase Single-phase	Preis Price €
14042960000	RA 100A	624,30



MP

Mehrstufige Tauchmotorpumpen für reines Wasser
Multi-stage submersible pumps for clean water

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
76J00032100	MP 203/A	0,37	0,5	604,10
76J00042000	MP 204	0,45	0,6	634,20
76J10032000	MP 403	0,45	0,6	634,20

Standard: ohne Schwimmerschalter
Drehstromausführung: Kabellänge 10 m.

*Standard: without float switch
Three-phase version: cable length 10 m..*

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
76K00031100	MPM 203/A	0,37	0,5	604,10
76K00041000	MPM 204	0,45	0,6	634,20
76K10031000	MPM 403	0,45	0,6	634,20

Standard: con galleggiante
Versione Wechselstrom: termoprotettore incorporato, cavo 5 m.
Kondensator incorporato.

*Standard: with float switch
Single-phase version: built-in thermal protector, cable length 5 m.
Incorporated capacitor*



MPS

Mehrstufige 5" Tauchmotorpumpen für reines Wasser
5" multi-stage submersible clean water pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
76F13031000	MPS 303/A	0,45	0,6	750,40
76F13041000	MPS 304/A	0,55	0,75	763,40
76F13051000	MPS 305/A	0,75	1	813,40
76F13061000	MPS 306/A	0,9	1,2	974,40
76F13071000	MPS 307/A	0,9	1,2	1.052,70
76F14031000	MPS 503/A	0,55	0,75	859,00
76F14041000	MPS 504/A	0,9	1,2	950,30
76F14051000	MPS 505/A	1,1	1,5	1.041,80
76F14061000	MPS 506/A	1,1	1,5	1.115,80
76F14071000	MPS 507/A	1,5	2	1.174,40

Standard: ohne Schwimmer
Drehstromausführung: Kabellänge 15 m.

Standard: without float switch
Three-phase version: cable length 15 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
76G13031000	MPSM 303/A	0,45	0,6	750,40
76G13041000	MPSM 304/A	0,55	0,75	763,40
76G13051000	MPSM 305/A	0,75	1	813,40
76G13061000	MPSM 306/A	0,9	1,2	974,40
76G13071000	MPSM 307/A	0,9	1,2	1.052,70
76G14031000	MPSM 503/A	0,55	0,75	859,00
76G14041000	MPSM 504/A	0,9	1,2	950,30
76G14051000	MPSM 505/A	1,1	1,5	1.041,80
76G14061000	MPSM 506/A	1,1	1,5	1.115,80
76G14071000	MPSM 507/A	1,5	2	1.174,40
76G13031100	MPSM 303-CG/A	0,45	0,6	815,50
76G13041100	MPSM 304-CG/A	0,55	0,75	828,70
76G13051100	MPSM 305-CG/A	0,75	1	878,60
76G13061100	MPSM 306-CG/A	0,9	1,2	1.039,50
76G13071100	MPSM 307-CG/A	0,9	1,2	1.118,00
76G14031100	MPSM 503-CG/A	0,55	0,75	924,30
76G14041100	MPSM 504-CG/A	0,9	1,2	1.015,60
76G14051100	MPSM 505-CG/A	1,1	1,5	1.107,10
76G14061100	MPSM 506-CG/A	1,1	1,5	1.180,90
76G14071100	MPSM 507-CG/A	1,5	2	1.239,70

Standard: ohne Schwimmerschalter
CG: Mit Schwimmerschalter
Wechselstromausführung: eingebauter Überhitzungsschutz, 15 m Kabel.
Eingebauter Kondensator.

Standard: without float switch
CG: with float switch
Single-phase version: built-in thermal protector, cable 15 m.
Incorporated capacitor



MXS

Mehrstufige 5" Tauchmotorpumpen aus Chrom-Nickel-Stahl für reines Wasser

5" stainless steel multi-stage submersible clean water pumps

Art.Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
72F13031000	MXS 303/A	0,45	0,6	923,00
72F13041000	MXS 304/A	0,55	0,75	949,90
72F13051000	MXS 305/A	0,75	1	1.020,50
72F13061000	MXS 306/A	0,9	1,2	1.226,40
72F13071000	MXS 307/A	0,9	1,2	1.335,20
72F13081000	MXS 308/A	1,1	1,5	1.448,70
72F13091000	MXS 309/A	1,5	2	1.591,90
72F13101000	MXS 310/A	1,5	2	1.690,00
72F14031000	MXS 503/A	0,55	0,75	1.152,80
72F14041000	MXS 504/A	0,9	1,2	1.180,80
72F14051000	MXS 505/A	1,1	1,5	1.306,30
72F14061000	MXS 506/A	1,1	1,5	1.391,90
72F14071000	MXS 507/A	1,5	2	1.496,70
72F14081000	MXS 508/A	1,5	2	1.570,50
72F14091000	MXS 509/A	2,2	3	1.744,50
72F14101000	MXS 510/A	2,2	3	1.908,00
72F15031000	MXS 903/A	1,1	1,5	1.375,90
72F15041000	MXS 904/A	1,5	2	1.535,90
72F15051000	MXS 905/A	2,2	3	1.861,70
72F15061000	MXS 906/A	2,2	3	2.137,00
72F15071000	MXS 907/A	3	4	2.420,50
72F15081000	MXS 908/A	3	4	2.807,50
72F15091000	MXS 909/A	3	4	3.270,90
72F15101000	MXS 910/A	3	4	3.494,50

Standard: ohne Schwimmerschalter
Drehstromausführung: Kabellänge 15 m.

Standard: without float switch
Three-phase version: cable length 15 m.

Art.Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
72G13031000	MXSM 303/A	0,45	0,6	923,00
72G13041000	MXSM 304/A	0,55	0,75	949,90
72G13051000	MXSM 305/A	0,75	1	1.020,50
72G13061000	MXSM 306/A	0,9	1,2	1.226,40
72G13071000	MXSM 307/A	0,9	1,2	1.335,20
72G13081000	MXSM 308/A	1,1	1,5	1.448,70
72G13091000	MXSM 309/A	1,5	2	1.591,90
72G13101000	MXSM 310/A	1,5	2	1.690,00
72G14031000	MXSM 503/A	0,55	0,75	1.152,80
72G14041000	MXSM 504/A	0,9	1,2	1.180,80
72G14051000	MXSM 505/A	1,1	1,5	1.306,30
72G14061000	MXSM 506/A	1,1	1,5	1.391,90
72G14071000	MXSM 507/A	1,5	2	1.496,70
72G14081000	MXSM 508/A	1,5	2	1.570,50
72G14091000	MXSM 509/A	2,2	3	1.744,50
72G15031000	MXSM 903/A	1,1	1,5	1.375,90
72G15041000	MXSM 904/A	1,5	2	1.535,90
72G15051000	MXSM 905/A	2,2	3	1.861,70
72G15061000	MXSM 906/A	2,2	3	2.137,00
72G13031100	MXSM 303-CG/A	0,45	0,6	995,00
72G13041100	MXSM 304-CG/A	0,55	0,75	1.024,20
72G13051100	MXSM 305-CG/A	0,75	1	1.094,70
72G13061100	MXSM 306-CG/A	0,9	1,2	1.298,40
72G13071100	MXSM 307-CG/A	0,9	1,2	1.405,10
72G13081100	MXSM 308-CG/A	1,1	1,5	1.518,60
72G13091100	MXSM 309-CG/A	1,5	2	1.661,70
72G13101100	MXSM 310-CG/A	1,5	2	1.759,90
72G14031100	MXSM 503-CG/A	0,55	0,75	1.225,50
72G14041100	MXSM 504-CG/A	0,9	1,2	1.252,80
72G14051100	MXSM 505-CG/A	1,1	1,5	1.376,20
72G14061100	MXSM 506-CG/A	1,1	1,5	1.461,80
72G14071100	MXSM 507-CG/A	1,5	2	1.566,80
72G14081100	MXSM 508-CG/A	1,5	2	1.640,40
72G14091100	MXSM 509-CG/A	2,2	3	1.817,20
72G15031100	MXSM 903-CG/A	1,1	1,5	1.439,40
72G15041100	MXSM 904-CG/A	1,5	2	1.608,70
72G15051100	MXSM 905-CG/A	2,2	3	1.934,50
72G15061100	MXSM 906-CG/A	2,2	3	2.209,80

Standard: ohne Schwimmerschalter
CG: Mit Schwimmerschalter
Wechselstromausführung: eingebauter Überhitzungsschutz, 15 m Kabel.
Eingebauter Kondensator.

Standard: without float switch
CG: with float switch
Single-phase version: built-in thermal protector, cable 15 m.
Incorporated capacitor



4SDP

Unterwassermotor-Pumpen für Tiefbrunnen 4" (OHNE Motor)
Submersible bore-hole pumps for 4" wells (without motor)

OHNE MOTOR
WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
42S01100000	4SDP 1/10-SM	0,37	0,5	193,50
42S01130000	4SDP 1/13-SM	0,37	0,5	218,30
42S01190000	4SDP 1/19-SM	0,55	0,75	257,90
42S01260000	4SDP 1/26-SM	0,75	1	342,20
42S01380000	4SDP 1/38-SM	1,1	1,5	475,80
42S02050000	4SDP 2/5-SM	0,37	0,5	153,80
42S02070000	4SDP 2/7-SM	0,37	0,5	168,60
42S02100000	4SDP 2/10-SM	0,55	0,75	193,50
42S02140000	4SDP 2/14-SM	0,75	1	223,20
42S02200000	4SDP 2/20-SM	1,1	1,5	267,80
42S02280000	4SDP 2/759	1,5	2	340,70
42S02400000	4SDP 2/40-SM	2,2	3	465,30
42S03050000	4SDP 3/5-SM	0,37	0,5	153,80
42S03080000	4SDP 3/8-SM	0,55	0,75	178,60
42S03110000	4SDP 3/11-SM	0,75	1	198,40
42S03160000	4SDP 3/16-SM	1,1	1,5	238,10
42S03210000	4SDP 3/21-SM	1,5	2	272,60
42S03320000	4SDP 3/32-SM	2,2	3	357,00
42S04050000	4SDP 4/5-SM	0,37	0,5	158,70
42S04070000	4SDP 4/7-SM	0,55	0,75	178,60
42S04090000	4SDP 4/9-SM	0,75	1	193,50
42S04140000	4SDP 4/14-SM	1,1	1,5	238,10
42S04180000	4SDP 4/18-SM	1,5	2	272,60
42S04270000	4SDP 4/27-SM	2,2	3	347,00
42S04350000	4SDP 4/35-SM	3	4	451,10
42S04440000	4SDP 4/44-SM	4	5,5	530,30
42S04480000	4SDP 4/48-SM	4	5,5	560,10

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
42S05070000	4SDP 6/7-SM	0,75	1	198,40
42S05100000	4SDP 6/10-SM	1,1	1,5	233,10
42S05140000	4SDP 6/14-SM	1,5	2	272,60
42S05200000	4SDP 6/20-SM	2,2	3	342,20
42S05270000	4SDP 6/27-SM	3	4	421,40
42S05340000	4SDP 6/34-SM	4	5,5	515,50
42S05360000	4SDP 6/36-SM	4	5,5	545,30
42S05490000	4SDP 6/49-SM	5,5	7,5	728,50
42S06040000	4SDP 8/4-SM	0,75	1	173,60
42S06060000	4SDP 8/6-SM	1,1	1,5	193,50
42S06080000	4SDP 8/8-SM	1,5	2	213,30
42S06130000	4SDP 8/13-SM	2,2	3	277,70
42S06170000	4SDP 8/17-SM	3	4	317,40
42S06210000	4SDP 8/21-SM	4	5,5	366,90
42S06230000	4SDP 8/23-SM	4	5,5	391,70
42S06320000	4SDP 8/32-SM	5,5	7,5	495,70
42S07080000	4SDP 16/8-SM	2,2	3	327,20
42S07110000	4SDP 16/11-SM	3	4	411,50
42S07130000	4SDP 16/13-SM	4	5,5	466,00
42S07150000	4SDP 16/15-SM	4	5,5	520,40
42S07200000	4SDP 16/20-SM	5,5	7,5	654,20
42S07270000	4SDP 16/27-SM	7,5	10	759,00



4MW

Gekapselte Unterwassermotoren für Tiefbrunnen 4"
Capsuled submersible motors for 4" wells

Art. Nr. Code	Wechselstrom Single-phase	P2		Preis Price €
		kW	HP	
K163000100CA	4MW 050M	0,37	0,5	388,20
K163000200CA	4MW 075M	0,55	0,75	404,70
K163000300CA	4MW 100M	0,75	1	429,50
K163000400CA	4MW 150M	1,1	1,5	483,10
K163000500CA	4MW 200M	1,5	2	578,20
K163000600CA	4MW 300M	2,2	3	722,70
K1630001002W	4MW.2 050M	0,37	0,5	420,20
K1630002002W	4MW.2 075M	0,55	0,75	447,10
K1630003002W	4MW.2 100M	0,75	1	470,20
K1630004002W	4MW.2 150M	1,1	1,5	535,80

Art. Nr. Code	Drehstrom Three-Phase	P2		Preis Price €
		kW	HP	
K1630007000A	4MW 050T	0,37	0,5	395,30
K1630008000A	4MW 075T	0,55	0,75	403,60
K1630009000A	4MW 100T	0,75	1	416,30
K1630010000A	4MW 150T	1,1	1,5	487,80
K1630011000A	4MW 200T	1,5	2	542,40
K1630012000A	4MW 300T	2,2	3	655,90
K1630013000A	4MW 400T	3	4	988,10
K1630014000A	4MW 550T	4	5,5	1.097,50
K1630015000A	4MW 750T	5,5	7,5	1.299,30

4MW.2 Motoren enthalten 2-Wire Ausführung ohne Kondensator
4MW.2 motors contain 2-wire execution without capacitor



6SDP

Unterwassermotor-Pumpen für Tiefbrunnen 6" (OHNE Motor)

Submersible bore-hole pumps for 6" wells (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
42F1A0009010	6SDP 20/9 4SM	1,1	1,5	1.030,70
42F1A0012010	6SDP 20/12 4SM	1.5	2	1.156,40
42F1A0018010	6SDP 20/18 4SM	2,2	3	1.377,50
42F1A0024010	6SDP 20/24 4SM	3	4	1.590,00
42F1A0030010	6SDP 20/30 4SM	4	5,5	2.264,00
42F1A0030110	6SDP 20/30 6SM	4	5,5	2.264,00
42F1A0036110	6SDP 20/36 6SM	5.5	7.5	2.872,20
42F1A0040110	6SDP 20/40 6SM	5.5	7.5	3.024,80
42F1A0044110	6SDP 20/44 6SM	5.5	7.5	3.256,90
42F1A0050110	6SDP 20/50 6SM	7.5	10	3.574,40
42F1A0056110	6SDP 20/56 6SM	7.5	10	3.882,10
42F1A0063110	6SDP 20/63 6SM	9,2	12,5	4.276,50
42F1A0070110	6SDP 20/70 6SM	9,2	12,5	4.826,10
42F1A0076110	6SDP 20/76 6SM	11	15	5.095,90
42F1B0007010	6SDP 25/7 4SM	1.5	2	953,70
42F1B0010010	6SDP 25/10 4SM	2,2	3	1.078,30
42F1B0013010	6SDP 25/13 4SM	3	4	1.204,10
42F1B0017010	6SDP 25/17 4SM	4	5,5	1.339,60
42F1B0017110	6SDP 25/17 6SM	4	5,5	1.339,60
42F1B0021010	6SDP 25/21 4SM	5.5	7.5	1.513,00
42F1B0021110	6SDP 25/21 6SM	5.5	7.5	1.513,00
42F1B0024010	6SDP 25/24 4SM	5.5	7.5	1.609,50
42F1B0024110	6SDP 25/24 6SM	5.5	7.5	1.609,50
42F1B0028110	6SDP 25/28 6SM	7.5	10	2.177,30
42F1B0032110	6SDP 25/32 6SM	7.5	10	2.360,50
42F1B0036110	6SDP 25/36 6SM	9,2	12,5	2.880,70
42F1B0040110	6SDP 25/40 6SM	9,2	12,5	3.034,60
42F1B0044110	6SDP 25/44 6SM	11	15	3.286,20
42F1B0050110	6SDP 25/50 6SM	11	15	3.584,10
42F1B0056110	6SDP 25/56 6SM	13	17,5	3.978,60
42F1B0063110	6SDP 25/63 6SM	15	20	4.286,30
42F1C0005010	6SDP 30/5 4SM	1.5	2	886,60
42F1C0008010	6SDP 30/8 4SM	2,2	3	991,60
42F1C0010010	6SDP 30/10 4SM	3	4	1.089,30
42F1C0013010	6SDP 30/13 4SM	4	5,5	1.223,60
42F1C0013110	6SDP 30/13 6SM	4	5,5	1.223,60
42F1C0016010	6SDP 30/16 4SM	5.5	7.5	1.339,60
42F1C0016110	6SDP 30/16 6SM	5.5	7.5	1.339,60
42F1C0018010	6SDP 30/18 4SM	5.5	7.5	1.434,90
42F1C0018110	6SDP 30/18 6SM	5.5	7.5	1.434,90
42F1C0021010	6SDP 30/21 4SM	7.5	10	1.542,30
42F1C0021110	6SDP 30/21 6SM	7.5	10	1.542,30
42F1C0024010	6SDP 30/24 4SM	7.5	10	1.637,60
42F1C0024110	6SDP 30/24 6SM	7.5	10	1.637,60
42F1C0028110	6SDP 30/28 6SM	9,2	12,5	2.196,90
42F1C0031110	6SDP 30/31 6SM	9,2	12,5	2.349,50
42F1C0036110	6SDP 30/36 6SM	11	15	2.591,30
42F1C0042110	6SDP 30/42 6SM	13	17,5	3.160,40
42F1C0047110	6SDP 30/47 6SM	15	20	3.468,10
42F1C0052110	6SDP 30/52 6SM	18.5	25	3.738,00
42F1C0056110	6SDP 30/56 6SM	18.5	25	4.055,50
42F1C0060110	6SDP 30/60 6SM	18.5	25	4.219,10
42F1C0065110	6SDP 30/65 6SM	22	30	4.412,10

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
42F1D0003010	6SDP 35/3 4SM	1,1	1,5	742,50
42F1D0004010	6SDP 35/4 4SM	1.5	2	762,00
42F1D0006010	6SDP 35/6 4SM	2,2	3	876,80
42F1D0007010	6SDP 35/7 4SM	3	4	963,50
42F1D0009010	6SDP 35/9 4SM	4	5,5	1.041,70
42F1D0009110	6SDP 35/9 6SM	4	5,5	1.041,70
42F1D0011010	6SDP 35/11 4SM	5.5	7.5	1.156,40
42F1D0011110	6SDP 35/11 6SM	5.5	7.5	1.156,40
42F1D0013010	6SDP 35/13 4SM	5.5	7.5	1.234,60
42F1D0013110	6SDP 35/13 6SM	5.5	7.5	1.234,60
42F1D0015010	6SDP 35/15 4SM	7.5	10	1.339,60
42F1D0015110	6SDP 35/15 6SM	7.5	10	1.339,60
42F1D0018010	6SDP 35/18 4SM	7.5	10	1.455,60
42F1D0018110	6SDP 35/18 6SM	7.5	10	1.455,60
42F1D0022110	6SDP 35/22 6SM	9,2	12,5	1.600,90
42F1D0026110	6SDP 35/26 6SM	11	15	2.129,70
42F1D0031110	6SDP 35/31 6SM	13	17,5	2.399,60
42F1D0035110	6SDP 35/35 6SM	15	20	2.601,10
42F1D0040110	6SDP 35/40 6SM	18.5	25	3.082,20
42F1D0044110	6SDP 35/44 6SM	18.5	25	3.294,70
42F1D0048110	6SDP 35/48 6SM	22	30	3.602,40
42F1D0052110	6SDP 35/52 6SM	22	30	3.767,30
42F1D0056110	6SDP 35/56 6SM	22	30	4.093,40
42F1D0060110	6SDP 35/60 6SM	26	35	4.258,20
42F1D0065110	6SDP 35/65 6SM	26	35	4.420,60
42F1E0003010	6SDP 40/3 4SM	1.5	2	751,00
42F1E0004010	6SDP 40/4 4SM	2,2	3	770,60
42F1E0006010	6SDP 40/6 4SM	3	4	886,60
42F1E0008010	6SDP 40/8 4SM	4	5,5	1.030,70
42F1E0008110	6SDP 40/8 6SM	4	5,5	1.030,70
42F1E0010010	6SDP 40/10 4SM	5.5	7.5	1.117,40
42F1E0010110	6SDP 40/10 6SM	5.5	7.5	1.117,40
42F1E0013010	6SDP 40/13 4SM	7.5	10	1.252,90
42F1E0013110	6SDP 40/13 6SM	7.5	10	1.252,90
42F1E0016110	6SDP 40/16 6SM	9,2	12,5	1.427,50
42F1E0020110	6SDP 40/20 6SM	11	15	1.570,40
42F1E0023110	6SDP 40/23 6SM	13	17,5	2.023,50
42F1E0026110	6SDP 40/26 6SM	15	20	2.196,90
42F1E0030110	6SDP 40/30 6SM	18.5	25	2.419,10
42F1E0033110	6SDP 40/33 6SM	18.5	25	2.581,50
42F1E0038110	6SDP 40/38 6SM	22	30	3.112,80
42F1E0042110	6SDP 40/42 6SM	22	30	3.333,80
42F1E0044110	6SDP 40/44 6SM	26	35	3.458,30
42F1E0048110	6SDP 40/48 6SM	26	35	3.661,10
42F1E0051110	6SDP 40/51 6SM	30	40	3.930,90
42F1E0055110	6SDP 40/55 6SM	30	40	4.104,30
42F1E0060110	6SDP 40/60 6SM	37	50	4.537,90

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:

(4SM) NEMA 4, Motor 4";

(6SM) NEMA 6, Motor 6";

MOTORS TO CONNECT

STANDARD coupling flange:

(4SM) NEMA 4, 4" motor;

(6SM) NEMA 6, 6" motor;



6SDP

Unterwassermotor-Pumpen für Tiefbrunnen 6" (OHNE Motor)

Submersible bore-hole pumps for 6" wells (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
42F1F0003010	6SDP 50/3 4SM	2,2	3	790,10
42F1F0004010	6SDP 50/4 4SM	3	4	848,70
42F1F0005010	6SDP 50/5 4SM	4	5,5	896,30
42F1F0005110	6SDP 50/5 6SM	4	5,5	896,30
42F1F0007010	6SDP 50/7 4SM	5,5	7,5	991,60
42F1F0007110	6SDP 50/7 6SM	5,5	7,5	991,60
42F1F0010010	6SDP 50/10 4SM	7,5	10	1.167,40
42F1F0010110	6SDP 50/10 6SM	7,5	10	1.167,40
42F1F0012110	6SDP 50/12 6SM	9,2	12,5	1.271,20
42F1F0015110	6SDP 50/15 6SM	11	15	1.434,90
42F1F0017110	6SDP 50/17 6SM	13	17,5	1.552,10
42F1F0020110	6SDP 50/20 6SM	15	20	1.706,00
42F1F0025110	6SDP 50/25 6SM	18,5	25	2.312,90
42F1F0030110	6SDP 50/30 6SM	22	30	2.976,00
42F1F0035110	6SDP 50/35 6SM	26	35	3.112,80
42F1F0040110	6SDP 50/40 6SM	30	40	3.497,40
42F1F0045110	6SDP 50/45 6SM	37	50	3.564,60
42F1F0048110	6SDP 50/48 6SM	37	50	3.900,40
42F1G02AB010	6SDP 52/2AB 4SM	2,2	3	904,90
42F1G003B010	6SDP 52/3B 4SM	3	4	983,00
42F1G003A010	6SDP 52/3A 4SM	4	5,5	983,00
42F1G003A110	6SDP 52/3A 6SM	4	5,5	983,00
42F1G004A010	6SDP 52/4A 4SM	5,5	7,5	1.117,40
42F1G004A110	6SDP 52/4A 6SM	5,5	7,5	1.117,40
42F1G006K010	6SDP 52/6K 4SM	7,5	10	1.300,50
42F1G006K110	6SDP 52/6K 6SM	7,5	10	1.300,50
42F1G007A110	6SDP 52/7A 6SM	9,2	12,5	1.387,20
42F1G009K110	6SDP 52/9K 6SM	11	15	1.560,70
42F1G010I110	6SDP 52/10I 6SM	13	17,5	1.627,80
42F1G012K110	6SDP 52/12K 6SM	15	20	1.793,90
42F1G014A110	6SDP 52/14A 6SM	18,5	25	1.956,30
42F1H017A110	6SDP B52/17A 6SM	22	30	2.408,10
42F1H019A110	6SDP B52/19A 6SM	26	35	2.571,80
42F1H022A110	6SDP B52/22A 6SM	30	40	2.841,70
42F1H025A110	6SDP B52/25A 6SM	37	50	3.093,20
42F1H028A110	6SDP B52/28A 6SM	37	50	3.325,20

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:

(4SM) NEMA 4, Motor 4";

(6SM) NEMA 6, Motor 6";

MOTORS TO CONNECT

STANDARD coupling flange:

(4SM) NEMA 4, 4" motor;

(6SM) NEMA 6, 6" motor;



4SDX

Unterwassermotor-Pumpen für Tiefbrunnen 4" (OHNE Motor)
Submersible bore-hole pumps for 4" wells (without motor)

OHNE MOTOR
WITHOUT MOTOR

Art.Nr. Code	OHNE Motor Without motor	Motor- flansch Motor flange	Motor Motor		Preis Price
			kW	HP	
42S11090000	4SDX 1/9-SM	4"	0,37	0,5	327,40
42S11140000	4SDX 1/14-SM	4"	0,37	0,5	435,10
42S11180000	4SDX 1/18-SM	4"	0,55	0,75	521,60
42S11210000	4SDX 1/21-SM	4"	0,55	0,75	586,80
42S11280000	4SDX 1/28-SM	4"	0,75	1	728,50
42S11360000	4SDX 1/36-SM	4"	1,1	1,5	968,60
42S11420000	4SDX 1/42-SM	4"	1,1	1,5	1.146,80
42S12090000	4SDX 2/9-SM	4"	0,37	0,5	322,50
42S12130000	4SDX 2/13-SM	4"	0,55	0,75	401,10
42S12180000	4SDX 2/18-SM	4"	0,75	1	497,80
42S12230000	4SDX 2/23-SM	4"	1,1	1,5	597,20
42S12280000	4SDX 2/28-SM	4"	1,5	2	695,70
42S12330000	4SDX 2/33-SM	4"	1,5	2	852,60
42S12400000	4SDX 2/40-SM	4"	2,2	3	1.010,90
42S12480000	4SDX 2/48-SM	4"	2,2	3	1.271,80
42S13060000	4SDX 3/6-SM	4"	0,37	0,5	265,60
42S13090000	4SDX 3/9-SM	4"	0,55	0,75	325,40
42S13120000	4SDX 3/12-SM	4"	0,75	1	384,90
42S13150000	4SDX 3/15-SM	4"	1,1	1,5	443,50
42S13180000	4SDX 3/18-SM	4"	1,1	1,5	497,80
42S13220000	4SDX 3/22-SM	4"	1,5	2	570,20
42S13250000	4SDX 3/25-SM	4"	1,5	2	637,10
42S13290000	4SDX 3/29-SM	4"	2,2	3	713,30
42S13330000	4SDX 3/33-SM	4"	2,2	3	852,60
42S13390000	4SDX 3/39-SM	4"	3	4	1.079,00
42S13450000	4SDX 3/45-SM	4"	3	4	1.209,50
42S13520000	4SDX 3/52-SM	4"	4	5,5	1.361,40
42S13600000	4SDX 3/60-SM	4"	4	5,5	1.535,10
42S15040000	4SDX 5/4-SM	4"	0,37	0,5	239,20
42S15060000	4SDX 5/6-SM	4"	0,55	0,75	279,00
42S15080000	4SDX 5/8-SM	4"	0,75	1	318,70
42S15120000	4SDX 5/12-SM	4"	1,1	1,5	391,70
42S15170000	4SDX 5/17-SM	4"	1,5	2	491,40
42S15210000	4SDX 5/21-SM	4"	2,2	3	569,50
42S15250000	4SDX 5/25-SM	4"	2,2	3	650,20
42S15330000	4SDX 5/33-SM	4"	3	4	852,60
42S15380000	4SDX 5/38-SM	4"	4	5,5	1.057,50
42S15440000	4SDX 5/44-SM	4"	4	5,5	1.190,60
42S15520000	4SDX 5/52-SM	4"	5,5	7,5	1.368,00
42S16050000	4SDX 8/5-SM	4"	0,75	1	482,00
42S16070000	4SDX 8/7-SM	4"	1,1	1,5	583,50
42S16100000	4SDX 8/10-SM	4"	1,5	2	744,70
42S16120000	4SDX 8/12-SM	4"	2,2	3	845,70
42S16150000	4SDX 8/15-SM	4"	2,2	3	1.007,40
42S16180000	4SDX 8/18-SM	4"	3	4	1.165,70
42S16210000	4SDX 8/21-SM	4"	4	5,5	1.323,90
42S16250000	4SDX 8/25-SM	4"	4	5,5	1.533,40
42S16300000	4SDX 8/30-SM	4"	5,5	7,5	1.793,20
42S16370000	4SDX 8/37-SM	4"	5,5	7,5	2.158,20
42S16440000	4SDX 8/44-SM	4"	7,5	10	2.523,10
42S16500000	4SDX 8/50-SM	4"	7,5	10	2.836,00
42S18050000	4SDX 12/5-SM	4"	1,5	2	627,70
42S18070000	4SDX 12/7-SM	4"	2,2	3	783,30
42S18100000	4SDX 12/10-SM	4"	3	4	1.015,90
42S18130000	4SDX 12/13-SM	4"	4	5,5	1.254,30
42S18180000	4SDX 12/18-SM	4"	5,5	7,5	1.449,40
42S18250000	4SDX 12/25-SM	4"	7,5	10	1.998,60



6SDX

Unterwassermotor-Pumpen in AISI 304 für Tiefbrunnen 6" (OHNE Motor)
Submersible bore-hole pumps in AISI 304 for 6" wells (without motor)

Art.Nr. Code	OHNE Motor Without motor AISI 304	Motor- flansch Motor flange	Motor Motor		Preis Price €
			kW	HP	
42S71010000	6SDX 16/1	4"	0,55	0,75	455,40
42S71020000	6SDX 16/2	4"	1,1	1,5	579,80
42S71030000	6SDX 16/3	4"	2,2	3	698,60
42S71040000	6SDX 16/4	4"	2,2	3	818,60
42S71050000	6SDX 16/5	4"	3	4	938,80
42S71060000	6SDX 16/6	4"	4	5,5	1.128,70
42S71070000	6SDX 16/7	4"	4	5,5	1.172,10
42S71080000	6SDX 16/8	4"	5,5	7,5	1.291,50
42S71090000	6SDX 16/9	4"	5,5	7,5	1.411,60
42S71100000	6SDX 16/10	4"	5,5	7,5	1.542,20
42S71110000	6SDX 16/11	6"	7,5	10	1.728,00
42S71120000	6SDX 16/12	6"	7,5	10	1.847,10
42S71130000	6SDX 16/13	6"	7,5	10	1.966,40
42S71140000	6SDX 16/14	6"	9,2	12,5	2.069,30
42S71150000	6SDX 16/15	6"	9,2	12,5	2.187,30
42S71160000	6SDX 16/16	6"	9,2	12,5	2.302,10
42S71170000	6SDX 16/17	6"	9,2	12,5	2.420,50
42S71180000	6SDX 16/18	6"	9,2	12,5	2.553,40
42S71190000	6SDX 16/19	6"	11	15	2.658,40
42S71200000	6SDX 16/20	6"	11	15	2.780,10
42S71210000	6SDX 16/21	6"	11	15	2.894,80
42S71220000	6SDX 16/22	6"	13	17,5	3.085,10
42S71230000	6SDX 16/23	6"	13	17,5	3.203,70
42S71240000	6SDX 16/24	6"	13	17,5	3.321,80
42S71250000	6SDX 16/25	6"	15	20	3.440,10
42S71260000	6SDX 16/26	6"	15	20	3.558,60
42S71270000	6SDX 16/27	6"	15	20	3.694,90
42S71280000	6SDX 16/28	6"	18,5	25	3.796,10
42S71290000	6SDX 16/29	6"	18,5	25	3.914,10
42S71300000	6SDX 16/30	6"	18,5	25	4.032,60
42S71310000	6SDX 16/31	6"	18,5	25	4.151,40
42S71320000	6SDX 16/32	6"	18,5	25	4.270,30
42S71330000	6SDX 16/33	6"	18,5	25	4.394,10

Art.Nr. Code	OHNE Motor Without motor AISI 304	Motor- flansch Motor flange	Motor Motor		Preis Price €
			kW	HP	
42S72010000	6SDX 28/1	4"	1,1	1,5	474,40
42S72020000	6SDX 28/2	4"	2,2	3	651,50
42S72030000	6SDX 28/3	4"	3	4	800,30
42S72040000	6SDX 28/4	4"	4	5,5	950,30
42S72050000	6SDX 28/5	4"	5,5	7,5	1.103,90
42S72060000	6SDX 28/6	4"	5,5	7,5	1.254,10
42S72070000	6SDX 28/7	6"	7,5	10	1.506,40
42S72080000	6SDX 28/8	6"	7,5	10	1.659,10
42S72090000	6SDX 28/9	6"	9,2	12,5	1.811,30
42S72100000	6SDX 28/10	6"	9,2	12,5	1.959,90
42S72110000	6SDX 28/11	6"	11	15	2.098,40
42S72120000	6SDX 28/12	6"	11	15	2.249,20
42S72130000	6SDX 28/13	6"	11	15	2.401,40
42S72140000	6SDX 28/14	6"	13	17,5	2.552,70
42S72150000	6SDX 28/15	6"	15	20	2.703,40
42S72160000	6SDX 28/16	6"	15	20	2.864,40
42S72170000	6SDX 28/17	6"	15	20	3.010,20
42S72180000	6SDX 28/18	6"	18,5	25	3.170,40
42S72190000	6SDX 28/19	6"	18,5	25	3.309,40
42S72200000	6SDX 28/20	6"	18,5	25	3.461,00
42S72210000	6SDX 28/21	6"	18,5	25	3.618,20
42S72220000	6SDX 28/22	6"	22	30	3.841,00
42S72230000	6SDX 28/23	6"	22	30	4.013,20
42S72240000	6SDX 28/24	6"	22	30	4.164,00
42S72250000	6SDX 28/25	6"	22	30	4.315,30
42S72260000	6SDX 28/26	6"	22	30	4.465,70
42S72270000	6SDX 28/27	6"	26	35	4.618,10
42S72280000	6SDX 28/28	6"	26	35	4.784,70
42S72290000	6SDX 28/29	6"	26	35	4.946,40
42S72300000	6SDX 28/30	6"	26	35	5.071,40
42S72310000	6SDX 28/31	6"	26	35	5.255,70
42S72320000	6SDX 28/32	6"	30	40	5.376,40
42S72330000	6SDX 28/33	6"	30	40	5.544,60
42S72340000	6SDX 28/34	6"	30	40	5.691,70
42S72350000	6SDX 28/35	6"	30	40	5.833,80

ZU KOPPELNDE MOTOREN
STANDARD Kupplungsflansch
Bis 5,5 kW 4"Flansch; ab 7,5 kW 6"Flansch.

MOTORS TO CONNECT
STANDARD coupling flange
Up to 5.5 kW 4 "flange; from 7,5 kW 6" lange.



6SDX

Unterwassermotor-Pumpen in AISI 304 für Tiefbrunnen 6" (OHNE Motor)
Submersible bore-hole pumps in AISI 304 for 6" wells (without motor)

Art.Nr. Code	OHNE Motor Without motor AISI 304	Motor- flansch Motor flange	Motor Motor		Preis Price €
			kW	HP	
42S73010000	6SDX 45/1	4"	2,2	3	511,80
42S73020000	6SDX 45/2	4"	3	4	718,80
42S73030000	6SDX 45/3	4"	5,5	7,5	896,40
42S73040000	6SDX 45/4	6"	7,5	10	1.177,00
42S73050000	6SDX 45/5	6"	7,5	10	1.357,60
42S73060000	6SDX 45/6	6"	9,2	12,5	1.527,50
42S73070000	6SDX 45/7	6"	11	15	1.718,70
42S73080000	6SDX 45/8	6"	13	17,5	1.900,20
42S73090000	6SDX 45/9	6"	15	20	2.076,80
42S73100000	6SDX 45/10	6"	15	20	2.243,30
42S73110000	6SDX 45/11	6"	18,5	25	2.422,70
42S73120000	6SDX 45/12	6"	18,5	25	2.603,10
42S73130000	6SDX 45/13	6"	22	30	2.782,60
42S73140000	6SDX 45/14	6"	22	30	2.962,00
42S73150000	6SDX 45/15	6"	22	30	3.141,70
42S73160000	6SDX 45/16	6"	26	35	3.322,10
42S73170000	6SDX 45/17	6"	26	35	3.501,50
42S73180000	6SDX 45/18	6"	30	40	3.687,10
42S73190000	6SDX 45/19	6"	30	40	3.874,80
42S73200000	6SDX 45/20	6"	30	40	4.067,10
42S73210000	6SDX 45/21	6"	37	50	4.227,00
42S73220000	6SDX 45/22	6"	37	50	4.504,70
42S73230000	6SDX 45/23	6"	37	50	4.681,50
42S73240000	6SDX 45/24	6"	37	50	4.842,30

Art.Nr. Code	OHNE Motor Without motor AISI 304	Motor- flansch Motor flange	Motor Motor		Preis Price €
			kW	HP	
42S74010000	6SDX 60/1	4"	2,2	3	534,30
42S74020000	6SDX 60/2	4"	4	5,5	751,50
42S74030000	6SDX 60/3	4"	5,5	7,5	939,40
42S74040000	6SDX 60/4	6"	7,5	10	1.230,10
42S74050000	6SDX 60/5	6"	9,2	12,5	1.422,70
42S74060000	6SDX 60/6	6"	11	15	1.600,90
42S74070000	6SDX 60/7	6"	13	17,5	1.802,30
42S74080000	6SDX 60/8	6"	15	20	1.994,10
42S74090000	6SDX 60/9	6"	18,5	25	2.180,80
42S74100000	6SDX 60/10	6"	18,5	25	2.191,90
42S74110000	6SDX 60/11	6"	22	30	2.381,60
42S74120000	6SDX 60/12	6"	22	30	2.737,90
42S74130000	6SDX 60/13	6"	26	35	2.927,50
42S74140000	6SDX 60/14	6"	26	35	3.117,00
42S74150000	6SDX 60/15	6"	26	35	3.307,00
42S74160000	6SDX 60/16	6"	30	40	3.497,70
42S74170000	6SDX 60/17	6"	37	50	3.687,20
42S74180000	6SDX 60/18	6"	37	50	3.883,10
42S74190000	6SDX 60/19	6"	37	50	4.080,50
42S74200000	6SDX 60/20	6"	37	50	4.283,40
42S74210000	6SDX 60/21	6"	37	50	4.453,20
42S74220000	6SDX 60/22	6"	37	50	4.741,30

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch
Bis 5,5 kW 4" Flansch; ab 7,5 kW 6" Flansch.

MOTORS TO CONNECT

STANDARD coupling flange
Up to 5.5 kW 4" flange; from 7,5 kW 6" flange.



8SDX

Unterwassermotor-Pumpen in AISI 304 für Tiefbrunnen 8" (OHNE Motor)
Submersible bore-hole pumps in AISI 304 for 8" wells (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
42H2A0001110	8SDX 77/1 6SM	4	5,5	1.650,00
42H2A0002110	8SDX 77/2 6SM	7.5	10	1.917,30
42H2A0003110	8SDX 77/3 6SM	11	15	2.157,30
42H2A0004110	8SDX 77/4 6SM	15	20	2.495,50
42H2A0005110	8SDX 77/5 6SM	18.5	25	2.805,00
42H2A0006110	8SDX 77/6 6SM	22	30	3.143,20
42H2A0007110	8SDX 77/7 6SM	26	35	3.467,70
42H2A0008110	8SDX 77/8 6SM	30	40	3.792,30
42H2A0008210	8SDX 77/8 8SM	30	40	3.792,30
42H2A0009110	8SDX 77/9 6SM	30	40	4.130,50
42H2A0009210	8SDX 77/9 8SM	30	40	4.130,50
42H2A0010110	8SDX 77/10 6SM	37	50	4.440,00
42H2A0010210	8SDX 77/10 8SM	37	50	4.440,00
42H2A0011110	8SDX 77/11 6SM	37	50	4.778,20
42H2A0011210	8SDX 77/11 8SM	37	50	4.778,20
42H2A0012110	8SDX 77/12 6SM	45	60	5.102,70
42H2A0012210	8SDX 77/12 8SM	45	60	5.102,70
42H2A0013210	8SDX 77/13 8SM	51	70	5.412,30
42H2A0014210	8SDX 77/14 8SM	51	70	5.779,10
42H2A0015210	8SDX 77/15 8SM	51	70	6.061,40
42H2A0016210	8SDX 77/16 8SM	59	80	6.385,90
42H2A0017210	8SDX 77/17 8SM	59	80	6.694,10
42H2A0018210	8SDX 77/18 8SM	66	90	7.032,30
42H2A0019210	8SDX 77/19 8SM	75	100	7.343,20
42H2A0020210	8SDX 77/20 8SM	75	100	7.708,60
42H2B0001110	8SDX 95/1 6SM	5.5	7.5	1.677,30
42H2B0002110	8SDX 95/2 6SM	9,2	12,5	1.945,90
42H2B0003110	8SDX 95/3 6SM	13	17,5	2.184,50
42H2B0004110	8SDX 95/4 6SM	18.5	25	2.510,50
42H2B0005110	8SDX 95/5 6SM	22	30	2.833,60
42H2B0006110	8SDX 95/6 6SM	26	35	3.171,80
42H2B0007110	8SDX 95/7 6SM	30	40	3.481,40
42H2B0007210	8SDX 95/7 8SM	30	40	3.481,40
42H2B0008110	8SDX 95/8 6SM	37	50	3.834,50
42H2B0008210	8SDX 95/8 8SM	37	50	3.834,50
42H2B0009110	8SDX 95/9 6SM	45	60	4.157,70
42H2B0009210	8SDX 95/9 8SM	45	60	4.157,70
42H2B0010110	8SDX 95/10 6SM	45	60	4.483,60
42H2B0010210	8SDX 95/10 8SM	45	60	4.483,60
42H2B0011210	8SDX 95/11 8SM	51	70	4.806,80
42H2B0012210	8SDX 95/12 8SM	59	80	5.145,00
42H2B0013210	8SDX 95/13 8SM	59	80	5.427,30
42H2B0014210	8SDX 95/14 8SM	66	90	5.807,70
42H2B0015210	8SDX 95/15 8SM	66	90	6.130,90
42H2B0016210	8SDX 95/16 8SM	75	100	6.426,80
42H2B0017210	8SDX 95/17 8SM	75	100	6.807,30
42H2B0020210	8SDX 95/20 8SM	92	125	8.008,60

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:
(6SM) NEMA 6, Motor 6";
(8SM) NEMA 8, Motor 8", 10";

MOTORS TO CONNECT

STANDARD coupling flange:
(6SM) NEMA 6, 6" motor;
(8SM) NEMA 8, 8", 10" motor;



6SDXL

Unterwassermotor-Pumpen in AISI 316 für Tiefbrunnen 6" (OHNE Motor)
Submersible bore-hole pumps in AISI 316 for 6" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor- flansch Motor flange	Motor Motor		Preis Price
			kW	HP	
	AISI 316				€
43S60500000	6SDXL 18/6	6"	4	5,5	2.028,80
43S60510000	6SDXL 18/7	6"	5,5	7,5	2.066,70
43S60520000	6SDXL 18/8	6"	5,5	7,5	2.225,20
43S60550000	6SDXL 18/9	6"	5,5	7,5	2.377,90
43S60560000	6SDXL 18/10	6"	7,5	10	2.486,20
43S60570000	6SDXL 18/11	6"	7,5	10	2.591,00
43S60600000	6SDXL 18/12	6"	7,5	10	2.727,00
43S60610000	6SDXL 18/13	6"	9,2	12,5	2.797,00
43S60620000	6SDXL 18/14	6"	9,2	12,5	2.958,70
43S60650000	6SDXL 18/15	6"	9,2	12,5	3.122,40
43S60660000	6SDXL 18/16	6"	11	15	3.209,80
43S60670000	6SDXL 18/17	6"	11	15	3.351,60
43S60700000	6SDXL 18/18	6"	11	15	3.494,60
43S60710000	6SDXL 18/19	6"	13	17,5	3.651,10
43S60720000	6SDXL 18/20	6"	13	17,5	3.804,90
43S60750000	6SDXL 18/21	6"	13	17,5	3.959,50
43S60800000	6SDXL 18/22	6"	15	20	4.099,00
43S60810000	6SDXL 18/23	6"	15	20	4.260,80
43S60850000	6SDXL 18/24	6"	15	20	4.424,00
43S60860000	6SDXL 18/25	6"	18,5	25	4.582,30
43S60870000	6SDXL 18/26	6"	18,5	25	4.741,90
43S60880000	6SDXL 18/27	6"	18,5	25	4.912,00
43S60900000	6SDXL 18/28	6"	18,5	25	5.084,70
43S60910000	6SDXL 18/29	6"	18,5	25	5.280,10
43S60950000	6SDXL 18/30	6"	18,5	25	5.480,00
43S60960000	6SDXL 18/31	6"	22	30	5.571,30
43S60970000	6SDXL 18/32	6"	22	30	5.665,30
43S61000000	6SDXL 18/33	6"	22	30	6.014,20
43S61010000	6SDXL 18/34	6"	22	30	6.183,90
43S61020000	6SDXL 18/35	6"	22	30	6.354,20
43S61050000	6SDXL 18/36	6"	22	30	6.525,00
43S61030000	6SDXL 18/37	6"	26	35	6.700,40
43S61040000	6SDXL 18/38	6"	26	35	6.870,80
43S61100000	6SDXL 18/39	6"	26	35	7.047,80
43S61110000	6SDXL 18/40	6"	30	40	7.216,80
43S61060000	6SDXL 18/41	6"	26	35	7.390,00
43S61150000	6SDXL 18/42	6"	26	35	7.556,80
43S61160000	6SDXL 18/43	6"	30	40	7.730,60
43S61170000	6SDXL 18/44	6"	30	40	7.906,90
43S61180000	6SDXL 18/45	6"	30	40	8.068,50
43S60530000	6SDXL 18/46	6"	30	40	8.230,90
43S60540000	6SDXL 18/47	6"	30	40	8.650,90
43S60580000	6SDXL 18/48	6"	30	40	9.071,20
43S60590000	6SDXL 18/49	6"	30	40	9.495,20
43S60980000	6SDXL 18/50	6"	37	50	9.705,80
43S60640000	6SDXL 18/51	6"	37	50	9.917,40
43S60680000	6SDXL 18/52	6"	37	50	10.118,30
43S60690000	6SDXL 18/53	6"	37	50	10.282,70
43S60730000	6SDXL 18/54	6"	37	50	10.450,30
43S60740000	6SDXL 18/55	6"	37	50	10.615,30
43S60820000	6SDXL 18/56	6"	37	50	10.780,10
43S60830000	6SDXL 18/57	6"	37	50	10.944,70
43S60840000	6SDXL 18/58	6"	37	50	11.109,60
43S60890000	6SDXL 18/59	6"	37	50	11.274,50
43S60920000	6SDXL 18/60	6"	37	50	11.439,40

Art.Nr. Code	OHNE Motor Without motor	Motor- flansch Motor flange	Motor Motor		Preis Price
			kW	HP	
	AISI 316				€
43S64050000	6SDXL 30/3	6"	4	5,5	2.103,00
43S64070000	6SDXL 30/4	6"	5,5	7,5	2.436,40
43S64090000	6SDXL 30/5	6"	7,5	10	2.769,70
43S64110000	6SDXL 30/6	6"	7,5	10	3.103,80
43S64130000	6SDXL 30/7	6"	9,2	12,5	3.436,10
43S64150000	6SDXL 30/8	6"	11	15	3.777,80
43S64170000	6SDXL 30/9	6"	11	15	4.123,10
43S64190000	6SDXL 30/10	6"	13	17,5	4.456,70
43S64210000	6SDXL 30/11	6"	15	20	4.768,80
43S64230000	6SDXL 30/12	6"	15	20	5.081,90
43S64250000	6SDXL 30/13	6"	18,5	25	5.375,00
43S64270000	6SDXL 30/14	6"	18,5	25	5.662,40
43S64290000	6SDXL 30/15	6"	22	30	5.955,40
43S64310000	6SDXL 30/16	6"	22	30	6.209,80
43S64330000	6SDXL 30/17	6"	22	30	6.465,50
43S64350000	6SDXL 30/18	6"	22	30	6.724,20
43S64370000	6SDXL 30/19	6"	26	35	6.940,50
43S64390000	6SDXL 30/20	6"	26	35	7.157,80
43S64410000	6SDXL 30/21	6"	26	35	7.375,00
43S64430000	6SDXL 30/22	6"	30	40	7.595,60
43S64450000	6SDXL 30/23	6"	30	40	7.813,80
43S64470000	6SDXL 30/24	6"	30	40	8.033,40
43S64490000	6SDXL 30/25	6"	37	50	8.318,20
43S64510000	6SDXL 30/26	6"	37	50	8.603,30
43S64530000	6SDXL 30/27	6"	37	50	8.888,30
43S64550000	6SDXL 30/28	6"	37	50	9.173,50
43S64570000	6SDXL 30/29	6"	37	50	9.458,50
43S64590000	6SDXL 30/30	6"	37	50	9.743,50
43S64610000	6SDXL 30/31	6"	45	60	10.018,00
43S64630000	6SDXL 30/32	6"	45	60	10.304,60
43S64650000	6SDXL 30/33	6"	45	60	10.589,60
43S64670000	6SDXL 30/34	6"	45	60	10.874,50
43S64690000	6SDXL 30/35	6"	45	60	12.787,70
43S64710000	6SDXL 30/36	6"	45	60	13.780,80
43S64730000	6SDXL 30/37	6"	45	60	14.495,90
43S64750000	6SDXL 30/38	8"	51	70	15.672,00
43S64770000	6SDXL 30/39	8"	51	70	16.410,80
43S64790000	6SDXL 30/40	8"	51	70	17.649,60
43S64810000	6SDXL 30/41	8"	51	70	18.401,20
43S64830000	6SDXL 30/42	8"	55	75	19.780,10
43S64850000	6SDXL 30/43	8"	55	75	20.567,50

ZU KOPPELLENDE MOTOREN

STANDARD Kupplungsflansch

Bis 45 kW 6"Flansch; von 51 bis 92 kW 8"Flansch; von 110 bis 185 kW 10"Flansch.

MOTORS TO CONNECT

STANDARD coupling flange

Up to 45 kW 6" flange; from 51 to 92 kW 8" flange; from 110 to 185 kW 10" flange.



6SDXL

Unterwassermotor-Pumpen in AISI 316 für Tiefbrunnen 6" (OHNE Motor)
Submersible bore-hole pumps in AISI 316 for 6" well (without motor)

Art.Nr. Code	Ohne Motor Without motor	Motor- flansch Motor flange	Motor Motor		Preis Price
			kW	HP	
	AISI 316				€
43S65010000	6SDXL 46/2	4"	3	4	2.084,80
43S65030000	6SDXL 46/3	6"	4	5,5	2.250,40
43S65050000	6SDXL 46/4	6"	5,5	7,5	2.607,00
43S65070000	6SDXL 46/5	6"	7,5	10	2.963,70
43S65090000	6SDXL 46/6	6"	9,2	12,5	3.321,10
43S65110000	6SDXL 46/7	6"	9,2	12,5	3.676,60
43S65130000	6SDXL 46/8	6"	11	15	4.042,50
43S65150000	6SDXL 46/9	6"	13	17,5	4.411,70
43S65170000	6SDXL 46/10	6"	13	17,5	4.768,50
43S65190000	6SDXL 46/11	6"	15	20	5.102,60
43S65210000	6SDXL 46/12	6"	18,5	25	5.437,60
43S65230000	6SDXL 46/13	6"	18,5	25	5.751,20
43S65250000	6SDXL 46/14	6"	18,5	25	6.058,70
43S65270000	6SDXL 46/15	6"	22	30	6.372,40
43S65290000	6SDXL 46/16	6"	22	30	6.644,50
43S65310000	6SDXL 46/17	6"	22	30	6.918,10
43S65330000	6SDXL 46/18	6"	26	35	7.194,90
43S65350000	6SDXL 46/19	6"	26	35	7.426,40
43S65370000	6SDXL 46/20	6"	30	40	7.658,80
43S65390000	6SDXL 46/21	6"	30	40	7.891,20
43S65410000	6SDXL 46/22	6"	30	40	8.127,30
43S65430000	6SDXL 46/23	6"	30	40	8.360,80
43S65450000	6SDXL 46/24	6"	37	50	8.595,90
43S65470000	6SDXL 46/25	6"	37	50	8.900,60
43S65490000	6SDXL 46/26	6"	37	50	9.205,60
43S65510000	6SDXL 46/27	6"	37	50	9.510,60
43S65530000	6SDXL 46/28	6"	37	50	9.815,50
43S65550000	6SDXL 46/29	6"	45	60	10.120,50
43S65570000	6SDXL 46/30	6"	45	60	10.425,40
43S65590000	6SDXL 46/31	6"	45	60	10.719,10
43S65610000	6SDXL 46/32	6"	45	60	11.025,80
43S65630000	6SDXL 46/33	6"	45	60	11.885,00
43S65650000	6SDXL 46/34	8"	51	70	13.299,30
43S65670000	6SDXL 46/35	8"	51	70	14.331,90
43S65690000	6SDXL 46/36	8"	51	70	15.075,70
43S65710000	6SDXL 46/37	8"	51	70	16.298,70
43S65730000	6SDXL 46/38	8"	55	75	17.067,30
43S65750000	6SDXL 46/39	8"	55	75	18.355,70
43S65770000	6SDXL 46/40	8"	55	75	19.137,30

Art.Nr. Code	OHNE Motor Without motor	Motor- flansch Motor flange	Motor Motor		Preis Price
			kW	HP	
	AISI 316				€
43S66010000	6SDXL 65/2	6"	4	5,5	2.210,70
43S66030000	6SDXL 65/3	6"	5,5	7,5	2.438,40
43S66050000	6SDXL 65/4	6"	7,5	10	2.846,60
43S66070000	6SDXL 65/5	6"	9,2	12,5	3.256,50
43S66090000	6SDXL 65/6	6"	11	15	3.633,30
43S66110000	6SDXL 65/7	6"	13	17,5	4.011,30
43S66130000	6SDXL 65/8	6"	15	20	4.410,30
43S66150000	6SDXL 65/9	6"	15	20	4.808,70
43S66170000	6SDXL 65/10	6"	18,5	25	5.123,90
43S66190000	6SDXL 65/11	6"	18,5	25	5.480,20
43S66210000	6SDXL 65/12	6"	22	30	5.834,60
43S66230000	6SDXL 65/13	6"	22	30	6.162,80
43S66250000	6SDXL 65/14	6"	26	35	6.490,00
43S66270000	6SDXL 65/15	6"	26	35	6.799,50
43S66290000	6SDXL 65/16	6"	30	40	7.107,90
43S66310000	6SDXL 65/17	6"	30	40	7.380,50
43S66330000	6SDXL 65/18	6"	37	50	7.655,10
43S66350000	6SDXL 65/19	6"	37	50	7.946,90
43S66370000	6SDXL 65/20	6"	37	50	8.233,70
43S66390000	6SDXL 65/21	6"	37	50	8.525,40
43S66410000	6SDXL 65/22	6"	45	60	8.818,20
43S66430000	6SDXL 65/23	6"	45	60	9.108,30
43S66450000	6SDXL 65/24	6"	45	60	9.566,20
43S66470000	6SDXL 65/25	6"	45	60	10.026,10
43S66490000	6SDXL 65/26	6"	45	60	10.486,20
43S66510000	6SDXL 65/27	8"	51	70	10.946,00
43S66530000	6SDXL 65/28	8"	51	70	11.405,90
43S66550000	6SDXL 65/29	8"	51	70	11.867,10
43S66570000	6SDXL 65/30	8"	55	75	12.325,80
43S66590000	6SDXL 65/31	8"	55	75	12.785,70

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch

Bis 3 kW 4" Flansch; von 4 bis 45 kW 6" Flansch; von 51 bis 92 kW 8" Flansch; von 110 bis 185 kW 10" Flansch.

MOTORS TO CONNECT

STANDARD coupling flange

Up to 3 kW 4" flange; 4 to 45 kW 6" flange; from 51 to 92 kW 8" flange; from 110 to 185 kW 10" flange.



8SDXL

Unterwassermotor-Pumpen in AISI 316 für Tiefbrunnen 8" (OHNE Motor)
Submersible bore-hole pumps in AISI 316 for 8" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor- flansch Motor flange	Motor Motor		Preis Price
			kW	HP	
	AISI 316				€
43S80050000	8SDXL 78/2	6"	7,5	10	6.154,00
43S80100000	8SDXL 78/3	6"	11	15	6.795,70
43S80150000	8SDXL 78/4	6"	15	20	7.444,00
43S80200000	8SDXL 78/5	6"	18,5	25	8.085,60
43S80250000	8SDXL 78/6	6"	22	30	8.938,00
43S80300000	8SDXL 78/7	6"	26	35	9.620,50
43S80350000	8SDXL 78/8	6"	30	40	10.289,00
43S80400000	8SDXL 78/9	6"	37	50	11.080,30
43S80450000	8SDXL 78/10	6"	37	50	11.742,30
43S80500000	8SDXL 78/11	6"	45	60	12.390,70
43S80550000	8SDXL 78/12	6"	45	60	13.086,50
43S80600000	8SDXL 78/13	8"	51	70	13.939,00
43S80650000	8SDXL 78/14	8"	51	70	14.771,10
43S80700000	8SDXL 78/15	8"	55	75	15.807,50
43S80750000	8SDXL 78/16	8"	59	80	16.786,40
43S80800000	8SDXL 78/17	8"	66	90	18.220,40
43S80850000	8SDXL 78/18	8"	66	90	19.420,20
43S80900000	8SDXL 78/19	8"	75	100	20.667,80
43S80950000	8SDXL 78/20	8"	75	100	21.976,00
43S81000000	8SDXL 78/21	8"	75	100	23.366,50
43S81050000	8SDXL 78/22	8"	92	125	24.797,60
43S81100000	8SDXL 78/23	8"	92	125	26.303,60
43S81150000	8SDXL 78/24	8"	92	125	27.877,80
43S81200000	8SDXL 97/2	6"	9,2	12,5	6.605,70
43S81250000	8SDXL 97/3	6"	13	17,5	7.286,00
43S81300000	8SDXL 97/4	6"	18,5	25	7.981,70
43S81350000	8SDXL 97/5	6"	22	30	8.684,40
43S81400000	8SDXL 97/6	6"	26	35	9.598,20
43S81450000	8SDXL 97/7	6"	30	40	10.484,90
43S81500000	8SDXL 97/8	6"	37	50	11.208,00
43S81550000	8SDXL 97/9	6"	37	50	11.917,70
43S81600000	8SDXL 97/10	6"	45	60	12.627,10
43S81650000	8SDXL 97/11	8"	51	70	13.124,10
43S81700000	8SDXL 97/12	8"	51	70	14.080,40
43S81750000	8SDXL 97/13	8"	55	75	15.007,90
43S81800000	8SDXL 97/14	8"	59	80	15.921,30
43S81850000	8SDXL 97/15	8"	66	90	17.073,60
43S81900000	8SDXL 97/16	8"	75	100	18.395,80
43S81950000	8SDXL 97/17	8"	75	100	19.758,90
43S82000000	8SDXL 97/18	8"	92	125	21.108,50
43S82050000	8SDXL 97/19	8"	92	125	22.491,90
43S82100000	8SDXL 97/20	8"	92	125	23.943,40
43S82150000	8SDXL 97/21	8"	92	125	25.490,40
43S82200000	8SDXL 97/22	8"	110	150	27.091,70
43S82250000	8SDXL 97/23	10"	110	150	28.767,80

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch

Bis 3 kW 4" Flansch; von 4 bis 45 kW 6" Flansch; von 51 bis 92 kW 8" Flansch; von 110 bis 185 kW 10" Flansch.

MOTORS TO CONNECT

STANDARD coupling flange

Up to 3 kW 4" flange; 4 to 45 kW 6" flange; from 51 to 92 kW 8" flange; from 110 to 185 kW 10" flange.



6SDS

Unterwassermotor-Pumpen in Grauguss für Tiefbrunnen 6" (OHNE Motor)
Submersible bore-hole pumps in cast iron for 6" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A1A0031110	6SDS 35/3I 6SM	4	5,5	1.851,60
40A1A0041110	6SDS 35/4I 6SM	5.5	7.5	2.088,30
40A1A006L110	6SDS 35/6L 6SM	7.5	10	2.561,50
40A1A007N110	6SDS 35/7N 6SM	9,2	12,5	2.784,30
40A1A008A110	6SDS 35/8A 6SM	11	15	3.058,70
40A1A010M110	6SDS 35/10M 6SM	13	17,5	3.605,00
40A1A011I110	6SDS 35/11I 6SM	15	20	3.829,10
40A1A012A110	6SDS 35/12A 6SM	18.5	25	4.077,10
40A1A014M110	6SDS 35/14M 6SM	18.5	25	4.675,00
40A1A015A110	6SDS 35/15A 6SM	22	30	5.145,70
40A1A016A110	6SDS 35/16A 6SM	22	30	5.382,40
40A1A017A110	6SDS 35/17A 6SM	26	35	5.692,00
40A1A019A110	6SDS 35/19A 6SM	26	35	6.078,50
40A1A021A110	6SDS 35/21A 6SM	30	40	6.575,70
40A1A022A110	6SDS 35/22A 6SM	30	40	6.848,80
40A1A024A110	6SDS 35/24A 6SM	37	50	7.707,30
40A1A025A110	6SDS 35/25A 6SM	37	50	7.816,80
40A1A027A110	6SDS 35/27A 6SM	37	50	8.466,30
40A1A030A110	6SDS 35/30A 6SM	45	60	9.260,60
40A1A032A110	6SDS 35/32A 6SM	45	60	9.770,30
40A1B002I110	6SDS 45/2I 6SM	4	5,5	1.628,80
40A1B003N110	6SDS 45/3N 6SM	5.5	7.5	1.865,50
40A1B003A110	6SDS 45/3A 6SM	7.5	10	1.865,50
40A1B004N110	6SDS 45/4N 6SM	7.5	10	2.113,40
40A1B005U110	6SDS 45/5U 6SM	9,2	12,5	2.374,00
40A1B006P110	6SDS 45/6P 6SM	11	15	2.634,50
40A1B007L110	6SDS 45/7L 6SM	13	17,5	2.834,70
40A1B007A110	6SDS 45/7A 6SM	15	20	2.959,30
40A1B008A110	6SDS 45/8A 6SM	18.5	25	3.133,00
40A1B009A110	6SDS 45/9A 6SM	18.5	25	3.394,80
40A1B011I110	6SDS 45/11I 6SM	22	30	3.929,80
40A1B013I110	6SDS 45/13I 6SM	26	35	4.487,40
40A1B014A110	6SDS 45/14A 6SM	30	40	4.784,50
40A1B016A110	6SDS 45/16A 6SM	37	50	5.532,20
40A1B018A110	6SDS 45/18A 6SM	37	50	5.854,40
40A1B020A110	6SDS 45/20A 6SM	45	60	6.512,70
40A1B022A110	6SDS 45/22A 6SM	45	60	7.047,70
40A1C002A110	6SDS 55/2A 6SM	4	5,5	1.778,60
40A1C003I110	6SDS 55/3I 6SM	5.5	7.5	2.064,30
40A1C004A110	6SDS 55/4A 6SM	7.5	10	2.313,60
40A1C005I110	6SDS 55/5I 6SM	9,2	12,5	2.598,00
40A1C006I110	6SDS 55/6I 6SM	11	15	2.834,70
40A1C007I110	6SDS 55/7I 6SM	13	17,5	3.095,20
40A1C008I110	6SDS 55/8I 6SM	15	20	3.418,70
40A1C009A110	6SDS 55/9A 6SM	18.5	25	3.666,70
40A1C010A110	6SDS 55/10A 6SM	18.5	25	3.977,60
40A1C012N110	6SDS 55/12N 6SM	22	30	4.574,30
40A1C013A110	6SDS 55/13A 6SM	26	35	4.861,30
40A1C014A110	6SDS 55/14A 6SM	26	35	5.196,10
40A1C015A110	6SDS 55/15A 6SM	30	40	5.731,00
40A1C016A110	6SDS 55/16A 6SM	30	40	5.991,60
40A1C017A110	6SDS 55/17A 6SM	37	50	6.364,20
40A1C019A110	6SDS 55/19A 6SM	37	50	6.787,10
40A1C021A110	6SDS 55/21A 6SM	45	60	7.333,40
40A1C023A110	6SDS 55/23A 6SM	45	60	7.830,60

ZU KOPPELNDE MOTOREN
STANDARD Kupplungsflansch:
(6SM) NEMA 6, Motor 6";

MOTORS TO CONNECT
STANDARD coupling flange:
(6SM) NEMA 6, 6" motor;



8SDS

Unterwassermotor-Pumpen in Grauguss für Tiefbrunnen 8" (OHNE Motor)
Submersible bore-hole pumps in cast iron for 8" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A2A001D110	8SDS 65/1D 6SM	4	5,5	1.973,70
40A2A001A110	8SDS 65/1A 6SM	5,5	7,5	1.973,70
40A2A002T110	8SDS 65/2T 6SM	7,5	10	2.376,10
40A2A002C110	8SDS 65/2C 6SM	9,2	12,5	2.376,10
40A2A002A110	8SDS 65/2A 6SM	11	15	2.376,10
40A2A003E110	8SDS 65/3E 6SM	11	15	2.790,80
40A2A03JD110	8SDS 65/3JD 6SM	13	17,5	2.790,80
40A2A003K110	8SDS 65/3K 6SM	15	20	2.790,80
40A2A04JC110	8SDS 65/4JC 6SM	18,5	25	3.206,60
40A2A004A110	8SDS 65/4A 6SM	22	30	3.206,60
40A2A05KC110	8SDS 65/5KC 6SM	22	30	3.619,10
40A2A005A110	8SDS 65/5A 6SM	26	35	3.619,10
40A2A006U110	8SDS 65/6U 6SM	30	40	4.009,10
40A2A006U210	8SDS 65/6U 8SM	30	40	4.009,10
40A2A006C110	8SDS 65/6C 6SM	30	40	4.009,10
40A2A006C210	8SDS 65/6C 8SM	30	40	4.009,10
40A2A007A110	8SDS 65/7A 6SM	37	50	4.423,80
40A2A007A210	8SDS 65/7A 8SM	37	50	4.423,80
40A2A009T110	8SDS 65/9T 6SM	45	60	5.392,20
40A2A009T210	8SDS 65/9T 8SM	45	60	5.392,20
40A2A010Z210	8SDS 65/10Z 8SM	51	70	5.693,60
40A2A011A210	8SDS 65/11A 8SM	59	80	5.969,40
40A2A012A210	8SDS 65/12A 8SM	66	90	6.360,50
40A2A014A210	8SDS 65/14A 8SM	75	100	7.126,00
40A2A016A210	8SDS 65/16A 8SM	92	125	8.382,40
40A2A017A210	8SDS 65/17A 8SM	92	125	8.772,50
40A2B001C110	8SDS 95/1C 6SM	7,5	10	1.973,70
40A2B001A110	8SDS 95/1A 6SM	9,2	12,5	1.973,70
40A2B002F110	8SDS 95/2F 6SM	9,2	12,5	2.427,60
40A2B02DF110	8SDS 95/2DF 6SM	11	15	2.427,60
40A2B002D110	8SDS 95/2D 6SM	13	17,5	2.427,60
40A2B002C110	8SDS 95/2C 6SM	15	20	2.427,60
40A2B002A110	8SDS 95/2A 6SM	18,5	25	2.427,60
40A2B03DJ110	8SDS 95/3DJ 6SM	18,5	25	2.841,20
40A2B003C110	8SDS 95/3C 6SM	22	30	2.841,20
40A2B003A110	8SDS 95/3A 6SM	26	35	2.841,20
40A2B004D110	8SDS 95/4D 6SM	26	35	3.280,60
40A2B004C110	8SDS 95/4C 6SM	30	40	3.280,60
40A2B004C210	8SDS 95/4C 8SM	30	40	3.280,60
40A2B004A110	8SDS 95/4A 6SM	37	50	3.280,60
40A2B004A210	8SDS 95/4A 8SM	37	50	3.280,60
40A2B05KC110	8SDS 95/5KC 6SM	37	50	3.657,20
40A2B05KC210	8SDS 95/5KC 8SM	37	50	3.657,20
40A2B005A110	8SDS 95/5A 6SM	45	60	3.657,20
40A2B005A210	8SDS 95/5A 8SM	45	60	3.657,20
40A2B06QC110	8SDS 95/6QC 6SM	45	60	4.172,70
40A2B06QC210	8SDS 95/6QC 8SM	45	60	4.172,70
40A2B07ZC210	8SDS 95/7ZC 8SM	51	70	4.625,50
40A2B007Z210	8SDS 95/7Z 8SM	59	80	4.625,50
40A2B008Z210	8SDS 95/8Z 8SM	66	90	4.913,60
40A2B10XC210	8SDS 95/10XC 8SM	75	100	5.995,10
40A2B010A210	8SDS 95/10A 8SM	92	125	5.995,10
40A2B012C210	8SDS 95/12C 8SM	92	125	7.228,00

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A2C001F110	8SDS 135/1F 6SM	5,5	7,5	2.099,30
40A2C001D110	8SDS 135/1D 6SM	7,5	10	2.099,30
40A2C001B110	8SDS 135/1B 6SM	9,2	12,5	2.099,30
40A2C002G110	8SDS 135/2G 6SM	9,2	12,5	2.576,70
40A2C002F110	8SDS 135/2F 6SM	11	15	2.576,70
40A2C002E110	8SDS 135/2E 6SM	13	17,5	2.576,70
40A2C002D110	8SDS 135/2D 6SM	15	20	2.576,70
40A2C002B110	8SDS 135/2B 6SM	18,5	25	2.576,70
40A2C003E110	8SDS 135/3E 6SM	18,5	25	3.054,20
40A2C003D110	8SDS 135/3D 6SM	22	30	3.054,20
40A2C003B110	8SDS 135/3B 6SM	26	35	3.054,20
40A2C004D110	8SDS 135/4D 6SM	30	40	3.531,60
40A2C004D210	8SDS 135/4D 8SM	30	40	3.531,60
40A2C004C110	8SDS 135/4C 6SM	37	50	3.531,60
40A2C004C210	8SDS 135/4C 8SM	37	50	3.531,60
40A2C005D110	8SDS 135/5D 6SM	37	50	4.110,00
40A2C005D210	8SDS 135/5D 8SM	37	50	4.110,00
40A2C005B110	8SDS 135/5B 6SM	45	60	4.110,00
40A2C005B210	8SDS 135/5B 8SM	45	60	4.110,00
40A2C006C210	8SDS 135/6C 8SM	51	70	4.237,70
40A2C007C210	8SDS 135/7C 8SM	59	80	4.662,50
40A2C007A210	8SDS 135/7A 8SM	66	90	4.662,50
40A2C008C210	8SDS 135/8C 8SM	66	90	5.077,20
40A2C008A210	8SDS 135/8A 8SM	75	100	5.077,20
40A2C009C210	8SDS 135/9C 8SM	75	100	5.493,00
40A2C010C210	8SDS 135/10C 8SM	92	125	6.360,50
40A2C011C210	8SDS 135/11C 8SM	92	125	6.736,00

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:
(6SM) NEMA 6, Motor 6";
(8SM) NEMA 8, Motor 8", 10";

MOTORS TO CONNECT

STANDARD coupling flange:
(6SM) NEMA 6, 6" motor;
(8SM) NEMA 8, 8", 10" motor;



8SDR

Unterwassermotor-Pumpen in Grauguss für Tiefbrunnen 8" (OHNE Motor)
Submersible bore-hole pumps in cast iron for 8" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40B2A011A110	8SDR 35/11A 6SM	22	30	4.731,40
40B2A013A110	8SDR 35/13A 6SM	26	35	5.294,80
40B2A015A110	8SDR 35/15A 6SM	30	40	5.793,90
40B2A015A210	8SDR 35/15A 8SM	30	40	5.793,90
40B2A017A110	8SDR 35/17A 6SM	37	50	6.316,40
40B2A017A210	8SDR 35/17A 8SM	37	50	6.316,40
40B2A019A110	8SDR 35/19A 6SM	37	50	6.803,80
40B2A019A210	8SDR 35/19A 8SM	37	50	6.803,80
40B2A023A110	8SDR 35/23A 6SM	45	60	7.785,60
40B2A023A210	8SDR 35/23A 8SM	45	60	7.785,60
40B2B027A210	8SDR B35/27A 8SM	51	70	9.292,20
40B2B031A210	8SDR B35/31A 8SM	59	80	10.603,60
40B2B035A210	8SDR B35/35A 8SM	66	90	11.849,60
40B2E006A110	8SDR 40/6A 6SM	22	30	3.446,90
40B2E007A110	8SDR 40/7A 6SM	26	35	3.774,20
40B2E008A110	8SDR 40/8A 6SM	26	35	4.116,60
40B2E009A110	8SDR 40/9A 6SM	30	40	4.365,60
40B2E009A210	8SDR 40/9A 8SM	30	40	4.365,60
40B2E011A110	8SDR 40/11A 6SM	37	50	4.862,30
40B2E011A210	8SDR 40/11A 8SM	37	50	4.862,30
40B2E013A110	8SDR 40/13A 6SM	45	60	5.362,60
40B2E013A210	8SDR 40/13A 8SM	45	60	5.362,60
40B2E015A210	8SDR 40/15A 8SM	51	70	5.910,80
40B2E017A210	8SDR 40/17A 8SM	59	80	6.397,00
40B2E019A210	8SDR 40/19A 8SM	66	90	6.920,60
40B2F021A210	8SDR B40/21A 8SM	75	100	7.917,70
40B2F023A210	8SDR B40/23A 8SM	75	100	8.700,80
40B2F025A210	8SDR B40/25A 8SM	92	125	9.226,80
40B2F028A210	8SDR B40/28A 8SM	92	125	10.381,60
40B2F030A210	8SDR B40/30A 8SM	110	150	11.428,80

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:
(6SM) NEMA 6, Motor 6";
(8SM) NEMA 8, Motor 8", 10";

MOTORS TO CONNECT

STANDARD coupling flange:
(6SM) NEMA 6, 6" motor;
(8SM) NEMA 8, 8", 10" motor;



10SDS

Unterwassermotor-Pumpen in Grauguss für Tiefbrunnen 10"
(OHNE Motor)

Submersible bore-hole pumps in cast iron for 10" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A3G001H110	10SDS 50/1H 6SM	9,2	12,5	3.155,00
40A3G001F110	10SDS 50/1F 6SM	11	15	3.155,00
40A3G001D110	10SDS 50/1D 6SM	13	17,5	3.155,00
40A3G001B110	10SDS 50/1B 6SM	15	20	3.155,00
40A3G002G110	10SDS 50/2G 6SM	18,5	25	3.808,50
40A3G002E110	10SDS 50/2E 6SM	22	30	3.808,50
40A3G02CD110	10SDS 50/2CD 6SM	26	35	3.808,50
40A3G002B110	10SDS 50/2B 6SM	30	40	3.808,50
40A3G002B210	10SDS 50/2B 8SM	30	40	3.808,50
40A3G003D110	10SDS 50/3D 6SM	37	50	4.449,60
40A3G003D210	10SDS 50/3D 8SM	37	50	4.449,60
40A3G003B110	10SDS 50/3B 6SM	45	60	4.449,60
40A3G003B210	10SDS 50/3B 8SM	45	60	4.449,60
40A3G04CD210	10SDS 50/4CD 8SM	51	70	5.103,00
40A3G004B210	10SDS 50/4B 8SM	59	80	5.103,00
40A3G05CD210	10SDS 50/5CD 8SM	66	90	5.744,10
40A3G005B210	10SDS 50/5B 8SM	75	100	5.744,10
40A3G006C210	10SDS 50/6C 8SM	92	125	6.397,50
40A3G07CD210	10SDS 50/7CD 8SM	92	125	7.050,90
40A3G008C210	10SDS 50/8C 8SM	110	150	7.692,00
40A3G008B210	10SDS 50/8B 8SM	132	180	7.692,00
40A3G09BC210	10SDS 50/9BC 8SM	132	180	8.131,40
40A3G010B210	10SDS 50/10B 8SM	150	200	8.633,50
40A3G011B210	10SDS 50/11B 8SM	165	220	9.213,00
40A3G12JC210	10SDS 50/12JC 8SM	185	250	14.465,00
40A3G12JC410	10SDS 50/12JC 12SM	170	230	14.465,00
40A3G013B410	10SDS 50/13B 12SM	190	260	15.017,60
40A3G013B210	10SDS 50/13B 8SM	185	250	15.017,60
40A3G014B410	10SDS 50/14B 12SM	220	300	15.595,90
40A3G015B410	10SDS 50/15B 12SM	220	300	18.235,40
40A3H002B110	10SDS 55/2B 6SM	30	40	3.808,50
40A3H002B210	10SDS 55/2B 8SM	30	40	3.808,50
40A3H002A110	10SDS 55/2A 6SM	37	50	3.808,50
40A3H002A210	10SDS 55/2A 8SM	37	50	3.808,50
40A3H003C110	10SDS 55/3C 6SM	37	50	4.449,60
40A3H003C210	10SDS 55/3C 8SM	37	50	4.449,60
40A3H003K110	10SDS 55/3K 6SM	45	60	4.449,60
40A3H003K210	10SDS 55/3K 8SM	45	60	4.449,60
40A3H003A210	10SDS 55/3A 8SM	51	70	4.449,60
40A3H004S210	10SDS 55/4S 8SM	51	70	5.103,00
40A3H004K210	10SDS 55/4K 8SM	59	80	5.103,00
40A3H004A210	10SDS 55/4A 8SM	66	90	5.103,00
40A3H005A210	10SDS 55/5A 8SM	75	100	5.744,10
40A3H006A210	10SDS 55/6A 8SM	92	125	6.397,50
40A3H007A210	10SDS 55/7A 8SM	110	150	7.050,90
40A3H008A210	10SDS 55/8A 8SM	132	180	7.981,20
40A3H009K210	10SDS 55/9K 8SM	132	180	8.658,20
40A3H010A210	10SDS 55/10A 8SM	150	200	9.213,00
40A3H011A210	10SDS 55/11A 8SM	185	250	14.916,70
40A3H011A410	10SDS 55/11A 12SM	170	230	14.916,70
40A3H012A410	10SDS 55/12A 12SM	190	260	15.408,70
40A3H012A210	10SDS 55/12A 8SM	185	250	15.408,70
40A3H013A410	10SDS 55/13A 12SM	220	300	16.048,70
40A3H014A410	10SDS 55/14A 12SM	220	300	16.665,10
40A3H015A410	10SDS 55/15A 12SM	250	340	19.516,40

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A3L001H110	10SDS 64/1H 6SM	13	17,5	3.142,70
40A3L001G110	10SDS 64/1G 6SM	15	20	3.142,70
40A3L01EF110	10SDS 64/1EF 6SM	18,5	25	3.142,70
40A3L01CD110	10SDS 64/1CD 6SM	22	30	3.142,70
40A3L01BC110	10SDS 64/1BC 6SM	26	35	3.142,70
40A3L001A110	10SDS 64/1A 6SM	30	40	3.142,70
40A3L001A210	10SDS 64/1A 8SM	30	40	3.142,70
40A3L02EF110	10SDS 64/2EF 6SM	37	50	4.047,20
40A3L02EF210	10SDS 64/2EF 8SM	37	50	4.047,20
40A3L02CD110	10SDS 64/2CD 6SM	45	60	4.047,20
40A3L02CD210	10SDS 64/2CD 8SM	45	60	4.047,20
40A3L02BC210	10SDS 64/2BC 8SM	51	70	4.047,20
40A3L002A210	10SDS 64/2A 8SM	59	80	4.047,20
40A3L003D210	10SDS 64/3D 8SM	66	90	4.913,60
40A3L003C210	10SDS 64/3C 8SM	75	100	4.913,60
40A3L003A210	10SDS 64/3A 8SM	92	125	4.913,60
40A3L004B210	10SDS 64/4B 8SM	110	150	5.781,10
40A3L004A210	10SDS 64/4A 8SM	132	180	5.781,10
40A3L05BC210	10SDS 64/5BC 8SM	132	180	6.962,40
40A3L005K210	10SDS 64/5K 8SM	150	200	6.962,40

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:

(6SM) NEMA 6, Motor 6";

(8SM) NEMA 8, Motor 8", 10";

(12SM) C12 Kupplung, Motor 12", 14";

MOTORS TO CONNECT

STANDARD coupling flange:

(6SM) NEMA 6, 6" motor;

(8SM) NEMA 8, 8", 10" motor;

(12SM) C 12 Coupling, 12", 14" motor;



10SDR

Unterwassermotor-Pumpen in Grauguss für Tiefbrunnen 10"
(OHNE Motor)

Submersible bore-hole pumps in cast iron for 10" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40B3A005A210	10SDR 30/5A 8SM	30	40	5.098,40
40B3A006A210	10SDR 30/6A 8SM	37	50	5.557,80
40B3A008M210	10SDR 30/8M 8SM	45	60	6.516,20
40B3A009K210	10SDR 30/9K 8SM	51	70	6.986,10
40B3A010A210	10SDR 30/10A 8SM	59	80	7.458,30
40B3A011A210	10SDR 30/11A 8SM	66	90	7.943,40
40B3A013M210	10SDR 30/13M 8SM	75	100	8.886,60
40B3A014A210	10SDR 30/14A 8SM	92	125	9.358,80
40B3A015A210	10SDR 30/15A 8SM	92	125	9.829,90
40B3B016A210	10SDR B30/16A 8SM	110	150	11.232,50
40B3B017A210	10SDR B30/17A 8SM	110	150	11.729,20
40B3B018A210	10SDR B30/18A 8SM	110	150	12.228,30
40B3B019A210	10SDR B30/19A 8SM	132	180	13.525,70
40B3B020A210	10SDR B30/20A 8SM	132	180	15.596,90
40B3C005A210	10SDR 35/5A 8SM	37	50	5.098,40
40B3C006A210	10SDR 35/6A 8SM	37	50	5.557,80
40B3C007A210	10SDR 35/7A 8SM	45	60	6.028,80
40B3C008A210	10SDR 35/8A 8SM	51	70	6.516,20
40B3C009A210	10SDR 35/9A 8SM	59	80	6.986,10
40B3C010A210	10SDR 35/10A 8SM	66	90	7.458,30
40B3C011A210	10SDR 35/11A 8SM	75	100	7.943,40
40B3C012A210	10SDR 35/12A 8SM	92	125	8.401,60
40B3C013A210	10SDR 35/13A 8SM	92	125	8.886,60
40B3D014A210	10SDR B35/14A 8SM	92	125	10.263,50
40B3D015A210	10SDR B35/15A 8SM	110	150	10.733,40
40B3D016A210	10SDR B35/16A 8SM	110	150	11.232,50
40B3D017A210	10SDR B35/17A 8SM	110	150	11.729,20
40B3D018A210	10SDR B35/18A 8SM	132	180	12.318,30
40B3D019A210	10SDR B35/19A 8SM	132	180	13.133,00
40B3D020A210	10SDR B35/20A 8SM	132	180	13.959,40
40B3D021A210	10SDR B35/21A 8SM	150	200	16.069,10
40B3E004B210	10SDR 40/4B 8SM	30	40	4.613,40
40B3E004A210	10SDR 40/4A 8SM	37	50	4.613,40
40B3E005I210	10SDR 40/5I 8SM	45	60	5.112,50
40B3E006K210	10SDR 40/6K 8SM	51	70	5.596,40
40B3E007M210	10SDR 40/7M 8SM	59	80	6.095,50
40B3E08AB210	10SDR 40/8AB 8SM	66	90	6.501,00
40B3E008A210	10SDR 40/8A 8SM	75	100	6.501,00
40B3E009A210	10SDR 40/9A 8SM	92	125	7.000,10
40B3E010A210	10SDR 40/10A 8SM	92	125	7.484,00
40B3E011A210	10SDR 40/11A 8SM	110	150	7.943,40
40B3E012A210	10SDR 40/12A 8SM	110	150	8.401,60
40B3F013A210	10SDR B40/13A 8SM	132	180	9.908,20
40B3F014A210	10SDR B40/14A 8SM	132	180	10.407,30
40B3F015A210	10SDR B40/15A 8SM	150	200	11.297,90
40B3F016A210	10SDR B40/16A 8SM	150	200	11.951,30
40B3F017A210	10SDR B40/17A 8SM	165	220	13.709,20
40B3F018A210	10SDR B40/18A 8SM	165	220	14.234,00

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:

(8SM) NEMA 8, Motor 8", 10";

MOTORS TO CONNECT

STANDARD coupling flange:

(8SM) NEMA 8, 8", 10" motor;



12SDS

Unterwassermotor-Pumpen in Grauguss für Tiefbrunnen 12"
(OHNE Motor)

Submersible bore-hole pumps in cast iron for 12" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A4A004A410	12SDS 42/4A 12SM	170	230	13.605,20
40A4A004A210	12SDS 42/4A 8SM	185	250	13.605,20
40A4A005MN410	12SDS 42/5MN 12SM	190	260	15.268,40
40A4A005A410	12SDS 42/5A 12SM	220	300	15.268,40
40A4A006P410	12SDS 42/6P 12SM	250	340	16.946,90
40A4A006B410	12SDS 42/6B 12SM	250	340	16.946,90
40A4A006A410	12SDS 42/6A 12SM	250	340	16.946,90
40A4A007M410	12SDS 42/7M 12SM	300	400	18.624,20
40A4A007A410	12SDS 42/7A 12SM	300	400	18.624,20
40A4A008Q410	12SDS 42/8Q 12SM	350	475	20.289,70
40A4A008A410	12SDS 42/8A 12SM	350	475	20.289,70
40A4A009M410	12SDS 42/9M 12SM	400	540	26.394,50
40A4B001D110	12SDS 50/1D 6SM	15	20	3.250,50
40A4B001B110	12SDS 50/1B 6SM	18.5	25	3.250,50
40A4B001A110	12SDS 50/1A 6SM	22	30	3.250,50
40A4B02EF110	12SDS 50/2EF 6SM	26	35	4.116,60
40A4B02DE110	12SDS 50/2DE 6SM	30	40	4.116,60
40A4B02DE210	12SDS 50/2DE 8SM	30	40	4.116,60
40A4B02BC110	12SDS 50/2BC 6SM	37	50	4.116,60
40A4B02BC210	12SDS 50/2BC 8SM	37	50	4.116,60
40A4B002A110	12SDS 50/2A 6SM	45	60	4.116,60
40A4B002A210	12SDS 50/2A 8SM	45	60	4.116,60
40A4B003C210	12SDS 50/3C 8SM	51	70	4.954,70
40A4B003K210	12SDS 50/3K 8SM	59	80	4.954,70
40A4B003A210	12SDS 50/3A 8SM	66	90	4.954,70
40A4B004Z210	12SDS 50/4Z 8SM	75	100	5.806,80
40A4B004A210	12SDS 50/4A 8SM	92	125	5.806,80
40A4B05BC210	12SDS 50/5BC 8SM	92	125	6.657,70
40A4B005A210	12SDS 50/5A 8SM	110	150	6.657,70
40A4B006A210	12SDS 50/6A 8SM	132	180	7.496,90
40A4B007I210	12SDS 50/7I 8SM	150	200	8.349,00
40A4B008M210	12SDS 50/8M 8SM	165	220	9.043,20
40A4B008A410	12SDS 50/8A 12SM	170	230	9.043,20
40A4B008A210	12SDS 50/8A 8SM	185	250	9.043,20
40A4B009A410	12SDS 50/9A 12SM	190	260	13.027,80
40A4B010A410	12SDS 50/10A 12SM	220	300	15.255,60
40A4B011A410	12SDS 50/11A 12SM	250	340	16.120,50
40A4B012A410	12SDS 50/12A 12SM	300	400	17.614,30

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A4C01GH110	12SDS 55/1GH 6SM	15	20	3.250,50
40A4C01EF110	12SDS 55/1EF 6SM	18.5	25	3.611,70
40A4C001D110	12SDS 55/1D 6SM	22	30	3.611,70
40A4C001B110	12SDS 55/1B 6SM	30	40	3.611,70
40A4C001B210	12SDS 55/1B 8SM	30	40	3.611,70
40A4C02GH110	12SDS 55/2GH 6SM	30	40	4.574,00
40A4C02GH210	12SDS 55/2GH 8SM	30	40	4.574,00
40A4C02EF110	12SDS 55/2EF 6SM	37	50	4.574,00
40A4C02EF210	12SDS 55/2EF 8SM	37	50	4.574,00
40A4C002D110	12SDS 55/2D 6SM	45	60	4.574,00
40A4C002D210	12SDS 55/2D 8SM	45	60	4.574,00
40A4C002B210	12SDS 55/2B 8SM	51	70	4.574,00
40A4C002A210	12SDS 55/2A 8SM	59	80	4.574,00
40A4C03DE210	12SDS 55/3DE 8SM	59	80	5.505,20
40A4C03CJ210	12SDS 55/3CJ 8SM	66	90	5.505,20
40A4C003A210	12SDS 55/3A 8SM	92	125	5.505,20
40A4C04JF210	12SDS 55/4JF 8SM	75	100	6.451,90
40A4C004D210	12SDS 55/4D 8SM	92	125	6.451,90
40A4C004B210	12SDS 55/4B 8SM	110	150	6.451,90
40A4C005D210	12SDS 55/5D 8SM	110	150	7.397,40
40A4C005T210	12SDS 55/5T 8SM	132	180	7.397,40
40A4C06BC210	12SDS 55/6BC 8SM	150	200	8.329,90
40A4C006A210	12SDS 55/6A 8SM	165	220	8.329,90
40A4C007K410	12SDS 55/7K 12SM	190	260	12.539,00
40A4C008A410	12SDS 55/8A 12SM	220	300	14.853,20
40A4C009Q410	12SDS 55/9Q 12SM	250	340	16.557,10
40A4C009B410	12SDS 55/9B 12SM	250	340	16.557,10
40A4C010A410	12SDS 55/10A 12SM	300	400	17.590,90
40A4D01AB110	12SDS 58/1AB 6SM	37	50	3.655,80
40A4D01AB210	12SDS 58/1AB 8SM	37	50	3.655,80
40A4D02BC210	12SDS 58/2BC 8SM	59	80	4.877,90
40A4D02AJ210	12SDS 58/2AJ 8SM	66	90	4.877,90
40A4D002A210	12SDS 58/2A 8SM	75	100	4.877,90
40A4D003W210	12SDS 58/3W 8SM	92	125	6.364,90
40A4D003A210	12SDS 58/3A 8SM	110	150	6.364,90
40A4D004M210	12SDS 58/4M 8SM	132	180	7.544,20
40A4D004A210	12SDS 58/4A 8SM	150	200	7.544,20
40A4D005M410	12SDS 58/5M 12SM	170	230	10.324,70
40A4D005M210	12SDS 58/5M 8SM	185	250	10.324,70
40A4D005I210	12SDS 58/5I 8SM	185	250	10.324,70
40A4D005A410	12SDS 58/5A 12SM	190	260	10.324,70
40A4D006Z410	12SDS 58/6Z 12SM	190	260	11.518,20
40A4D007Z410	12SDS 58/7Z 12SM	250	340	14.184,40
40A4D007X410	12SDS 58/7X 12SM	250	340	14.184,40
40A4D007A410	12SDS 58/7A 12SM	300	400	14.184,40
40A4D08AB410	12SDS 58/8AB 12SM	300	400	15.158,40

ZU KOPPELNDEN MOTOREN

STANDARD Kupplungsflansch:

(6SM) NEMA 6, Motor 6";

(8SM) NEMA 8, Motor 8", 10";

(12SM) C12 Kupplung, Motor 12", 14";

MOTORS TO CONNECT

STANDARD coupling flange:

(6SM) NEMA 6, 6" motor;

(8SM) NEMA 8, 8", 10" motor;

(12SM) C 12 Coupling, 12", 14" motor;



14SDS

Unterwassermotor-Pumpen in Grauguss für Tiefbrunnen 14"
(OHNE Motor)

Submersible bore-hole pumps in cast iron for 14" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A5A001E210	14SDS 50/1E 8SM	30	40	8.873,80
40A5A001D210	14SDS 50/1D 8SM	37	50	8.873,80
40A5A001C210	14SDS 50/1C 8SM	45	60	8.873,80
40A5A001B210	14SDS 50/1B 8SM	51	70	8.873,80
40A5A001A210	14SDS 50/1A 8SM	59	80	8.873,80
40A5A002E210	14SDS 50/2E 8SM	59	80	11.154,20
40A5A002D210	14SDS 50/2D 8SM	66	90	11.154,20
40A5A002C210	14SDS 50/2C 8SM	75	100	11.154,20
40A5A002B210	14SDS 50/2B 8SM	92	125	11.154,20
40A5A002AB210	14SDS 50/2AB 8SM	110	150	11.154,20
40A5A003C210	14SDS 50/3C 8SM	132	180	13.434,50
40A5A003B210	14SDS 50/3B 8SM	150	200	13.434,50
40A5A003A210	14SDS 50/3A 8SM	185	250	13.434,50
40A5A003A410	14SDS 50/3A 12SM	170	230	13.434,50
40A5A04BC210	14SDS 50/4BC 8SM	185	250	16.814,80
40A5A04BC410	14SDS 50/4BC 12SM	190	260	16.814,80
40A5A004I410	14SDS 50/4I 12SM	220	300	16.814,80
40A5A05JC410	14SDS 50/5JC 12SM	250	340	18.939,70
40A5A005I410	14SDS 50/5I 12SM	300	400	18.939,70
40A5A006W410	14SDS 50/6W 12SM	350	475	21.062,30
40A5A006I410	14SDS 50/6I 12SM	350	475	21.062,30
40A5A007Q410	14SDS 50/7Q 12SM	400	540	23.183,80
40A5B01FG210	14SDS 55/1FG 8SM	37	50	9.370,50
40A5B01EF210	14SDS 55/1EF 8SM	45	60	9.370,50
40A5B01DE210	14SDS 55/1DE 8SM	51	70	9.370,50
40A5B01CJ210	14SDS 55/1CJ 8SM	59	80	9.370,50
40A5B001C210	14SDS 55/1C 8SM	66	90	9.370,50
40A5B001B210	14SDS 55/1B 8SM	75	100	9.370,50
40A5B001A210	14SDS 55/1A 8SM	92	125	9.370,50
40A5B02JF210	14SDS 55/2JF 8SM	92	125	11.532,90
40A5B02JE210	14SDS 55/2JE 8SM	110	150	11.532,90
40A5B002C210	14SDS 55/2C 8SM	132	180	11.532,90
40A5B02JC210	14SDS 55/2JC 8SM	150	200	11.532,90
40A5B02AB210	14SDS 55/2AB 8SM	185	250	11.532,90
40A5B02AB410	14SDS 55/2AB 12SM	170	230	11.532,90
40A5B003D210	14SDS 55/3D 8SM	185	250	14.326,40
40A5B003D410	14SDS 55/3D 12SM	170	230	14.326,40
40A5B03JD410	14SDS 55/3JD 12SM	190	260	14.326,40
40A5B03BC410	14SDS 55/3BC 12SM	220	300	14.326,40
40A5B003B410	14SDS 55/3B 12SM	250	340	14.326,40
40A5B003A410	14SDS 55/3A 12SM	300	400	14.326,40
40A5C04BJ410	14SDS E55/4BJ 12SM	300	400	17.024,00
40A5C004I410	14SDS E55/4I 12SM	350	475	17.024,00
40A5C004B410	14SDS E55/4B 12SM	350	475	17.024,00
40A5C005C410	14SDS E55/5C 12SM	350	475	19.147,80
40A5C05BC410	14SDS E55/5BC 12SM	400	540	19.147,80

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A5D001L210	14SDS 64/1L 8SM	51	70	13.158,70
40A5D001H210	14SDS 64/1H 8SM	59	80	13.158,70
40A5D001G210	14SDS 64/1G 8SM	66	90	13.158,70
40A5D001F210	14SDS 64/1F 8SM	75	100	13.158,70
40A5D001D210	14SDS 64/1D 8SM	92	125	13.158,70
40A5D001B210	14SDS 64/1B 8SM	110	150	13.158,70
40A5D001A210	14SDS 64/1A 8SM	132	180	13.158,70
40A5D002G210	14SDS 64/2G 8SM	132	180	15.806,10
40A5D02EF210	14SDS 64/2EF 8SM	150	200	15.806,10
40A5D02DE210	14SDS 64/2DE 8SM	185	250	15.806,10
40A5D02DE410	14SDS 64/2DE 12SM	170	230	15.806,10
40A5D002C410	14SDS 64/2C 12SM	190	260	15.806,10
40A5D002A410	14SDS 64/2A 12SM	220	300	15.806,10
40A5D03JF410	14SDS 64/3JF 12SM	250	340	19.095,20
40A5D03JD410	14SDS 64/3JD 12SM	300	400	19.095,20
40A5D003B410	14SDS 64/3B 12SM	350	475	19.095,20
40A5D003A410	14SDS 64/3A 12SM	350	475	19.095,20
40A5D04CD410	14SDS 64/4CD 12SM	400	540	22.830,80

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:

(8SM) NEMA 8, Motor 8", 10";
(12SM) C12 Kupplung, Motor 12", 14";

MOTORS TO CONNECT

STANDARD coupling flange:

(8SM) NEMA 8, 8", 10" motor;
(12SM) C 12 Coupling, 12", 14" motor;



18SDS

Unterwassermotor-Pumpen in Grauguss für Tiefbrunnen 18"
(OHNE Motor)

Submersible bore-hole pumps in cast iron for 18" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
40A6A001L210	18SDS 64/1L 8SM	51	70	16.120,50
40A6A001H210	18SDS 64/1H 8SM	59	80	16.120,50
40A6A001G210	18SDS 64/1G 8SM	66	90	16.120,50
40A6A001F210	18SDS 64/1F 8SM	75	100	16.120,50
40A6A001D210	18SDS 64/1D 8SM	92	125	16.120,50
40A6A001B210	18SDS 64/1B 8SM	110	150	16.120,50
40A6A001A210	18SDS 64/1A 8SM	132	180	16.120,50
40A6A002G210	18SDS 64/2G 8SM	132	180	19.658,60
40A6A02EF210	18SDS 64/2EF 8SM	150	200	19.658,60
40A6A02DE210	18SDS 64/2DE 8SM	185	250	19.658,60
40A6A02DE410	18SDS 64/2DE 12SM	170	230	19.658,60
40A6A002C410	18SDS 64/2C 12SM	190	260	19.658,60
40A6A002A410	18SDS 64/2A 12SM	220	300	19.658,60
40A6A03JF410	18SDS 64/3JF 12SM	250	340	23.589,40
40A6A003B410	18SDS 64/3B 12SM	350	475	23.589,40
40A6A003A410	18SDS 64/3A 12SM	350	475	23.589,40
40A6A04CD410	18SDS 64/4CD 12SM	400	540	26.893,60

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:

(8SM) NEMA 8, Motor 8", 10";
(12SM) C12 Kupplung, Motor 12", 14";

MOTORS TO CONNECT

STANDARD coupling flange:

(8SM) NEMA 8, 8", 10" motor;
(12SM) C 12 Coupling, 12", 14" motor;



I-6SDR

Unterwassermotor-Pumpen in AISI 304 für Tiefbrunnen 6" (OHNE Motor)
Submersible bore-hole pumps in AISI 304 for 6" wells (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
43B1A009A110	I-6SDR 30/9A 6SM	4	5,5	4.314,50
43B1A013A110	I-6SDR 30/13A 6SM	5.5	7.5	5.337,30
43B1A018A110	I-6SDR 30/18A 6SM	7.5	10	6.645,00
43B1A022A110	I-6SDR 30/22A 6SM	9,2	12,5	7.730,50
43B1A026A110	I-6SDR 30/26A 6SM	11	15	8.768,20
43B1A031A110	I-6SDR 30/31A 6SM	13	17,5	10.111,40
43B1A036A110	I-6SDR 30/36A 6SM	15	20	11.453,20
43B1A040A110	I-6SDR 30/40A 6SM	18.5	25	12.538,60
43B1A045A110	I-6SDR 30/45A 6SM	18.5	25	13.962,30
43B1A049A110	I-6SDR 30/49A 6SM	22	30	15.046,40
43B1A053A110	I-6SDR 30/53A 6SM	22	30	16.149,50
43B1A056A110	I-6SDR 30/56A 6SM	26	35	16.947,30
43B1A060A110	I-6SDR 30/60A 6SM	26	35	18.050,50
43B1B007A110	I-6SDR 37/7A 6SM	4	5,5	3.897,30
43B1B009A110	I-6SDR 37/9A 6SM	5.5	7.5	4.456,40
43B1B011A110	I-6SDR 37/11A 6SM	7.5	10	5.016,80
43B1B013A110	I-6SDR 37/13A 6SM	7.5	10	5.558,20
43B1B016A110	I-6SDR 37/16A 6SM	9,2	12,5	6.390,00
43B1B019A110	I-6SDR 37/19A 6SM	11	15	7.220,50
43B1B022A110	I-6SDR 37/22A 6SM	13	17,5	8.098,60
43B1B026A110	I-6SDR 37/26A 6SM	15	20	9.216,80
43B1B029A110	I-6SDR 37/29A 6SM	18.5	25	10.048,60
43B1B032A110	I-6SDR 37/32A 6SM	18.5	25	10.925,50
43B1B035A110	I-6SDR 37/35A 6SM	22	30	11.790,00
43B1B038A110	I-6SDR 37/38A 6SM	22	30	12.635,50
43B1B041A110	I-6SDR 37/41A 6SM	26	35	13.498,60
43B1B045A110	I-6SDR 37/45A 6SM	26	35	14.712,30
43B1B048A110	I-6SDR 37/48A 6SM	30	40	15.590,50
43B1B052A110	I-6SDR 37/52A 6SM	30	40	16.738,60
43B1B056A110	I-6SDR 37/56A 6SM	37	50	17.888,20
43B1B060A110	I-6SDR 37/60A 6SM	37	50	19.073,20
43B1C004I110	I-6SDR 47/4I 6SM	4	5,5	3.321,80
43B1C005A110	I-6SDR 47/5A 6SM	5.5	7.5	3.609,50
43B1C007A110	I-6SDR 47/7A 6SM	7.5	10	4.217,70
43B1C009I110	I-6SDR 47/9I 6SM	9,2	12,5	4.855,90
43B1C010A110	I-6SDR 47/10A 6SM	11	15	5.127,30
43B1C012A110	I-6SDR 47/12A 6SM	13	17,5	5.736,80
43B1C014A110	I-6SDR 47/14A 6SM	15	20	6.340,90
43B1C017A110	I-6SDR 47/17A 6SM	18.5	25	7.315,90
43B1C021A110	I-6SDR 47/21A 6SM	22	30	8.530,90
43B1C025A110	I-6SDR 47/25A 6SM	26	35	9.759,50
43B1C028A110	I-6SDR 47/28A 6SM	30	40	10.701,80
43B1C031A110	I-6SDR 47/31A 6SM	37	50	11.644,10
43B1C035A110	I-6SDR 47/35A 6SM	37	50	12.954,50

ZU KOPPELNDE MOTOREN
 STANDARD Kupplungsflansch:
 (6SM) NEMA 6, Motor 6";

MOTORS TO CONNECT
 STANDARD coupling flange:
 (6SM) NEMA 6, 6" motor;



I-6SDS

Unterwassermotor-Pumpen in AISI 316 für Tiefbrunnen 6" (OHNE Motor)
Submersible bore-hole pumps in AISI 316 for 6" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
43A1D003A110	I-6SDS 50/3A 6SM	4	5,5	3.770,50
43A1D004A110	I-6SDS 50/4A 6SM	5.5	7.5	4.538,20
43A1D006M110	I-6SDS 50/6M 6SM	7.5	10	6.038,20
43A1D007I110	I-6SDS 50/7I 6SM	9,2	12,5	6.788,20
43A1D008A110	I-6SDS 50/8A 6SM	11	15	7.554,50
43A1D009A110	I-6SDS 50/9A 6SM	13	17,5	8.305,90
43A1D011A110	I-6SDS 50/11A 6SM	15	20	9.807,30
43A1D014A110	I-6SDS 50/14A 6SM	18.5	25	12.076,40
43A1D016A110	I-6SDS 50/16A 6SM	22	30	13.594,10
43A1D019A110	I-6SDS 50/19A 6SM	26	35	15.845,50
43A1D022A110	I-6SDS 50/22A 6SM	30	40	18.113,20
43A1D028A110	I-6SDS 50/28A 6SM	37	50	22.632,30
43A1E002I110	I-6SDS 55/2I 6SM	4	5,5	3.035,50
43A1E003P110	I-6SDS 55/3P 6SM	5.5	7.5	3.801,80
43A1E004P110	I-6SDS 55/4P 6SM	7.5	10	4.568,20
43A1E005Q110	I-6SDS 55/5Q 6SM	9,2	12,5	5.337,30
43A1E006Z110	I-6SDS 55/6Z 6SM	11	15	6.102,30
43A1E007Z110	I-6SDS 55/7Z 6SM	13	17,5	6.870,00
43A1E008S110	I-6SDS 55/8S 6SM	15	20	7.635,00
43A1E009A110	I-6SDS 55/9A 6SM	18.5	25	8.400,00
43A1E011M110	I-6SDS 55/11M 6SM	22	30	9.919,10
43A1E013M110	I-6SDS 55/13M 6SM	26	35	11.453,20
43A1E015M110	I-6SDS 55/15M 6SM	30	40	12.987,30
43A1E018A110	I-6SDS 55/18A 6SM	37	50	15.286,40
43A1E021A110	I-6SDS 55/21A 6SM	45	60	17.251,40
43A1F002I110	I-6SDS 64/2I 6SM	4	5,5	3.241,40
43A1F003K110	I-6SDS 64/3K 6SM	5.5	7.5	4.075,90
43A1F004K110	I-6SDS 64/4K 6SM	7.5	10	4.921,40
43A1F005M110	I-6SDS 64/5M 6SM	9,2	12,5	5.750,50
43A1F006M110	I-6SDS 64/6M 6SM	11	15	6.582,30
43A1F07MN110	I-6SDS 64/7MN 6SM	13	17,5	7.411,40
43A1F007A110	I-6SDS 64/7A 6SM	15	20	7.411,40
43A1F009A110	I-6SDS 64/9A 6SM	18.5	25	9.088,60
43A1F011K110	I-6SDS 64/11K 6SM	22	30	10.750,90
43A1F013K110	I-6SDS 64/13K 6SM	26	35	12.426,80
43A1F015K110	I-6SDS 64/15K 6SM	30	40	14.087,70
43A1F018A110	I-6SDS 64/18A 6SM	37	50	16.596,80
43A1F021A110	I-6SDS 64/21A 6SM	45	60	19.103,20

ZU KOPPELNDE MOTOREN
 STANDARD Kupplungsflansch:
 (6SM) NEMA 6, Motor 6";

MOTORS TO CONNECT
 STANDARD coupling flange:
 (6SM) NEMA 6, 6" motor;



I-8SDS

Unterwassermotor-Pumpen in AISI 316 für Tiefbrunnen 8" (OHNE Motor)
Submersible bore-hole pumps in AISI 316 for 8" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
43A2A001D110	I-8SDS 65/1D 6SM	4	5,5	4.170,00
43A2A001A110	I-8SDS 65/1A 6SM	5,5	7,5	4.170,00
43A2A002T110	I-8SDS 65/2T 6SM	7,5	10	5.031,80
43A2A002C110	I-8SDS 65/2C 6SM	9,2	12,5	5.031,80
43A2A002A110	I-8SDS 65/2A 6SM	11	15	5.031,80
43A2A003E110	I-8SDS 65/3E 6SM	11	15	6.357,30
43A2A03JD110	I-8SDS 65/3JD 6SM	13	17,5	6.357,30
43A2A003K110	I-8SDS 65/3K 6SM	15	20	6.357,30
43A2A04JC110	I-8SDS 65/4JC 6SM	18,5	25	7.650,00
43A2A004A110	I-8SDS 65/4A 6SM	22	30	7.650,00
43A2A05KC110	I-8SDS 65/5KC 6SM	22	30	8.802,30
43A2A005A110	I-8SDS 65/5A 6SM	26	35	8.802,30
43A2A006U110	I-8SDS 65/6U 6SM	30	40	9.966,80
43A2A006U210	I-8SDS 65/6U 8SM	30	40	9.966,80
43A2A006C110	I-8SDS 65/6C 6SM	30	40	9.966,80
43A2A006C210	I-8SDS 65/6C 8SM	30	40	9.966,80
43A2A007A110	I-8SDS 65/7A 6SM	37	50	10.798,60
43A2A007A210	I-8SDS 65/7A 8SM	37	50	10.798,60
43A2A009T110	I-8SDS 65/9T 6SM	45	60	12.954,50
43A2A009T210	I-8SDS 65/9T 8SM	45	60	12.954,50
43A2A010Z210	I-8SDS 65/10Z 8SM	51	70	14.199,50
43A2A011A210	I-8SDS 65/11A 8SM	59	80	15.381,80
43A2A012A210	I-8SDS 65/12A 8SM	66	90	16.738,60
43A2A014A210	I-8SDS 65/14A 8SM	75	100	19.007,70
43A2A016A210	I-8SDS 65/16A 8SM	92	125	21.180,00
43A2A017A210	I-8SDS 65/17A 8SM	92	125	22.329,50
43A2B001C110	I-8SDS 95/1C 6SM	7,5	10	4.296,80
43A2B001A110	I-8SDS 95/1A 6SM	9,2	12,5	4.296,80
43A2B002F110	I-8SDS 95/2F 6SM	9,2	12,5	5.094,50
43A2B02DF110	I-8SDS 95/2DF 6SM	11	15	5.094,50
43A2B002D110	I-8SDS 95/2D 6SM	13	17,5	5.094,50
43A2B002C110	I-8SDS 95/2C 6SM	15	20	5.094,50
43A2B002A110	I-8SDS 95/2A 6SM	18,5	25	5.094,50
43A2B03DJ110	I-8SDS 95/3DJ 6SM	18,5	25	6.516,80
43A2B003C110	I-8SDS 95/3C 6SM	22	30	6.516,80
43A2B003A110	I-8SDS 95/3A 6SM	26	35	6.516,80
43A2B004D110	I-8SDS 95/4D 6SM	26	35	7.892,70
43A2B004C110	I-8SDS 95/4C 6SM	30	40	7.892,70
43A2B004C210	I-8SDS 95/4C 8SM	30	40	7.892,70
43A2B004A110	I-8SDS 95/4A 6SM	37	50	7.892,70
43A2B004A210	I-8SDS 95/4A 8SM	37	50	7.892,70
43A2B05KC110	I-8SDS 95/5KC 6SM	37	50	8.848,60
43A2B05KC210	I-8SDS 95/5KC 8SM	37	50	8.848,60
43A2B005A110	I-8SDS 95/5A 6SM	45	60	8.848,60
43A2B005A210	I-8SDS 95/5A 8SM	45	60	8.848,60
43A2B06QC110	I-8SDS 95/6QC 6SM	45	60	10.223,20
43A2B06QC210	I-8SDS 95/6QC 8SM	45	60	10.223,20
43A2B07ZC210	I-8SDS 95/7ZC 8SM	51	70	11.453,20
43A2B007Z210	I-8SDS 95/7Z 8SM	59	80	11.453,20
43A2B008Z210	I-8SDS 95/8Z 8SM	66	90	12.570,00
43A2B10XC210	I-8SDS 95/10XC 8SM	75	100	14.469,50
43A2B010A210	I-8SDS 95/10A 8SM	92	125	14.469,50
43A2B012C210	I-8SDS 95/12C 8SM	92	125	18.384,50

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
43A2C001F110	I-8SDS 135/1F 6SM	5,5	7,5	4.345,90
43A2C001D110	I-8SDS 135/1D 6SM	7,5	10	4.345,90
43A2C001B110	I-8SDS 135/1B 6SM	9,2	12,5	4.345,90
43A2C002G110	I-8SDS 135/2G 6SM	9,2	12,5	5.255,50
43A2C002F110	I-8SDS 135/2F 6SM	11	15	5.255,50
43A2C002E110	I-8SDS 135/2E 6SM	13	17,5	5.255,50
43A2C002D110	I-8SDS 135/2D 6SM	15	20	5.255,50
43A2C002B110	I-8SDS 135/2B 6SM	18,5	25	5.255,50
43A2C003E110	I-8SDS 135/3E 6SM	18,5	25	6.565,90
43A2C003D110	I-8SDS 135/3D 6SM	22	30	6.565,90
43A2C003B110	I-8SDS 135/3B 6SM	26	35	6.565,90
43A2C004D110	I-8SDS 135/4D 6SM	30	40	7.922,70
43A2C004D210	I-8SDS 135/4D 8SM	30	40	7.922,70
43A2C004C110	I-8SDS 135/4C 6SM	37	50	7.922,70
43A2C004C210	I-8SDS 135/4C 8SM	37	50	7.922,70
43A2C005D110	I-8SDS 135/5D 6SM	37	50	8.912,70
43A2C005D210	I-8SDS 135/5D 8SM	37	50	8.912,70
43A2C005B110	I-8SDS 135/5B 6SM	45	60	8.912,70
43A2C005B210	I-8SDS 135/5B 8SM	45	60	8.912,70
43A2C006C210	I-8SDS 135/6C 8SM	51	70	10.253,20
43A2C007C210	I-8SDS 135/7C 8SM	59	80	11.548,60
43A2C007A210	I-8SDS 135/7A 8SM	66	90	11.548,60
43A2C008C210	I-8SDS 135/8C 8SM	66	90	12.604,10
43A2C008A210	I-8SDS 135/8A 8SM	75	100	12.604,10
43A2C009C210	I-8SDS 135/9C 8SM	75	100	13.175,50
43A2C010C210	I-8SDS 135/10C 8SM	92	125	14.536,40
43A2C011C210	I-8SDS 135/11C 8SM	92	125	15.702,30

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:
(6SM) NEMA 6, Motor 6";
(8SM) NEMA 8, Motor 8", 10";

MOTORS TO CONNECT

STANDARD coupling flange:
(6SM) NEMA 6, 6" motor;
(8SM) NEMA 8, 8", 10" motor;



I-10SDS

Unterwassermotor-Pumpen in AISI 316 für Tiefbrunnen 10" (OHNE Motor)
Submersible bore-hole pumps in AISI 316 for 10" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
43A3A001F110	I-10SDS 200/1F 6SM	11	15	10.240,10
43A3A001E110	I-10SDS 200/1E 6SM	13	17,5	10.240,10
43A3A01DE110	I-10SDS 200/1DE 6SM	15	20	10.240,10
43A3A001D110	I-10SDS 200/1D 6SM	18.5	25	10.240,10
43A3A001C110	I-10SDS 200/1C 6SM	22	30	10.240,10
43A3A001B110	I-10SDS 200/1B 6SM	26	35	10.240,10
43A3A002E110	I-10SDS 200/2E 6SM	26	35	12.402,50
43A3A02DE110	I-10SDS 200/2DE 6SM	30	40	12.402,50
43A3A02DE210	I-10SDS 200/2DE 8SM	30	40	12.402,50
43A3A02CD110	I-10SDS 200/2CD 6SM	37	50	12.402,50
43A3A02CD210	I-10SDS 200/2CD 8SM	37	50	12.402,50
43A3A02BC110	I-10SDS 200/2BC 6SM	45	60	12.402,50
43A3A02BC210	I-10SDS 200/2BC 8SM	45	60	12.402,50
43A3A02AB210	I-10SDS 200/2AB 8SM	51	70	12.402,50
43A3A003D210	I-10SDS 200/3D 8SM	51	70	14.199,00
43A3A03CD210	I-10SDS 200/3CD 8SM	59	80	14.199,00
43A3A03BC210	I-10SDS 200/3BC 8SM	66	90	14.199,00
43A3A03AB210	I-10SDS 200/3AB 8SM	75	100	14.199,00
43A3A004D210	I-10SDS 200/4D 8SM	66	90	16.333,20
43A3A04BC210	I-10SDS 200/4BC 8SM	92	125	16.333,20
43A3A004A210	I-10SDS 200/4A 8SM	110	150	16.333,20
43A3A05CD210	I-10SDS 200/5CD 8SM	92	125	18.673,20
43A3A05AB210	I-10SDS 200/5AB 8SM	132	180	18.673,20
43A3A06CD210	I-10SDS 200/6CD 8SM	110	150	20.783,00
43A3A06BC210	I-10SDS 200/6BC 8SM	132	180	20.783,00
43A3A006B210	I-10SDS 200/6B 8SM	150	200	20.783,00
43A3A007C210	I-10SDS 200/7C 8SM	150	200	23.001,40
43A3A07AB210	I-10SDS 200/7AB 8SM	185	250	23.001,40
43A3A008C210	I-10SDS 200/8C 8SM	165	220	26.274,20
43A3A008C410	I-10SDS 200/8C 12SM	170	230	26.274,20
43A3A008B210	I-10SDS 200/8B 8SM	185	250	26.274,20
43A3A008A410	I-10SDS 200/8A 12SM	220	300	26.274,20
43A3A009C410	I-10SDS 200/9C 12SM	190	260	28.997,50
43A3A009A410	I-10SDS 200/9A 12SM	250	340	28.997,50
43A3A010A410	I-10SDS 200/10A 12SM	280	380	30.529,90
43A3A011B410	I-10SDS 200/11B 12SM	280	380	33.282,50
43A3A011A410	I-10SDS 200/11A 12SM	300	400	33.282,50
43A3A12JD410	I-10SDS 200/12JD 12SM	240	330	35.678,60
43A3A013D410	I-10SDS 200/13D 12SM	220	300	37.922,70
43A3A014D410	I-10SDS 200/14D 12SM	250	340	40.113,10

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
43A3B001I110	I-10SDS 250/1I 6SM	13	17,5	10.323,10
43A3B001H110	I-10SDS 250/1H 6SM	15	20	10.323,10
43A3B001F110	I-10SDS 250/1F 6SM	18.5	25	10.323,10
43A3B01DE110	I-10SDS 250/1DE 6SM	22	30	10.323,10
43A3B001C110	I-10SDS 250/1C 6SM	26	35	10.323,10
43A3B001A110	I-10SDS 250/1A 6SM	30	40	10.323,10
43A3B001A210	I-10SDS 250/1A 8SM	30	40	10.323,10
43A3B02HI110	I-10SDS 250/2HI 6SM	26	35	12.610,50
43A3B002H110	I-10SDS 250/2H 6SM	30	40	12.610,50
43A3B002H210	I-10SDS 250/2H 8SM	30	40	12.610,50
43A3B002F110	I-10SDS 250/2F 6SM	37	50	12.610,50
43A3B002F210	I-10SDS 250/2F 8SM	37	50	12.610,50
43A3B002G110	I-10SDS 250/2G 6SM	37	50	12.610,50
43A3B002G210	I-10SDS 250/2G 8SM	37	50	12.610,50
43A3B02DE110	I-10SDS 250/2DE 6SM	45	60	12.610,50
43A3B02DE210	I-10SDS 250/2DE 8SM	45	60	12.610,50
43A3B002C210	I-10SDS 250/2C 8SM	51	70	12.610,50
43A3B002A210	I-10SDS 250/2A 8SM	59	80	12.610,50
43A3B03EF210	I-10SDS 250/3EF 8SM	59	80	14.389,50
43A3B03JE210	I-10SDS 250/3JE 8SM	66	90	14.389,50
43A3B003C210	I-10SDS 250/3C 8SM	75	100	14.389,50
43A3B003A210	I-10SDS 250/3A 8SM	92	125	14.389,50
43A3B04EF210	I-10SDS 250/4EF 8SM	75	100	16.402,20
43A3B004D210	I-10SDS 250/4D 8SM	92	125	16.402,20
43A3B004M210	I-10SDS 250/4M 8SM	110	150	16.402,20
43A3B05JE210	I-10SDS 250/5JE 8SM	110	150	18.907,00
43A3B05BC210	I-10SDS 250/5BC 8SM	132	180	18.907,00
43A3B005A210	I-10SDS 250/5A 8SM	150	200	18.907,00
43A3B06QC210	I-10SDS 250/6QC 8SM	150	200	22.822,60
43A3B006S210	I-10SDS 250/6S 8SM	165	220	22.822,60
43A3B06MN410	I-10SDS 250/6MN 12SM	170	230	22.822,60
43A3B006A210	I-10SDS 250/6A 8SM	185	250	22.822,60
43A3B007V410	I-10SDS 250/7V 12SM	190	260	25.177,80
43A3B008B410	I-10SDS 250/8B 12SM	220	300	27.424,30
43A3B008N410	I-10SDS 250/8N 12SM	240	330	27.424,30
43A3B009B410	I-10SDS 250/9B 12SM	250	340	29.681,30
43A3B010B410	I-10SDS 250/10B 12SM	280	380	31.982,70
43A3B010A410	I-10SDS 250/10A 12SM	300	400	31.982,70
43A3C01CD110	I-10SDS 315/1CD 6SM	26	35	10.392,10
43A3C01BC110	I-10SDS 315/1BC 6SM	30	40	10.392,10
43A3C01BC210	I-10SDS 315/1BC 8SM	30	40	10.392,10
43A3C01AB110	I-10SDS 315/1AB 6SM	37	50	10.392,10
43A3C01AB210	I-10SDS 315/1AB 8SM	37	50	10.392,10
43A3C02DE110	I-10SDS 315/2DE 6SM	45	60	12.774,20
43A3C02DE210	I-10SDS 315/2DE 8SM	45	60	12.774,20
43A3C02CD210	I-10SDS 315/2CD 8SM	51	70	12.774,20
43A3C02BC210	I-10SDS 315/2BC 8SM	59	80	12.774,20
43A3C002B210	I-10SDS 315/2B 8SM	66	90	12.774,20
43A3C002A210	I-10SDS 315/2A 8SM	75	100	12.774,20
43A3C003W210	I-10SDS 315/3W 8SM	92	125	14.568,30
43A3C003A210	I-10SDS 315/3A 8SM	110	150	14.568,30
43A3C004B210	I-10SDS 315/4B 8SM	132	180	16.907,10
43A3C004A210	I-10SDS 315/4A 8SM	150	200	16.907,10
43A3C005B210	I-10SDS 315/5B 8SM	165	220	19.153,60
43A3C005M410	I-10SDS 315/5M 12SM	170	230	19.153,60
43A3C005I210	I-10SDS 315/5I 8SM	185	250	19.153,60
43A3C005A410	I-10SDS 315/5A 12SM	190	260	19.153,60
43A3C006I410	I-10SDS 315/6I 12SM	220	300	23.507,50
43A3C007X410	I-10SDS 315/7X 12SM	250	340	26.000,60
43A3C007A410	I-10SDS 315/7A 12SM	280	380	26.000,60
43A3C008A410	I-10SDS 315/8A 12SM	300	400	27.914,00

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:

(6SM) NEMA 6, Motor 6";

(8SM) NEMA 8, Motor 8", 10";

(12SM) C12 Kupplung, Motor 12", 14";

MOTORS TO CONNECT

STANDARD coupling flange:

(6SM) NEMA 6, 6" motor;

(8SM) NEMA 8, 8", 10" motor;

(12SM) C 12 Coupling, 12", 14" motor;



I-12SDS

Unterwassermotor-Pumpen in AISI 316 für Tiefbrunnen 12" (OHNE Motor)
Submersible bore-hole pumps in AISI 316 for 12" well (without motor)

Art.Nr. Code	OHNE Motor Without motor	Motor Motor		Preis Price
		kW	HP	
43A4A001D210	I-12SDS 430/1D 8SM	37	50	17.797,80
43A4A01CJ210	I-12SDS 430/1CJ 8SM	45	60	17.797,80
43A4A01CD210	I-12SDS 430/1CD 8SM	51	70	17.797,80
43A4A001C210	I-12SDS 430/1C 8SM	59	80	17.797,80
43A4A01BC210	I-12SDS 430/1BC 8SM	66	90	17.797,80
43A4A001B210	I-12SDS 430/1B 8SM	75	100	17.797,80
43A4A001A210	I-12SDS 430/1A 8SM	92	125	17.797,80
43A4A002E210	I-12SDS 430/2E 8SM	59	80	21.905,10
43A4A02DE210	I-12SDS 430/2DE 8SM	66	90	21.905,10
43A4A002D210	I-12SDS 430/2D 8SM	75	100	21.905,10
43A4A02CD210	I-12SDS 430/2CD 8SM	92	125	21.905,10
43A4A002C210	I-12SDS 430/2C 8SM	110	150	21.905,10
43A4A002B210	I-12SDS 430/2B 8SM	132	180	21.905,10
43A4A02AB210	I-12SDS 430/2AB 8SM	150	200	21.905,10
43A4A002A410	I-12SDS 430/2A 12SM	170	230	21.905,10
43A4A002A210	I-12SDS 430/2A 8SM	185	250	21.905,10
43A4A03CJ210	I-12SDS 430/3CJ 8SM	132	180	26.012,30
43A4A03JD210	I-12SDS 430/3JD 8SM	150	200	26.012,30
43A4A003C410	I-12SDS 430/3C 12SM	170	230	26.012,30
43A4A003Q210	I-12SDS 430/3Q 8SM	185	250	26.012,30
43A4A003W410	I-12SDS 430/3W 12SM	190	260	26.012,30
43A4A03AB410	I-12SDS 430/3AB 12SM	220	300	26.012,30
43A4A003A410	I-12SDS 430/3A 12SM	250	340	26.012,30
43A4B004D410	I-12SDS E430/4D 12SM	170	230	30.646,80
43A4B04CD210	I-12SDS E430/4CD 8SM	185	250	30.646,80
43A4B04CD410	I-12SDS E430/4CD 12SM	190	260	30.646,80
43A4B004C410	I-12SDS E430/4C 12SM	220	300	30.646,80
43A4B004M410	I-12SDS E430/4M 12SM	280	380	30.646,80
43A4B004I410	I-12SDS E430/4I 12SM	300	400	30.646,80
43A4B004A410	I-12SDS E430/4A 12SM	340	460	30.646,80
43A4B05JD410	I-12SDS E430/5JD 12SM	250	340	34.647,70
43A4B005C410	I-12SDS E430/5C 12SM	280	380	34.647,70
43A4B05BC410	I-12SDS E430/5BC 12SM	300	400	34.647,70
43A4B005B410	I-12SDS E430/5B 12SM	340	460	34.647,70
43A4B05MN410	I-12SDS E430/5MN 12SM	350	475	34.647,70
43A4B005K410	I-12SDS E430/5K 12SM	370	500	34.647,70
43A4B005A410	I-12SDS E430/5A 12SM	400	540	34.647,70
43A4B06BJ410	I-12SDS E430/6BJ 12SM	350	475	38.439,40
43A4B007D410	I-12SDS E430/7D 12SM	280	380	42.862,20
43A4B07QC410	I-12SDS E430/7QC 12SM	370	500	42.862,20
43A4B007C410	I-12SDS E430/7C 12SM	400	540	42.862,20
43A4B008D410	I-12SDS E430/8D 12SM	300	400	46.759,10
43A4B009D410	I-12SDS E430/9D 12SM	350	475	51.181,90
43A4B011D410	I-12SDS E430/11D 12SM	400	540	59.606,90

ZU KOPPELNDE MOTOREN

STANDARD Kupplungsflansch:

(8SM) NEMA 8, Motor 8", 10";
(12SM) C12 Kupplung, Motor 12", 14";

MOTORS TO CONNECT

STANDARD coupling flange:

(8SM) NEMA 8, 8", 10" motor;
(12SM) C 12 Coupling, 12", 14" motor;



CS, CS-R

CALPEDA Unterwassermotoren

CALPEDA Submersible motors

Art.Nr. Code 400 V	Drehstrom Three-phase 4"	P2		Preis Price €
		kW	HP	
26420090000	4CS-R 0,37TC	0,37	0,5	373,10
26420100000	4CS-R 0,55TC	0,55	0,75	374,00
26420110000	4CS-R 0,75TC	0,75	1	390,30
26420120000	4CS-R 1,1TC	1,1	1,5	400,70
26420130000	4CS-R 1,5TC	1,5	2	431,00
26420140000	4CS-R 2,2TC	2,2	3	570,30
26420150000	4CS-R 3TC	3	4	662,60
26420160000	4CS-R 4TC	4	5,5	735,10
26420170000	4CS-R 5,5TC	5,5	7,5	851,90
26420180000	4CS-R 7,5TC	7,5	10	993,60

Art.Nr. Code 230 V	Wechselstrom Single-phase 4"	P2		Preis Price €
		kW	HP	
26420010000	4CS-R 0,37MC	0,37	0,5	341,00
26420020000	4CS-R 0,55MC	0,55	0,75	366,40
26420030000	4CS-R 0,75MC	0,75	1	365,20
26420040000	4CS-R 1,1MC	1,1	1,5	398,10
26420050000	4CS-R 1,5MC	1,5	2	438,30
26420060000	4CS-R 2,2MC	2,2	3	514,10

Art.Nr. Code 400 V	Drehstrom Three-phase 6"	P2		Preis Price €
		kW	HP	
16520020000	6CS-R 4	4	5,5	1.795,10
16520060000	6CS-R 5,5	5,5	7,5	1.752,60
16520100000	6CS-R 7,5	7,5	10	1.904,10
16520140000	6CS-R 9,2	9,2	12,5	2.076,20
16520180000	6CS-R 11	11	15	2.169,20
16520220000	6CS-R 13	13	17,5	2.269,00
16520260000	6CS-R 15	15	20	2.458,50
16520300000	6CS-R 18,5	18,5	25	2.647,80
16520340000	6CS-R 22	22	30	2.881,90
16520380000	6CS-R 26	26	35	3.160,80
16520420000	6CS-R 30	30	40	3.505,20
16520460000	6CS-R 37	37	50	4.985,60
16520500000	6CS-R 45	45	60	5.646,70

Art.Nr. Code 400/690 V	Drehstrom Three-phase 6"	P2		Preis Price €
		kW	HP	
16520040000	6CS-R 4	4	5,5	1.852,50
16520080000	6CS-R 5,5	5,5	7,5	1.859,30
16520120000	6CS-R 7,5	7,5	10	2.010,80
16520160000	6CS-R 9,2	9,2	12,5	2.176,10
16520200000	6CS-R 11	11	15	2.269,00
16520240000	6CS-R 13	13	17,5	2.365,40
16520280000	6CS-R 15	15	20	2.558,20
16520320000	6CS-R 18,5	18,5	25	2.744,10
16520360000	6CS-R 22	22	30	2.975,00
16520400000	6CS-R 26	26	35	3.250,40
16520440000	6CS-R 30	30	40	3.601,50
16520480000	6CS-R 37	37	50	5.078,70
16520520000	6CS-R 45	45	60	5.739,80

Art.Nr. Code 400 V	Drehstrom Three-phase 8"	P2		Preis Price €
		kW	HP	
16521010000	8CS-R 30	30	40	6.875,70
16521050000	8CS-R 37	37	50	7.299,70
16521090000	8CS-R 45	45	60	7.776,90
16521130000	8CS-R 51	51	70	8.458,90
16521170000	8CS-R 59	59	80	9.162,20
16521210000	8CS-R 66	66	90	10.157,00
16521250000	8CS-R 75	75	100	10.439,80
16521290000	8CS-R 92	92	125	12.138,00
16521330000	8CS-R 110	110	150	13.895,90

Art.Nr. Code 400/690 V	Drehstrom Three-phase 8"	P2		Preis Price €
		kW	HP	
16521030000	8CS-R 30	30	40	7.119,50
16521070000	8CS-R 37	37	50	7.527,70
16521110000	8CS-R 45	45	60	8.004,80
16521150000	8CS-R 51	51	70	8.686,90
16521190000	8CS-R 59	59	80	9.377,70
16521230000	8CS-R 66	66	90	10.377,90
16521270000	8CS-R 75	75	100	10.653,60
16521310000	8CS-R 92	92	125	12.362,50
16521350000	8CS-R 110	110	150	14.017,80

Art.Nr. Code 400 V	Drehstrom Three-phase 10"	P2		Preis Price €
		kW	HP	
16522010000	10CS-R 75	75	100	13.478,90
16522050000	10CS-R 92	92	125	14.501,80
16522090000	10CS-R 110	110	150	15.269,40
16522130000	10CS-R 130	130	175	16.664,80
16522170000	10CS-R 150	150	200	17.263,40
16522210000	10CS-R 165	165	220	18.632,70
16522250000	10CS-R 185	185	250	19.434,60

Art.Nr. Code 400/690 V	Drehstrom Three-phase 10"	P2		Preis Price €
		kW	HP	
16522030000	10CS-R 75	75	100	14.253,30
16522070000	10CS-R 92	92	125	15.213,80
16522110000	10CS-R 110	110	150	16.117,80
16522150000	10CS-R 130	130	175	17.513,30
16522190000	10CS-R 150	150	200	18.730,80
16522230000	10CS-R 165	165	220	19.312,60
16522270000	10CS-R 185	185	250	20.624,40

Kurzkabel zur Spannungsversorgung im Preis beinhaltet
The prices include the power supply cable



ICS, ICS-R

Wiederbewickelbare CALPEDA Motoren aus Chrom-Nickel-Stahl AISI 316
Stainless steel AISI 316 CALPEDA motors in rewindable execution.

Art.Nr. Code 400 V	Drehstrom Three-phase 6"	P2		Preis Price €
		kW	HP	
16530020000	I-6CS-R 4	4	5,5	3.966,80
16530060000	I-6CS-R 5,5	5,5	7,5	4.071,40
16530100000	I-6CS-R 7,5	7,5	10	4.219,20
16530140000	I-6CS-R 9,2	9,2	12,5	4.336,70
16530180000	I-6CS-R 11	11	15	4.597,60
16530220000	I-6CS-R 13	13	17,5	4.758,60
16530260000	I-6CS-R 15	15	20	4.960,90
16530300000	I-6CS-R 18,5	18,5	25	5.295,80
16530340000	I-6CS-R 22	22	30	6.587,60
16530380000	I-6CS-R 26	26	35	6.809,40
16530420000	I-6CS-R 30	30	40	7.735,90
16530460000	I-6CS-R 37	37	50	11.438,70
16530500000	I-6CS-R 45	45	60	12.788,70

Art.Nr. Code 400/690 V	Drehstrom Three-phase 6"	P2		Preis Price €
		kW	HP	
16530040000	I-6CS-R 4	4	5,5	4.134,40
16530080000	I-6CS-R 5,5	5,5	7,5	4.247,40
16530120000	I-6CS-R 7,5	7,5	10	4.399,60
16530160000	I-6CS-R 9,2	9,2	12,5	4.515,00
16530200000	I-6CS-R 11	11	15	4.775,90
16530240000	I-6CS-R 13	13	17,5	4.932,60
16530280000	I-6CS-R 15	15	20	5.137,00
16530320000	I-6CS-R 18,5	18,5	25	5.471,90
16530360000	I-6CS-R 22	22	30	6.772,60
16530400000	I-6CS-R 26	26	35	6.994,30
16530440000	I-6CS-R 30	30	40	7.440,20
16530480000	I-6CS-R 37	37	50	11.609,10
16530520000	I-6CS-R 45	45	60	12.963,30

Art.Nr. Code 400 V	Drehstrom Three-phase 8"	P2		Preis Price €
		kW	HP	
16531010000	I-8CS-R 30	30	40	13.655,80
16531050000	I-8CS-R 37	37	50	13.962,40
16531090000	I-8CS-R 45	45	60	14.567,20
16531130000	I-8CS-R 51	51	70	15.363,10
16531170000	I-8CS-R 59	59	80	16.185,20
16531210000	I-8CS-R 66	66	90	17.718,50
16531250000	I-8CS-R 75	75	100	18.129,50
16531290000	I-8CS-R 92	92	125	20.384,80
16531330000	I-8CS-R 110	110	150	22.096,40

Art.Nr. Code 400/690 V	Drehstrom Three-phase 8"	P2		Preis Price €
		kW	HP	
16531030000	I-8CS-R 30	30	40	13.927,70
16531070000	I-8CS-R 37	37	50	14.245,20
16531110000	I-8CS-R 45	45	60	14.858,40
16531150000	I-8CS-R 51	51	70	15.650,20
16531190000	I-8CS-R 59	59	80	16.633,20
16531230000	I-8CS-R 66	66	90	18.027,10
16531270000	I-8CS-R 75	75	100	18.420,90
16531310000	I-8CS-R 92	92	125	20.876,30
16531350000	I-8CS-R 110	110	150	22.556,50

Art.Nr. Code 400 V	Drehstrom Three-phase 10"	P2		Preis Price €
		kW	HP	
16532010000	I-10CS-R 75	75	100	23.876,20
16532050000	I-10CS-R 92	92	125	25.117,20
16532090000	I-10CS-R 110	110	150	26.310,80
16532130000	I-10CS-R 130	130	175	27.400,10
16532170000	I-10CS-R 150	150	200	28.463,70
16532210000	I-10CS-R 165	165	220	30.345,70
16532250000	I-10CS-R 185	185	250	31.503,80

Art.Nr. Code 400/690 V	Drehstrom Three-phase 10"	P2		Preis Price €
		kW	HP	
16532030000	I-10CS-R 75	75	100	25.203,60
16532070000	I-10CS-R 92	92	125	26.459,90
16532110000	I-10CS-R 110	110	150	27.774,70
16532150000	I-10CS-R 130	130	175	30.179,00
16532190000	I-10CS-R 150	150	200	32.274,70
16532230000	I-10CS-R 165	165	220	33.749,50
16532270000	I-10CS-R 185	185	250	35.536,70

Kurzkabel zur Spannungsversorgung im Preis beinhaltet
The prices include a short power supply cable



FK

FRANKLIN Unterwassermotoren

FRANKLIN Submersible motors

Art. Nr. Code 400 V	Drehstrom Three-phase 4"	P2		Preis Price €
		kW	HP	
FE2347616721L	4FK 0,37T-ND	0,37	0,5	436,20
FE2347626721L	4FK 0,55T-ND	0,55	0,75	442,70
FE2347636721L	4FK 0,75T-ND	0,75	1	472,00
FE2347246721L	4FK 1,1T-ND	1,1	1,5	540,00
FE2347256721L	4FK 1,5T-ND	1,5	2	619,80
FE2347266721L	4FK 2,2T-ND	2,2	3	767,20
FE2347646721L	4FK 3T-ND	3	4	913,90
FE2347273421L	4FK 3,7T	3,7	5	1.136,20
FE2347653421L	4FK 4T	4	5,5	1.228,00
FE2347283421L	4FK 5,5T	5,5	7,5	1.424,80
FE2347293421L	4FK 7,5T	7,5	10	1.844,90

Art. Nr. Code 230 V	Wechselstrom Single-phase 4"	P2		Preis Price €
		kW	HP	
FE2548156721L	4FK 0,37M-ND	0,37	0,5	426,40
FE2548176721L	4FK 0,55M-ND	0,55	0,75	456,50
FE2548186721L	4FK 0,75M-ND	0,75	1	490,10
FE2548196721L	4FK 1,1M-ND	1,1	1,5	563,90
FE2548206721L	4FK 1,5M-ND	1,5	2	687,90
FE2548216721L	4FK 2,2M-ND	2,2	3	869,10
FE2447556721L	4FK 0.37M2	0,37	0,5	513,40
FE2447576721L	4FK 0.55M2	0,55	0,75	541,20
FE2447586721L	4FK 0.75M2	0,75	1	578,50
FE2447596721L	4FK 1.1M2	1,1	1,5	680,80

M2 Motoren enthalten 2-Wire Ausführung ohne Kondensator
M2 motors contain 2-wire execution without capacitor

Art. Nr. Code 400 V	Drehstrom DOL Three-phase 6"	P2		Preis Price €
		kW	HP	
FE2366109061	6FK 4	4	5,5	2.158,50
FE2366119061	6FK 5,5	5,5	7,5	2.230,30
FE2366129061	6FK 7,5	7,5	10	2.350,20
FE2360019061	6FK 9,2	9,2	12,5	2.517,90
FE2366139061	6FK 11	11	15	2.644,60
FE2366149061	6FK 15	15	20	3.089,90
FE2366159061	6FK 18,5	18,5	25	3.355,10
FE2366179061	6FK 22	22	30	3.771,00
FE2366169061	6FK 30	30	40	4.904,10
FE2766186161	6FK 37	37	50	7.333,10
FE2766196161	6FK 45	45	60	8.745,60

Art. Nr. Code 400 V	Drehstrom SD Three-phase 6"	P2		Preis Price €
		kW	HP	
FE2367109061	6FK 4	4	5,5	2.327,30
FE2367119061	6FK 5,5	5,5	7,5	2.399,10
FE2367129061	6FK 7,5	7,5	10	2.519,10
FE2360119061	6FK 9,2	9,2	12,5	2.686,90
FE2367139061	6FK 11	11	15	2.813,40
FE2367149061	6FK 15	15	20	3.258,70
FE2367159061	6FK 18,5	18,5	25	3.523,90
FE2367169061	6FK 22	22	30	3.939,90
FE2367179061	6FK 30	30	40	5.010,50
FE2767186161	6FK 37	37	50	7.448,70
FE2767196161	6FK 45	45	60	8.996,80

Art. Nr. Code 400 V	Drehstrom DOL Three-phase 8"	P2		Preis Price €
		kW	HP	
FE2396007023	8FK 30	30	40	8.933,70
FE2396017023	8FK 37	37	50	9.602,00
FE2396027023	8FK 45	45	60	10.381,70
FE2396037043	8FK 55	55	75	11.760,60
FE2396047043	8FK 75	75	100	14.787,00
FE2391057019	8FK 92	92	125	19.522,50
FE2391067519	8FK 110	110	150	23.607,00
FE2391077519	8FK 130	130	175	26.430,20
auf Anfrage	8FK 150	150	200	32.729,10

Art. Nr. Code 400 V	Drehstrom SD Three-phase 8"	P2		Preis Price €
		kW	HP	
FE2396208023	8FK 30	30	40	9.725,00
FE2396218023	8FK 37	37	50	10.393,20
FE2396228023	8FK 45	45	60	11.172,80
FE2396238043	8FK 55	55	75	12.797,60
FE2396248043	8FK 75	75	100	15.824,10
FE2391258019	8FK 92	92	125	20.559,90
auf Anfrage	8FK 110	110	150	24.836,20
FE2391277619	8FK 130	130	175	27.659,10
FE2391287619	8FK 150	150	200	33.958,00

Kurzkabel zur Spannungsversorgung im Preis beinhaltet
The prices include a short power supply cable



I-FK

FRANKLIN Motoren aus Chrom-Nickel-Stahl AISI 316

Stainless steel AISI 316 FRANKLIN motors

Art. Nr. Code 400 V	Drehstrom Three-phase 4"	P2		Preis Price €
		kW	HP	
FE2347616821L	I-4FK 0,37T-ND	0,37	0,5	748,90
FE2347626821L	I-4FK 0,55T-ND	0,55	0,75	752,00
FE2347636821L	I-4FK 0,75T-ND	0,75	1	780,20
FE2347246821L	I-4FK 1,1T-ND	1,1	1,5	842,70
FE2347256821L	I-4FK 1,5T-ND	1,5	2	919,20
FE2347266821L	I-4FK 2,2T-ND	2,2	3	1.057,40
FE2347646821L	I-4FK 3T-ND	3	4	1.198,20
FE2347273521L	I-4FK 3,7T	3,7	5	1.404,30
FE2347653521L	I-4FK 4T	4	5,5	1.492,50
FE2347283521L	I-4FK 5,5T	5,5	7,5	1.681,40
FE2347293521L	I-4FK 7,5T	7,5	10	2.018,70

Art. Nr. Code 400 V	Drehstrom DOL Three-phase 6"	P2		Preis Price €
		kW	HP	
FE2366103961	I-6FK 4	4	5,5	3.524,80
FE2366113961	I-6FK 5,5	5,5	7,5	3.597,10
FE2366123961	I-6FK 7,5	7,5	10	3.708,80
FE2360013961	I-6FK 9,2	9,2	12,5	3.876,60
FE2366133961	I-6FK 11	11	15	3.998,10
FE2366143961	I-6FK 15	15	20	4.432,10
FE2366153961	I-6FK 18,5	18,5	25	4.609,20
FE2366163961	I-6FK 22	22	30	5.014,80
FE2366173961	I-6FK 30	30	40	6.133,20
FE2766186361	I-6FK 37	37	50	10.585,50
FE2766196361	I-6FK 45	45	60	11.941,50

Art. Nr. Code 400 V	Drehstrom SD Three-phase 6"	P2		Preis Price €
		kW	HP	
FE2367103961	I-6FK 4	4	5,5	3.768,60
FE2367113961	I-6FK 5,5	5,5	7,5	3.841,00
FE2367123961	I-6FK 7,5	7,5	10	3.952,80
FE2360113961	I-6FK 9,2	9,2	12,5	4.120,40
FE2367133961	I-6FK 11	11	15	4.242,10
FE2367143961	I-6FK 15	15	20	4.675,90
FE2367153961	I-6FK 18,5	18,5	25	4.853,00
FE2367163961	I-6FK 22	22	30	5.258,60
FE2367173961	I-6FK 30	30	40	6.295,80
FE2767186361	I-6FK 37	37	50	10.762,10
FE2767196361	I-6FK 45	45	60	12.294,90

Art. Nr. Code 400 V	Drehstrom DOL Three-phase 8"	P2		Preis Price €
		kW	HP	
FE2396007223	I-8FK 30	30	40	15.589,00
FE2396017223	I-8FK 37	37	50	16.397,30
FE2396027223	I-8FK 45	45	60	17.003,60
FE2396037243	I-8FK 55	55	75	18.198,40
FE2396047243	I-8FK 75	75	100	22.087,70
FE2391057219	I-8FK 92	92	125	26.235,70
FE2391067219	I-8FK 110	110	150	29.196,10
FE2391077219	I-8FK 130	130	175	31.801,90
FE2391087219	I-8FK 150	150	200	37.616,40

Art. Nr. Code 400 V	Drehstrom SD Three-phase 8"	P2		Preis Price €
		kW	HP	
FE2396208223	I-8FK 30	30	40	16.847,50
FE2396218223	I-8FK 37	37	50	17.656,00
FE2396228223	I-8FK 45	45	60	18.262,20
FE2396238243	I-8FK 55	55	75	19.457,10
FE2396248243	I-8FK 75	75	100	23.346,20
FE2391258219	I-8FK 92	92	125	27.494,40
FE2391268219	I-8FK 110	110	150	30.632,00
FE2391278219	I-8FK 130	130	175	33.237,80
FE2391288219	I-8FK 150	150	200	39.052,20

Kurzkabel zur Spannungsversorgung im Preis beinhaltet
The prices include a short power supply cable



NCE EI

Energiesparende Zirkulationspumpen mit variabler Drehzahl
Energy saving Circulating Pumps with frequency converter

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70P11900000	NCE EI 15-40/130	22	205,50	G 1
70P11910000	NCE EI 25-40/130	22	208,80	G 1 1/2
70P11920000	NCE EI 25-40/180	22	212,00	G 1 1/2
70P11930000	NCE EI 32-40/180	22	215,20	G 2
70P12001000	NCE EI 15-60/130/A	42	199,10	G 1
70P12011000	NCE EI 25-60/130/A	42	199,10	G 1 1/2
70P12021000	NCE EI 25-60/180/A	42	202,30	G 1 1/2
70P12031000	NCE EI 32-60/180/A	42	208,80	G 2
70P12100000	NCE EI 15-70/130	56	234,50	G 1
70P12110000	NCE EI 25-70/130	56	234,50	G 1 1/2
70P12120000	NCE EI 25-70/180	56	237,70	G 1 1/2
70P12130000	NCE EI 32-70/180	56	240,90	G 2

Siehe Zubehör
 Rohrverschraubungssatz einschließlich Dichtungen

ACCESSORIES go to page 125
Unions KIT including gaskets



NCE H2

Energiesparende Zirkulationspumpen mit Frequenzumrichter
Energy saving Circulating Pumps with frequency converter

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70PA0050000	NCE H2 25-40/180	60	296,50	G 1 1/2
70PA0300000	NCE H2 32-40/180	78	299,30	G 2
70PA0100000	NCE H2 25-60/180	105	296,50	G 1 1/2
70PA0350000	NCE H2 32-60/180	120	302,10	G 2
70PA0150000	NCE H2 25-80/180	150	299,30	G 1 1/2
70PA0400000	NCE H2 32-80/180	168	304,90	G 2
70PA0200000	NCE H2 25-100/180	200	304,90	G 1 1/2
70PA0450000	NCE H2 32-100/180	200	307,70	G 2
70PA0250000	NCE H2 25-120/180	220	304,90	G 1 1/2
70PA0500000	NCE H2 32-120/180	220	310,50	G 2

Siehe Zubehör
Rohrverschraubungssatz einschließlich Dichtungen

The price includes unions KIT
Unions KIT including gaskets



NCE H2

Energiesparende Twin-Zirkulationspumpen mit Frequenzumrichter
Energy saving circulating twin pumps with frequency converter

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70PA0550000	NCE H2 32F-40/220	78	344,10	32
70PA0600000	NCE H2 32F-60/220	120	346,90	32
70PA0650000	NCE H2 32F-80/220	168	349,70	32
70PA0700000	NCE H2 32F-100/220	200	327,30	32



NCE HQ2

Energiesparende Zirkulationspumpen mit Flanschen und variabler Drehzahl

Energy saving circulating pumps with frequency converter

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70PA1450000	NCE HQ2 32F-120/220	329	1.672,70	32
70PA1500000	NCE HQ2 40F-80/220	267	1.381,80	40
70PA1550000	NCE HQ2 40F-100/220	370	1.709,10	40
70PA1600000	NCE HQ2 40F-120/250	463	1.748,30	40
70PA1650000	NCE HQ2 40F-150/250	615	2.067,10	40
70PA1700000	NCE HQ2 40F-180/250	615	2.377,60	40
70PA1750000	NCE HQ2 50F-100/280	425	1.882,50	50
70PA1800000	NCE HQ2 50F-120/280	533	2.053,10	50
70PA1850000	NCE HQ2 50F-150/280	649	2.290,90	50
70PA1900000	NCE HQ2 50F-180/280	769	2.688,10	50
70PA1950000	NCE HQ2 65F-100/340	619	2.257,30	65
70PA2000000	NCE HQ2 65F-120/340	774	2.419,60	65
70PA2050000	NCE HQ2 65F-150/340	1263	2.861,50	65



NCE EL

Energiesparende Zirkulationspumpen für Solarsysteme mit variabler Drehzahl

Energy saving circulating pumps for solar systems with frequency converter

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70P14001000	NCE EL 15-60/130/A	42	226,60	G 1
70P14011000	NCE EL 25-60/130/A	42	229,40	G 1 1/2
70P14021000	NCE EL 25-60/180/A	42	235,00	G 1 1/2
70P14100000	NCE EL 15-70/130	56	240,60	G 1
70P14110000	NCE EL 25-70/130	56	240,60	G 1 1/2
70P14120000	NCE EL 25-70/180	56	243,40	G 1 1/2

Siehe Zubehör
Rohrverschraubungssatz einschließlich
Dichtungen

*See accessories
Unions KIT including gaskets*



NCE ES

Energiesparende Zirkulationspumpen für Warmwasser

High efficiency energy circulating pumps for sanitary hot water

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70P13010000	NCE ES 15-40/130	44	260,10	G 1
70P13020000	NCE ES 20-40/130	44	262,90	G 1 1/4
70P13030000	NCE ES 25-40/130	44	265,70	G 1 1/2

Siehe Zubehör
Rohrverschraubungssatz einschließlich
Dichtungen

*See accessories
Unions KIT including gaskets*



NCE PS2

Energiesparende Zirkulationspumpen für Warmwasser

High efficiency energy circulating pumps for sanitary hot water

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70PB0050000	NCE PS2 20-40/130	22	260,10	G 1
70PB0100000	NCE PS2 20-70/130	47	262,90	G 1

Preis beinhaltet Rohrverschraubungssatz
Rohrverschraubungssatz einschließlich
Dichtungen

*The price includes unions KIT
Unions KIT including gaskets*



NCS3

Zirkulationspumpen für Warmwasser
Circulating pumps for sanitary hot water

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70PB0750000	NCS3 25-40/130/A	72	176,20	G 1 1/2
70PB0800000	NCS3 25-50/130/A	81	190,20	G 1 1/2
70PB0850000	NCS3 25-70/130/A	122	215,40	G 1 1/2

Preis beinhaltet Rohrverschraubungssatz
Rohrverschraubungssatz einschließlich
Dichtungen

*The price includes unions KIT
Unions KIT including gaskets*



NC3

Dreistufige Warmwasser-Zirkulationspumpen
Three speeds circulating pumps with threaded ports

Nicht zum Verkauf in EU-Ländern
Cannot be sold in the EU

Art.Nr. Code	Wechselstrom Single-phase	P1 W	Preis Price €	Anschluss Union
70PB1450000	NC3 25-40/130/A	72	97,90	G 1 1/2
70PB1600000	NC3 25-40/180/A	72	98,90	G 1 1/2
70PB1500000	NC3 25-50/130/A	81	101,80	G 1 1/2
70PB1650000	NC3 25-50/180/A	81	102,80	G 1 1/2
70PB1250000	NC3 15-60/130/A	93	98,90	G 1
70PB1550000	NC3 25-60/130/A	93	101,80	G 1 1/2
70PB1700000	NC3 25-60/180/A	93	102,80	G 1 1/2
70PB2000000	NC3 32-60/180/A	93	109,70	G 2
70PB2050000	NC3 25-80/180/A	182	164,50	G 1 1/2
70PB2100000	NC3 32-80/180/A	270	177,20	G 2
70PB2200000	NC3 25-120/180/A	245	171,30	G 1 1/2

Preis beinhaltet Rohrverschraubungssatz
Rohrverschraubungssatz einschließlich
Dichtungen

*The price includes unions KIT
Unions KIT including gaskets*

Zubehör - Accessories

Art.Nr. Code	KIT Anschlüsse Messing <i>Brass Unions KIT</i>	Artikel <i>Article</i>	Preis <i>Price</i> €
44036640000	G1 - G1/2	NC.. 15..	26,70
44036030000	G1 1/4 - G3/4	NC.. 20..	30,30
44031970000	G1 1/2 - G1	NC.. 25..	36,40
44031980000	G2 - G1 1/4	NC.. 32..	46,10

Art.Nr. Code	KIT Anschlüsse Grauguss <i>Cast iron Unions KIT</i>	Artikel <i>Article</i>	Preis <i>Price</i> €
44036031000	G1 1/4 - G3/4	NC.. 20..	15,10
44031971000	G1 1/2 - G1	NC.. 25..	15,10
44031981000	G2 - G1 1/4	NC.. 32..	22,60

Art.Nr. Code	KIT Gegenflansche Grauguss <i>Cast iron Counterflanges KIT</i>	Artikel <i>Article</i>	Preis <i>Price</i> €
44029736000	G1 1/4 - G1 1/4	NR(4) 32.. NC.. 32..	60,00
44029735000	G1 1/2 - G1 1/2	NR(4) 40.. NC.. 40..	63,50
44029732000	G2 - G2	NR(4) 50.. NC.. 50..	73,90
44029734000	G2 1/2 - G2 1/2	NR(4) 65.. NC.. 65..	84,60
44029741000	DN80 - DN80	NC.. 80..	105,90
44029743000	DN100 - DN100	NR(4) 100.. NC.. 100..	134,00

Gegenflansche KIT enthält: Schrauben - Muttern - Dichtungen
Counterflanges KIT including: Screws - Nuts - Gaskets

INHALT

BS.

- BS NM
- BS NM
- BS MXH
- BS MXH
- BS MPSU
- BS MPSU
- BS MXV-B
- BS MXV
- BS MXV

Druckerhöhungsanlagen mit Pumpen mit konstanter und variabler Drehzahl

Druckerhöhungsanlagen mit konstanter Drehzahl	134
Druckerhöhungsanlagen mit variabler Drehzahl.....	136
Druckerhöhungsanlagen mit konstanter Drehzahl	137
Druckerhöhungsanlagen mit variabler Drehzahl.....	138
Druckerhöhungsanlagen mit konstanter Drehzahl	142
Druckerhöhungsanlagen mit variabler Drehzahl.....	143
Druckerhöhungsanlagen mit variabler Drehzahl.....	144
Druckerhöhungsanlagen mit konstanter Drehzahl	146
Druckerhöhungsanlagen mit variabler Drehzahl.....	149

INDEX


BS.

Pressure boosting plants with fixed speed and variable speed pumps


- BS NM
- BS NM
- BS MXH
- BS MXH
- BS MPSU
- BS MPSU
- BS MXV-B
- BS MXV
- BS MXV

<i>Fixed speed booster sets</i>	<i>134</i>
<i>Variable speed booster sets</i>	<i>136</i>
<i>Fixed speed booster sets</i>	<i>137</i>
<i>Variable speed booster sets</i>	<i>138</i>
<i>Fixed speed booster sets</i>	<i>142</i>
<i>Variable speed booster sets</i>	<i>143</i>
<i>Variable speed booster sets</i>	<i>144</i>
<i>Fixed speed booster sets</i>	<i>146</i>
<i>Variable speed booster sets</i>	<i>149</i>

Bezeichnung



Designation



BS. NM

Druckerhöhungsanlagen mit konstanter Drehzahl

Fixed speed booster sets



Druckerhöhungsanlagen mit zwei Pumpen

Two pumps booster sets

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82010100000	BS2F 2 NMD 20/110B/A	0.45 X2	3.548,60
82010200000	BS2F 2 NMD 20/110A/B	0.75 X2	3.584,40
82010400000	BS2F 2 NMD 20/140B/A	1.1 X2	4.005,30
82010500000	BS2F 2 NMD 20/140A/A	1.5 X2	4.068,70
82011200000	BS2F 2 NMD 25/190C/B	2.2 X2	5.345,10
82011300000	BS2F 2 NMD 25/190B/A	3 X2	5.541,70
82011400000	BS2F 2 NMD 25/190A/B	4 X2	5.801,70

ZUBEHÖR siehe Seite 163

Für die richtige Auswahl der Druckbehälter, siehe im Katalog.

DIE DRUCKERHÖHUNGSANLAGE IST GEEIGNET für den Anschluss von Membrankesseln oder von zwei Luftzuführungen (wenn ein verzinkter Tank installiert ist)

Schaltschrank mit Mikroprozessor.

ACCESSORIES go to page 163

For a proper selection of the pressure vessels, see our catalogue.

THE PLANT IS SUITABLE FOR connection of diaphragm vessels or connection of two air feeders (when a galvanized tank is installed)

Electric control board with microprocessor.

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82110100000	BSM2F 2 NMDM 20/110B/A	0.45 X2	3.107,00
82110200000	BSM2F 2 NMDM 20/110A/A	0.75 X2	3.161,70
82110400000	BSM2F 2 NMDM 20/140BE	1.1 X2	3.682,00
82110500000	BSM2F 2 NMDM 20/140AE	1.5 X2	3.844,40

Geeignet für:

Suitable for:

Art.Nr. Code	Schaltkasten für Alarm und Fernsignalisierung Connection of control panel for remote alarm	Preis Price €
14027900000	RA 100	546,90

BS. NM

Druckerhöhungsanlagen mit konstanter Drehzahl

Fixed speed booster sets



Druckerhöhungsanlagen mit zwei Pumpen
Two pumps booster sets



Druckerhöhungsanlagen mit drei Pumpen
Three pumps booster sets

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82070101000	BS2F 2 NM 32/16B/A	1.5 X2	5.666,70
82070201000	BS2F 2 NM 32/16A/B	2.2 X2	5.967,90
82070301000	BS2F 2 NM 32/20C/A	3 X2	6.532,40
82070401000	BS2F 2 NM 32/20A/B	4 X2	6.924,20
82070441000	BS2F 2 NM 32L/16B	3 X2	6.560,60
82070451000	BS2F 2 NM 32L/16A	4 X2	6.260,60
82070471000	BS2F 2 NM 32L/20B	5.5 X2	8.400,00
82070481000	BS2F 2 NM 32L/20A	7.5 X2	12.486,40
82070501000	BS2F 2 NMD 32/210D/B	4 X2	8.272,30
82070601000	BS2F 2 NMD 32/210C/A	5.5 X2	9.023,60
82070701000	BS2F 2 NMD 32/210B/A	7.5 X2	11.713,20
82070801000	BS2F 2 NMD 32/210A/B	9.2 X2	12.946,70
82070901000	BS2F 2 NMD 40/180D/B	4 X2	8.585,50
82071001000	BS2F 2 NMD 40/180C/A	5.5 X2	9.343,40
82071101000	BS2F 2 NMD 40/180B/A	7.5 X2	11.800,30
82071201000	BS2F 2 NMD 40/180A/B	9.2 X2	12.902,20
82071301000	BS2F 2 NM 40/16B/B	3 X2	10.108,30
82071401000	BS2F 2 NM 40/16A/C	4 X2	10.568,50
82071501000	BS2F 2 NM 40/20B/A	5.5 X2	12.149,40
82071601000	BS2F 2 NM 40/20A/C	7.5 X2	14.584,10
82071701000	BS2F 2 NM 40/25B/C	11 X2	18.269,60
82071801000	BS2F 2 NM 40/25A/C	15 X2	19.646,80
82071901000	BS2F 2 NM 50/16B/B	5.5 X2	12.986,20
82072001000	BS2F 2 NM 50/16A/B	7.5 X2	15.164,00
82072101000	BS2F 2 NM 50/20B/C	9.2 X2	17.119,80
82072201000	BS2F 2 NM 50/20A/C	11 X2	17.903,30
82072301000	BS2F 2 NM 50/25C/C	11 X2	18.657,80
82072401000	BS2F 2 NM 50/25B/C	15 X2	20.002,60
82072501000	BS2F 2 NM 50/25A/D	18.5 X2	23.188,60
82072901000	BS2F 2 NM 65/16B/C	11 X2	19.956,50
82072951000	BS2F 2 NM 65/16A/R	15 X2	21.306,40
82073001000	BS2F 2 NM 65/16A/C	15 X2	21.306,40
82073101000	BS2F 2 NM 65/20C/C	15 X2	21.643,50
82073201000	BS2F 2 NM 65/20B/D	18.5 X2	24.852,00
82073311000	BS2F 2 NM 65/20A/A	22 X2	30.196,40
82073411000	BS2F 2 NM 65/25C/A	22 X2	31.288,00
82073511000	BS2F 2 NMS 65/250B/A	30 X2	39.071,20
82073611000	BS2F 2 NMS 65/250A/B	37 X2	45.967,00
82073701000	BS2F 2 NM 80/16B/C	15 X2	24.966,20
82073801000	BS2F 2 NM 80/16A/D	18.5 X2	28.136,30
82073911000	BS2F 2 NM 80/20B	22 X2	34.061,40
82074011000	BS2F 2 NMS 80/200A	30 X2	41.678,60
82074111000	BS2F 2 NM 80/25E	22 X2	34.636,30
82074211000	BS2F 2 NMS 80/250D	30 X2	42.515,20
82074311000	BS2F 2 NMS 80/250C/A	37 X2	49.447,10
82074511000	BS2F 2 NMS 80/250B/A	45 X2	54.001,30
82074611000	BS2F 2 NMS 80/250A/A	55 X2	63.149,90

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84063331000	BS3F 3 NM 32L/16B	3 X3	15.509,10
84063341000	BS3F 3 NM 32L/16A	4 X3	15.059,10
84063361000	BS3F 3 NM 32L/20B	5.5 X3	18.268,20
84063371000	BS3F 3 NM 32L/20A	7.5 X3	20.537,90
84060101000	BS3F 3 NM 40/16B/B	3 X3	16.801,50
84060201000	BS3F 3 NM 40/16A/C	4 X3	17.716,80
84060301000	BS3F 3 NM 40/20B/A	5.5 X3	19.723,70
84060401000	BS3F 3 NM 40/20A/A	7.5 X3	22.427,10
84060501000	BS3F 3 NM 40/25B/C	11 X3	27.477,70
84060601000	BS3F 3 NM 40/25A/C	15 X3	29.662,60
84060701000	BS3F 3 NM 50/16B/B	5.5 X3	20.348,30
84060801000	BS3F 3 NM 50/16A/B	7.5 X3	23.024,30
84060901000	BS3F 3 NM 50/20B/C	9.2 X3	25.985,80
84061001000	BS3F 3 NM 50/20A/C	11 X3	27.161,20
84061101000	BS3F 3 NM 50/25C/C	11 X3	28.540,20
84061201000	BS3F 3 NM 50/25B/C	15 X3	30.699,40
84061301000	BS3F 3 NM 50/25A/D	18.5 X3	35.023,00
84061701000	BS3F 3 NM 65/16B/C	11 X3	30.374,40
84061751000	BS3F 3 NM 65/16A/R	15 X3	32.547,30
84061801000	BS3F 3 NM 65/16A/C	15 X3	32.547,30
84061901000	BS3F 3 NM 65/20C/C	15 X3	33.053,80
84062001000	BS3F 3 NM 65/20B/D	18.5 X3	37.416,90
84062111000	BS3F 3 NM 65/20A/A	22 X3	46.041,50
84062211000	BS3F 3 NM 65/25C/A	22 X3	47.819,00
84062311000	BS3F 3 NMS 65/250B/A	30 X3	59.511,80
84062411000	BS3F 3 NMS 65/250A/B	37 X3	70.541,10
84062501000	BS3F 3 NM 80/16B/C	15 X3	37.762,30
84062601000	BS3F 3 NM 80/16A/D	18.5 X3	41.349,10
84062711000	BS3F 3 NM 80/20B	22 X3	50.146,10
84062811000	BS3F 3 NMS 80/200A	30 X3	62.127,80
84062911000	BS3F 3 NM 80/25E	22 X3	51.412,20
84063011000	BS3F 3 NMS 80/250D	30 X3	63.429,80
84063111000	BS3F 3 NMS 80/250C/A	37 X3	74.793,70
84063211000	BS3F 3 NMS 80/250B/A	45 X3	81.437,90
84063311000	BS3F 3 NMS 80/250A/A	55 X3	93.555,20

Geeignet für:
Suitable for:

Art.Nr. Code	Schaltkasten für Alarm und Fernsignalisierung Connection of control panel for remote alarm	Preis Price €
14027900000	RA 100	546,90


DIE DRUCKERHÖHUNGSANLAGE IST GEEIGNET für Anschluss von zwei oder drei automatischen Luftzuführungen (wenn ein verzinkter Behälter installiert ist)
Schaltschrank mit Mikroprozessor für die Pumpensteuerung.

THE PLANT IS SUITABLE for connection of two or three automatic air feeders
(when a galvanized tank is installed)
Electric control board with microprocessor.

BS. NM. ITT


Druckerhöhungsanlagen mit variabler Drehzahl und Frequenzumrichter I-MAT

Variable speed booster sets with frequency converter I-MAT



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter I-MAT)
Two variable speed pumps booster set (I-MAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82570101000	BS2V 2 NM 32/16B/A-ITT	1.5 X2	13.145,80
82570201000	BS2V 2 NM 32/16A/B-ITT	2.2 X2	14.142,40
82570251000	BS2V 2 NM 32/20D/B-ITT	2.2 X2	14.338,50
82570301000	BS2V 2 NM 32/20C/A-ITT	3 X2	14.654,90
82570401000	BS2V 2 NM 32/20A/B-ITT	4 X2	15.050,30
82570441000	BS2V 2 NM 32L/16B-ITT	3 X2	13.137,30
82570451000	BS2V 2 NM 32L/16A-ITT	4 X2	13.442,70
82570471000	BS2V 2 NM 32L/20B-ITT	5.5 X2	14.678,20
82570481000	BS2V 2 NM 32L/20A-ITT	7.5 X2	16.232,70
82571291000	BS2V 2 NM 40/16C/C-ITT	2.2 X2	17.823,50
82571301000	BS2V 2 NM 40/16B/B-ITT	3 X2	18.122,60
82571401000	BS2V 2 NM 40/16A/C-ITT	4 X2	18.586,70
82571441000	BS2V 2 NM 40/20D/B-ITT	4 X2	18.769,10
82571451000	BS2V 2 NM 40/20C/B-ITT	4 X2	18.769,10
82571501000	BS2V 2 NM 40/20B/A-ITT	5.5 X2	19.998,00
82571550000	BS2V 2 NM 40/20AR/A-ITT	5.5 X2	19.998,00
82571601000	BS2V 2 NM 40/20A/A-ITT	7.5 X2	24.052,80
82571691000	BS2V 2 NM 40/25C/C-ITT	9.2 X2	26.518,90
82571701000	BS2V 2 NM 40/25B/C-ITT	11 X2	27.298,90
82571801000	BS2V 2 NM 40/25A/C-ITT	15 X2	38.942,50
82571901000	BS2V 2 NM 50/16B/B-ITT	5.5 X2	24.466,80
82572001000	BS2V 2 NM 50/16A/B-ITT	7.5 X2	28.500,50
82572101000	BS2V 2 NM 50/20B/C-ITT	9.2 X2	30.462,70
82572201000	BS2V 2 NM 50/20A/C-ITT	11 X2	31.239,00
82572211000	BS2V 2 NM 50/20S/C-ITT	15 X2	42.876,60
82572301000	BS2V 2 NM 50/25C/C-ITT	11 X2	32.022,50
82572401000	BS2V 2 NM 50/25B/C-ITT	15 X2	43.651,80
82572501000	BS2V 2 NM 50/25A/D-ITT	18.5 X2	45.739,60
82572881000	BS2V 2 NM 65/16D/B-ITT	7.5 X2	33.303,00
82572891000	BS2V 2 NM 65/16C/C-ITT	9.2 X2	34.985,80
82572901000	BS2V 2 NM 65/16B/C-ITT	11 X2	35.767,30
82572991000	BS2V 2 NM 65/16AR-ITT	15 X2	47.402,40
82573001000	BS2V 2 NM 65/16A/C-ITT	15 X2	47.402,40
82573101000	BS2V 2 NM 65/20C/C-ITT	15 X2	47.759,90
82573201000	BS2V 2 NM 65/20B/D-ITT	18.5 X2	49.821,90
82573311000	BS2V 2 NM 65/20A/A-ITT	22 X2	53.367,80
82573411000	BS2V 2 NM 65/25C/A-ITT	22 X2	54.444,00
82573671000	BS2V 2 NM 80/16E/B-ITT	7.5 X2	31.786,40
82573681000	BS2V 2 NM 80/16D/C-ITT	9.2 X2	33.527,80
82573691000	BS2V 2 NM 80/16C/C-ITT	11 X2	34.228,60
82573701000	BS2V 2 NM 80/16B/C-ITT	15 X2	38.781,80
82573801000	BS2V 2 NM 80/16A/D-ITT	18.5 X2	42.740,50
82573911000	BS2V 2 NM 80/20B-ITT	22 X2	44.412,30
82574111000	BS2V 2 NM 80/25E-ITT	22 X2	44.694,50
82574801000	BS2V 2 NM 100/20E/A-ITT	18.5 X2	59.777,70
82574791000	BS2V 2 NM 100/20D-ITT	22 X2	68.653,80



Druckerhöhungsanlagen mit drei Pumpen mit variabler Drehzahl
(Frequenzumrichter I-MAT)
Three variable speed pumps booster set (I-MAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84510901000	BS3V 3 NM 32/16B/A-ITT	1.5 X3	21.690,70
84511001000	BS3V 3 NM 32/16A/B-ITT	2.2 X3	23.334,90
84511101000	BS3V 3 NM 32/20D/B-ITT	2.2 X3	23.658,60
84511201000	BS3V 3 NM 32/20C/A-ITT	3 X3	24.180,40
84511301000	BS3V 3 NM 32/20A/B-ITT	4 X3	24.832,90
84563331000	BS3V 3 NM 32L/16B-ITT	3 X3	23.222,70
84563341000	BS3V 3 NM 32L/16A-ITT	4 X3	23.850,00
84563361000	BS3V 3 NM 32L/20B-ITT	5.5 X3	25.708,60
84563371000	BS3V 3 NM 32L/20A-ITT	7.5 X3	30.954,50
84560091000	BS3V 3 NM 40/16C/C-ITT	2.2 X3	29.586,30
84560101000	BS3V 3 NM 40/16B/B-ITT	3 X3	30.034,90
84560201000	BS3V 3 NM 40/16A/C-ITT	4 X3	30.731,10
84560281000	BS3V 3 NM 40/20D/B-ITT	4 X3	31.004,50
84560291000	BS3V 3 NM 40/20C/B-ITT	4 X3	31.004,50
84560301000	BS3V 3 NM 40/20B/A-ITT	5.5 X3	32.847,20
84560391000	BS3V 3 NM 40/20AR/A-ITT	5.5 X3	32.847,20
84560401000	BS3V 3 NM 40/20A/A-ITT	7.5 X3	38.930,00
84560491000	BS3V 3 NM 40/25C/C-ITT	9.2 X3	42.629,00
84560501000	BS3V 3 NM 40/25B/C-ITT	11 X3	43.799,00
84560601000	BS3V 3 NM 40/25A/C-ITT	15 X3	61.264,30
84560701000	BS3V 3 NM 50/16B/B-ITT	5.5 X3	37.291,10
84560801000	BS3V 3 NM 50/16A/B-ITT	7.5 X3	43.341,20
84560901000	BS3V 3 NM 50/20B/C-ITT	9.2 X3	46.289,10
84561001000	BS3V 3 NM 50/20A/C-ITT	11 X3	47.451,70
84561091000	BS3V 3 NM 50/20S/C-ITT	15 X3	64.908,30
84561101000	BS3V 3 NM 50/25C/C-ITT	11 X3	48.627,10
84561201000	BS3V 3 NM 50/25B/C-ITT	15 X3	66.071,00
84561301000	BS3V 3 NM 50/25A/D-ITT	18.5 X3	69.202,60
84561681000	BS3V 3 NM 65/16D/B-ITT	7.5 X3	50.620,40
84561691000	BS3V 3 NM 65/16C/C-ITT	9.2 X3	53.178,50
84561701000	BS3V 3 NM 65/16B/C-ITT	11 X3	54.366,00
84561791000	BS3V 3 NM 65/16AR-ITT	15 X3	72.051,50
84561801000	BS3V 3 NM 65/16A/C-ITT	15 X3	72.051,50
84561901000	BS3V 3 NM 65/20C/C-ITT	15 X3	72.594,90
84562001000	BS3V 3 NM 65/20B/D-ITT	18.5 X3	75.729,20
84562111000	BS3V 3 NM 65/20A/A-ITT	22 X3	81.118,90
84562211000	BS3V 3 NM 65/25C/A-ITT	22 X3	82.754,80
84562471000	BS3V 3 NM 80/16E/B-ITT	7.5 X3	*
84562481000	BS3V 3 NM 80/16D/C-ITT	9.2 X3	*
84562491000	BS3V 3 NM 80/16C/C-ITT	11 X3	*
84562501000	BS3V 3 NM 80/16B/C-ITT	15 X3	*
84562601000	BS3V 3 NM 80/16A/D-ITT	18.5 X3	*
84562711000	BS3V 3 NM 80/20B-ITT	22 X3	*
84562911000	BS3V 3 NM 80/25E-ITT	22 X3	*
84563581000	BS3V 3 NM 100/20E/A-ITT	18.5 X3	*
84563591000	BS3V 3 NM 100/20D-ITT	22 X3	*

* Preise auf Anfrage

* Price on request

BS. MXH

Druckerhöhungsanlagen mit konstanter Drehzahl

Fixed speed booster sets



Druckerhöhungsanlagen mit zwei Pumpen
Two pumps booster sets



Druckerhöhungsanlagen mit drei Pumpen
Three pumps booster sets

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82020100000	BS2F 2 MXH 203E	0.37 X2	3.835,90
82020200000	BS2F 2 MXH 204/A	0.55 X2	3.943,70
82020300000	BS2F 2 MXH 205/B	0.75 X2	4.104,50
82020310000	BS2F 2 MXH 206/C	1.1 X2	4.652,60
82020400000	BS2F 2 MXH 403/A	0.55 X2	3.852,90
82020500000	BS2F 2 MXH 404/B	0.75 X2	3.952,30
82020600000	BS2F 2 MXH 405/C	1.1 X2	4.159,20
82020610000	BS2F 2 MXH 406/A	1.5 X2	4.554,70
82020650000	BS2F 2 MXH 803/A	1.1 X2	4.463,90
82020700000	BS2F 2 MXH 804/A	1.5 X2	4.607,60
82020800000	BS2F 2 MXH 805/B	1.8 X2	4.958,40
82021000000	BS2F 2 MXH 1602/A	1.5 X2	5.834,70
82020900000	BS2F 2 MXH 1603/B	1.8 X2	6.098,00
82021100000	BS2F 2 MXH 1604/A	3 X2	7.876,00
82021200000	BS2F 2 MXH 1605/B	3.7 X2	8.356,80
82021250000	BS2F 2 MXH 1606/B	4 X2	8.582,40
82022100000	BS2F 2 MXH 2002/A	1.8 X2	8.628,50
82022200000	BS2F 2 MXH 2003	3 X2	10.037,40
82022300000	BS2F 2 MXH 2004/A	4 X2	10.508,50
82022400000	BS2F 2 MXH 2005	5.5 X2	12.308,60
82021290000	BS2F 2 MXH-F 3202/B	4 X2	10.994,00
82021300000	BS2F 2 MXH-F 3203/A	5.5 X2	12.646,40
82021310000	BS2F 2 MXH-F 3204/A	7.5 X2	15.993,10
82021400000	BS2F 2 MXH-F 4802/A	5.5 X2	15.463,00
82021410000	BS2F 2 MXH-F 4803/A	7.5 X2	19.225,50

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82120100000	BSM2F 2 MXHM 203E	0.37 X2	3.404,70
82120200000	BSM2F 2 MXHM 204/A	0.55 X2	3.521,20
82120300000	BSM2F 2 MXHM 205/A	0.75 X2	3.700,80
82120310000	BSM2F 2 MXHM 206	1.1 X2	4.518,40
82120400000	BSM2F 2 MXHM 403/A	0.55 X2	3.430,50
82120500000	BSM2F 2 MXHM 404/A	0.75 X2	3.548,60
82120600000	BSM2F 2 MXHM 405	1.1 X2	4.051,40
82120610000	BSM2F 2 MXHM 406	1.5 X2	4.446,90
82120650000	BSM2F 2 MXHM 803	1.1 X2	4.113,10
82120700000	BSM2F 2 MXHM 804	1.5 X2	4.292,80

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84020101000	BS3F 3 MXH 203E	0.37 X3	6.276,60
84000880000	BS3F 3 MXH 204/A	0.55 X3	6.679,60
84020201000	BS3F 3 MXH 205/B	0.75 X3	6.926,90
84020301000	BS3F 3 MXH 206/C	1.1 X3	8.088,40
84020401000	BS3F 3 MXH 403/A	0.55 X3	7.471,20
84000630000	BS3F 3 MXH 404/B	0.75 X3	7.661,50
84000640000	BS3F 3 MXH 405/C	1.1 X3	8.215,60
84000790000	BS3F 3 MXH 406/A	1.5 X3	9.242,90
84001260000	BS3F 3 MXH 803/A	1.1 X3	8.825,90
84000500000	BS3F 3 MXH 804/A	1.5 X3	9.042,60
84000510000	BS3F 3 MXH 805/B	1.8 X3	9.624,70
84020501000	BS3F 3 MXH 1602/A	1.5 X3	10.366,80
84020601000	BS3F 3 MXH 1603/B	1.8 X3	10.734,30
84020701000	BS3F 3 MXH 1604/A	3 X3	13.045,60
84020801000	BS3F 3 MXH 1605/B	3.7 X3	13.562,00
84020901000	BS3F 3 MXH 1606/B	4 X3	13.893,80
84022100000	BS3F 3 MXH 2002/A	1.8 X3	13.806,10
84022200000	BS3F 3 MXH 2003	3 X3	16.058,40
84022300000	BS3F 3 MXH 2004/A	4 X3	16.812,80
84022400000	BS3F 3 MXH 2005	5.5 X3	19.694,10
84021001000	BS3F 3 MXH-F 3202/B	4 X3	20.122,60
84021101000	BS3F 3 MXH-F 3203/B	5.5 X3	22.931,80
84021201000	BS3F 3 MXH-F 3204/A	7.5 X3	26.934,70
84021301000	BS3F 3 MXH-F 4802/A	5.5 X3	28.035,10
84021401000	BS3F 3 MXH-F 4803/A	7.5 X3	32.392,60

Geeignet für:
Suitable for:

Art.Nr. Code	Schaltkasten für Alarm und Fernsignalisierung Connection of control panel for remote alarm	Preis Price €
14027900000	RA 100	546,90

ZUBEHÖR siehe Seite 163

Für die richtige Auswahl der Druckbehälter, siehe im Katalog.

DIE DRUCKERHÖHUNGSANLAGE IST GEEIGNET für den Anschluss von Membrankesseln oder von zwei Luftzuführungen (wenn ein verzinkter Tank installiert ist)

Schaltschrank mit Mikroprozessor..

ACCESSORIES go to page 163

For a proper selection of the pressure vessels, see our catalogue.

THE PLANT IS SUITABLE FOR connection of diaphragm vessels or connection of two air feeders (when a galvanized tank is installed)

Electric control board with microprocessor.

BS. MXH. EM

Druckerhöhungsanlagen mit variabler Drehzahl und Frequenzumrichter EASYMAT


Variable speed booster sets with frequency converter EASYMAT



Druckerhöhungsanlagen mit einer Pumpe mit variabler Drehzahl
(Frequenzumrichter EASYMAT)

Single variable speed pump booster sets (EASYMAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
81050700000	BSM1V 1 MXH 203E-EMT	0.37	2.445,00
81050750000	BSM1V 1 MXH 204/A-EMT	0.55	2.582,60
81050800000	BSM1V 1 MXH 205/B-EMT	0.75	2.662,20
81050850000	BSM1V 1 MXH 206/C-EMT	1.1	2.980,70
81050900000	BSM1V 1 MXH 403/A-EMT	0.55	2.679,20
81050950000	BSM1V 1 MXH 404/B-EMT	0.75	2.744,20
81051000000	BSM1V 1 MXH 405/C-EMT	1.1	2.947,00
81051050000	BSM1V 1 MXH 406/A-EMT	1.5	3.144,80
81051100000	BSM1V 1 MXH 803/A-EMT	1.1	3.101,30
81051150000	BSM1V 1 MXH 804/A-EMT	1.5	3.171,50
81051200000	BSM1V 1 MXH 805/B-EMT	1.8	3.369,30
81051300000	BSM1V 1 MXH 1603/B-EMT	1.8	3.630,00



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter EASYMAT)

Two variable speed pumps booster sets (EASYMAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82080700000	BSM2V 2 MXH 203E-EMT	0.37 X2	5.336,40
82080750000	BSM2V 2 MXH 204/A-EMT	0.55 X2	5.604,20
82080800000	BSM2V 2 MXH 205/B-EMT	0.75 X2	5.768,40
82080850000	BSM2V 2 MXH 206/C-EMT	1.1 X2	6.304,10
82080900000	BSM2V 2 MXH 403/A-EMT	0.55 X2	5.802,10
82080950000	BSM2V 2 MXH 404/B-EMT	0.75 X2	5.927,60
82081000000	BSM2V 2 MXH 405/C-EMT	1.1 X2	6.231,70
82081050000	BSM2V 2 MXH 406/A-EMT	1.5 X2	6.625,20
82081100000	BSM2V 2 MXH 803/A-EMT	1.1 X2	6.620,30
82081150000	BSM2V 2 MXH 804/A-EMT	1.5 X2	6.765,10
82081200000	BSM2V 2 MXH 805/B-EMT	1.8 X2	7.151,30
82081300000	BSM2V 2 MXH 1603/B-EMT	1.8 X2	7.749,90

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
81150700000	BSM1V 1 MXHM 203E-EMM	0.37	2.445,00
81150750000	BSM1V 1 MXHM 204/A-EMM	0.55	2.582,60
82180800000	BSM1V 1 MXHM 205/A-EMM	0.75	2.662,20
81150850000	BSM1V 1 MXHM 206-EMM	1.1	3.113,50
81150900000	BSM1V 1 MXHM 403/A-EMM	0.55	2.679,20
81150950000	BSM1V 1 MXHM 404/A-EMM	0.75	2.744,20
81151000000	BSM1V 1 MXHM 405-EMM	1.1	3.108,60
81151100000	BSM1V 1 MXHM 803-EMM	1.1	3.101,30

BS. MXH. EM

Druckerhöhungsanlagen mit variabler Drehzahl und Frequenzumrichter EASYMAT
Variable speed booster sets with frequency converter EASYMAT




Druckerhöhungsanlagen mit drei Pumpen mit variabler Drehzahl
(Frequenzumrichter EASYMAT)
Three variable speed pumps booster sets (EASYMAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
84080700000	BSM3V 3 MXH 203E-EMT	0.37 X3	8.183,10
84080750000	BSM3V 3 MXH 204/A-EMT	0.55 X3	8.581,00
84080800000	BSM3V 3 MXH 205/B-EMT	0.75 X3	5.942,00
84080850000	BSM3V 3 MXH 206/C-EMT	1.1 X3	6.560,00
84080900000	BSM3V 3 MXH 403/A-EMT	0.55 X3	5.948,00
84080950000	BSM3V 3 MXH 404/B-EMT	0.75 X3	6.071,00
84081000000	BSM3V 3 MXH 405/C-EMT	1.1 X3	6.372,00
84081050000	BSM3V 3 MXH 406/A-EMT	1.5 X3	6.767,00
84081100000	BSM3V 3 MXH 803/A-EMT	1.1 X3	6.708,00
84081150000	BSM3V 3 MXH 804/A-EMT	1.5 X3	6.848,00
84081200000	BSM3V 3 MXH 805/B-EMT	1.8 X3	7.224,00
84081300000	BSM3V 3 MXH 1603/B-EMT	1.8 X3	8.823,00

BS. MXH. EMT2

Druckerhöhungsanlagen mit variabler Drehzahl und Frequenzumrichter EASYMAT2
Variable speed booster sets with frequency converter EASYMAT2



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter EASYMAT2)
Two variable speed pumps booster sets (EASYMAT2 frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82002840000	BSM2V 2 MXH 203E-EMT2	0.37 X2	5.333,30
82002850000	BSM2V 2 MXH 204/A-EMT2	0.55 X2	5.540,90
82002860000	BSM2V 2 MXH 205/B-EMT2	0.75 X2	5.701,50
82002870000	BSM2V 2 MXH 206/C-EMT2	1.1 X2	6.263,60
82002880000	BSM2V 2 MXH 403/A-EMT2	0.55 X2	5.701,50
82002890000	BSM2V 2 MXH 404/B-EMT2	0.75 X2	5.862,10
82002900000	BSM2V 2 MXH 405/C-EMT2	1.1 X2	6.103,00
82002910000	BSM2V 2 MXH 406/A-EMT2	1.5 X2	6.584,80
82002920000	BSM2V 2 MXH 803/A-EMT2	1.1 X2	6.906,10
82002930000	BSM2V 2 MXH 804/A-EMT2	1.5 X2	7.227,30
82002940000	BSM2V 2 MXH 805/B-EMT2	1.8 X2	7.709,10

BS. MXH. WALL

Druckerhöhungsanlagen mit variabler Drehzahl und Frequenzumrichter WALL
Variable speed booster sets with frequency converter WALL




Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter WALL)
Two variable speed pumps booster set (WALL frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82003540000	BS2V 2 MXH 405-WALL	0.75 X2	6.545,50
82003550000	BS2V 2 MXH 406-WALL	1.1 X2	6.784,10
82003560000	BS2V 2 MXH 805-WALL	1.8 X2	8.004,50


BS. MXH. ITT

Druckerhöhungsanlagen mit variabler Drehzahl und Frequenzumrichter I-MAT

Variable speed booster sets with frequency converter I-MAT



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter I-MAT)
Two variable speed pumps booster set (I-MAT frequency converter)



Druckerhöhungsanlagen mit drei Pumpen mit variabler Drehzahl
(Frequenzumrichter I-MAT)
Three variable speed pumps booster set (I-MAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82520200000	BS2V 2 MXH 204/A-ITT	0.55 X2	10.390,50
82520300000	BS2V 2 MXH 205/B-ITT	0.75 X2	10.573,20
82520310000	BS2V 2 MXH 206/C-ITT	1.1 X2	11.196,70
82520400000	BS2V 2 MXH 403/A-ITT	0.55 X2	12.217,10
82520500000	BS2V 2 MXH 404/B-ITT	0.75 X2	12.343,50
82520600000	BS2V 2 MXH 405/C-ITT	1.1 X2	12.642,30
82520610000	BS2V 2 MXH 406/A-ITT	1.5 X2	13.028,10
82520650000	BS2V 2 MXH 803/A-ITT	1.1 X2	12.824,00
82520700000	BS2V 2 MXH 804/A-ITT	1.5 X2	12.966,60
82520800000	BS2V 2 MXH 805/B-ITT	1.8 X2	13.343,50
82520900000	BS2V 2 MXH 1603/B-ITT	1.8 X2	13.628,50
82521100000	BS2V 2 MXH 1604/A-ITT	3 X2	15.825,90
82521200000	BS2V 2 MXH 1605/B-ITT	3.7 X2	16.163,80
82521250000	BS2V 2 MXH 1606/B-ITT	4 X2	16.379,80

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84500880000	BS3V 3 MXH 204/A-ITT	0.55 X3	14.338,80
84520201000	BS3V 3 MXH 205/B-ITT	0.75 X3	14.590,80
84520301000	BS3V 3 MXH 206/C-ITT	1.1 X3	15.451,50
84520401000	BS3V 3 MXH 403/A-ITT	0.55 X3	16.859,60
84500630000	BS3V 3 MXH 404/B-ITT	0.75 X3	17.034,10
84500640000	BS3V 3 MXH 405/C-ITT	1.1 X3	17.446,40
84500790000	BS3V 3 MXH 406/A-ITT	1.5 X3	17.978,90
84501260000	BS3V 3 MXH 803/A-ITT	1.1 X3	17.285,40
84500500000	BS3V 3 MXH 804/A-ITT	1.5 X3	17.857,90
84500510000	BS3V 3 MXH 805/B-ITT	1.8 X3	18.414,00
84520601000	BS3V 3 MXH 1603/B-ITT	1.8 X3	18.807,30
84520701000	BS3V 3 MXH 1604/A-ITT	1.8	21.839,70
84520801000	BS3V 3 MXH 1605/B-ITT	3.7 X3	22.306,10
84520901000	BS3V 3 MXH 1606/B-ITT	4 X3	22.604,10

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82522100000	BS2V 2 MXH 2002/A-ITT	1.8 X2	16.952,40
82522200000	BS2V 2 MXH 2003-ITT	3 X2	17.811,90
82522300000	BS2V 2 MXH 2004/A-ITT	4 X2	18.271,60
82522400000	BS2V 2 MXH 2005-ITT	5.5 X2	20.027,90
82521290000	BS2V 2 MXH-F 3202/B-ITT	4 X2	21.339,60
82521300000	BS2V 2 MXH-F 3203/A-ITT	5.5 X2	23.166,80
82521310000	BS2V 2 MXH-F 3204/A-ITT	7.5 X2	28.475,80
82521400000	BS2V 2 MXH-F 4802/A-ITT	5.5 X2	*
82521410000	BS2V 2 MXH-F 4803/A-ITT	7.5 X2	*

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84522100000	BS3V 3 MXH 2002/A-ITT	1.8 X3	23.394,10
84522200000	BS3V 3 MXH 2003-ITT	3 X3	24.580,40
84522300000	BS3V 3 MXH 2004/A-ITT	4 X3	25.215,00
84522400000	BS3V 3 MXH 2005-ITT	5.5 X3	27.638,30
84521001000	BS3V 3 MXH-F 3202/B-ITT	4 X3	30.106,30
84521101000	BS3V 3 MXH-F 3203/A-ITT	5.5 X3	32.847,20
84521201000	BS3V 3 MXH-F 3204/A-ITT	7.5 X3	40.810,50
84521301000	BS3V 3 MXH-F 4802/A-ITT	5.5 X3	*
84521401000	BS3V 3 MXH-F 4803/A-ITT	7.5 X3	*

* Preise auf Anfrage

* Price on request

BS. MPSU

Druckerhöhungsanlagen mit konstanter Drehzahl

Fixed speed booster sets



Druckerhöhungsanlagen mit zwei Pumpen
Two pumps booster sets



Druckerhöhungsanlagen mit drei Pumpen
Three pumps booster sets

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82039200000	BS2F 2 MPSU 304	0.55 X2	4.581,70
82039250000	BS2F 2 MPSU 305	0.75 X2	4.660,40
82039300000	BS2F 2 MPSU 306	0.9 X2	5.193,60
82039350000	BS2F 2 MPSU 307	0.9 X2	5.382,70
82039400000	BS2F 2 MPSU 504	0.9 X2	4.442,10
82039450000	BS2F 2 MPSU 505	1.1 X2	4.728,90
82039500000	BS2F 2 MPSU 506	1.1 X2	4.896,10
82039550000	BS2F 2 MPSU 507	1.5 X2	5.252,40

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82139200000	BSM2F 2 MPSUM 304	0.55 X2	4.374,60
82139250000	BSM2F 2 MPSUM 305	0.75 X2	4.470,30
82139300000	BSM2F 2 MPSUM 306	0.9 X2	5.005,30
82139350000	BSM2F 2 MPSUM 307	0.9 X2	5.194,50
82139400000	BSM2F 2 MPSUM 504	0.9 X2	4.262,50
82139450000	BSM2F 2 MPSUM 505	1.1 X2	4.542,40
82139500000	BSM2F 2 MPSUM 506	1.1 X2	4.709,60
82139550000	BSM2F 2 MPSUM 507	1.5 X2	5.065,80

ZUBEHÖR siehe Seite 163

Die Abmessungen der Behälter entnehmen Sie bitte unserem Katalog.

DIE DRUCKERHÖHUNGSANLAGE IST GEEIGNET für Anschluss von zwei oder drei automatischen Luftzuführungen (wenn ein verzinkter Behälter installiert ist)
Schaltschrank mit Mikroprozessor für die Pumpensteuerung.

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84036901000	BS3F 3 MPSU 304	0.55 X3	8.298,40
84036951000	BS3F 3 MPSU 305	0.75 X3	8.543,90
84037001000	BS3F 3 MPSU 306	0.9 X3	9.609,00
84037051000	BS3F 3 MPSU 307	0.9 X3	9.892,90
84037101000	BS3F 3 MPSU 504	0.9 X3	8.862,80
84037151000	BS3F 3 MPSU 505	1.1 X3	9.359,50
84037201000	BS3F 3 MPSU 506	1.1 X3	9.610,20
84037251000	BS3F 3 MPSU 507	1.5 X3	10.144,60

Geeignet für:
Suitable for:

Art.Nr. Code	Schaltkasten für Alarm und Fernsignalisierung Connection of control panel for remote alarm	Preis Price €
14027900000	RA 100	546,90

ACCESSORIES go to page 163

For a proper selection of the pressure vessels, see our catalogue.

THE PLANT IS SUITABLE for connection of two or three automatic air feeders (when a galvanized tank is installed)

Electric control board with microprocessor.

BS. MPSU. EM

Druckerhöhungsanlagen mit variabler Drehzahl und Frequenzumrichter EASYMAT

Variable speed booster sets with frequency converter EASYMAT



Druckerhöhungsanlagen mit einer Pumpe mit variabler Drehzahl
(Frequenzumrichter EASYMAT)

Single variable speed pump booster sets (EASYMAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
81053800000	BSM1V 1 MPSU 304-EMT	0.55	1.895,00
81053850000	BSM1V 1 MPSU 305-EMT	0.75	1.896,00
81053900000	BSM1V 1 MPSU 306-EMT	0.9	1.897,00
81053950000	BSM1V 1 MPSU 307-EMT	0.9	1.898,00
81054000000	BSM1V 1 MPSU 504-EMT	0.9	1.899,00
81054050000	BSM1V 1 MPSU 505-EMT	1.1	1.900,00
81054100000	BSM1V 1 MPSU 506-EMT	1.1	1.901,00
81054150000	BSM1V 1 MPSU 507-EMT	1.5	1.902,00



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter EASYMAT)

Two variable speed pumps booster sets (EASYMAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82082850000	BSM2V 2 MPSU 304-EMT	0.55 X2	6.143,00
82082900000	BSM2V 2 MPSU 305-EMT	0.75 X2	6.252,30
82082950000	BSM2V 2 MPSU 306-EMT	0.9 X2	6.538,50
82083000000	BSM2V 2 MPSU 307-EMT	0.9 X2	6.722,90
82083050000	BSM2V 2 MPSU 504-EMT	0.9 X2	6.509,10
82083100000	BSM2V 2 MPSU 505-EMT	1.1 X2	6.782,40
82083150000	BSM2V 2 MPSU 506-EMT	1.1 X2	6.945,50
82083200000	BSM2V 2 MPSU 507-EMT	1.5 X2	7.293,00



Druckerhöhungsanlagen mit drei Pumpen mit variabler Drehzahl
(Frequenzumrichter EASYMAT)

Three variable speed pumps booster sets (EASYMAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
84082850000	BSM3V 3 MPSU 304-EMT	0.55 X3	*
84082900000	BSM3V 3 MPSU 305-EMT	0.75 X3	*
84082950000	BSM3V 3 MPSU 306-EMT	0.9 X3	*
84083000000	BSM3V 3 MPSU 307-EMT	0.9 X3	*
84083050000	BSM3V 3 MPSU 504-EMT	0.9 X3	*
84083100000	BSM3V 3 MPSU 505-EMT	1.1 X3	*
84083150000	BSM3V 3 MPSU 506-EMT	1.1 X3	*
84083200000	BSM3V 3 MPSU 507-EMT	1.5 X3	*

* Preise auf Anfrage

* Price on request

BS. MXVB. EM

Druckerhöhungsanlagen mit variabler Drehzahl

Variable speed booster sets




Druckerhöhungsanlagen mit einzelner Pumpe mit variabler Drehzahl
(Frequenzumrichter EASYMAT)
Single variable speed pump booster sets (EASYMAT frequency converter)



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter EASYMAT)
Two variable speed pumps booster sets (EASYMAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
81056030000	BSM1V 1 MXV-B 25-304 O-EMT	0.75	3.322,10
81056060000	BSM1V 1 MXV-B 25-305 O-EMT	0.75	3.365,70
81056090000	BSM1V 1 MXV-B 25-306 O-EMT	1.1	3.523,80
81056120000	BSM1V 1 MXV-B 25-307 O-EMT	1.1	3.587,30
81056150000	BSM1V 1 MXV-B 25-308 O-EMT	1.5	3.672,90
81056180000	BSM1V 1 MXV-B 25-310 O-EMT	1.5	3.770,20
81056240000	BSM1V 1 MXV-B 32-504 O-EMT	1.1	3.523,00
81056270000	BSM1V 1 MXV-B 32-505 O-EMT	1.1	3.574,20
81056300000	BSM1V 1 MXV-B 32-506 O-EMT	1.5	3.640,00
81056330000	BSM1V 1 MXV-B 32-507 O-EMT	1.5	3.720,80
81056360000	BSM1V 1 MXV-B 32-508 O-EMT	2.2	3.813,60
81056390000	BSM1V 1 MXV-B 32-510 O-EMT	2.2	3.916,20
81056450000	BSM1V 1 MXV-B 40-904 O-EMT	1.5	3.699,90
81056480000	BSM1V 1 MXV-B 40-905 O-EMT	2.2	3.777,70
81056510000	BSM1V 1 MXV-B 40-906 O-EMT	2.2	3.875,40

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82084030000	BSM2V 2 MXV-B 25-304 O-EMT	0.75 X2	7.096,40
82084060000	BSM2V 2 MXV-B 25-305 O-EMT	0.75 X2	7.178,90
82084090000	BSM2V 2 MXV-B 25-306 O-EMT	1.1 X2	7.398,00
82084120000	BSM2V 2 MXV-B 25-307 O-EMT	1.1 X2	7.517,70
82084150000	BSM2V 2 MXV-B 25-308 O-EMT	1.5 X2	7.691,50
82084180000	BSM2V 2 MXV-B 25-310 O-EMT	1.5 X2	7.886,10
82084240000	BSM2V 2 MXV-B 32-504 O-EMT	1.1 X2	7.411,20
82084270000	BSM2V 2 MXV-B 32-505 O-EMT	1.1 X2	7.511,10
82084300000	BSM2V 2 MXV-B 32-506 O-EMT	1.5 X2	7.640,40
82084330000	BSM2V 2 MXV-B 32-507 O-EMT	1.5 X2	7.804,40
82084360000	BSM2V 2 MXV-B 32-508 O-EMT	2.2 X2	7.989,80
82084390000	BSM2V 2 MXV-B 32-510 O-EMT	2.2 X2	8.195,10
82084450000	BSM2V 2 MXV-B 40-904 O-EMT	1.5 X2	7.960,80
82084480000	BSM2V 2 MXV-B 40-905 O-EMT	2,2 X2	8.116,40
82084510000	BSM2V 2 MXV-B 40-906 O-EMT	2.2 X2	8.311,70



Druckerhöhungsanlagen mit drei Pumpen mit variabler Drehzahl
(Frequenzumrichter EASYMAT)
Three variable speed pumps booster sets (EASYMAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
84084030000	BSM3V 3 MXV-B 25-304 O-EMT	0.75 X3	12.642,50
84084060000	BSM3V 3 MXV-B 25-305 O-EMT	0.75 X3	12.770,10
84084090000	BSM3V 3 MXV-B 25-306 O-EMT	1.1 X3	13.107,20
84084120000	BSM3V 3 MXV-B 25-307 O-EMT	1.1 X3	13.296,30
84084150000	BSM3V 3 MXV-B 25-308 O-EMT	1.5 X3	13.566,90
84084180000	BSM3V 3 MXV-B 25-310 O-EMT	1.5 X3	13.873,40
84084240000	BSM3V 3 MXV-B 32-504 O-EMT	1.1 X3	12.790,60
84084270000	BSM3V 3 MXV-B 32-505 O-EMT	1.1 X3	12.949,00
84084300000	BSM3V 3 MXV-B 32-506 O-EMT	1.5 X3	13.148,10
84084330000	BSM3V 3 MXV-B 32-507 O-EMT	1.5 X3	13.398,40
84084360000	BSM3V 3 MXV-B 32-508 O-EMT	2.2 X3	13.684,30
84084390000	BSM3V 3 MXV-B 32-510 O-EMT	2.2 X3	14.002,50
84084450000	BSM3V 3 MXV-B 40-904 O-EMT	1.5 X3	13.069,40
84084480000	BSM3V 3 MXV-B 40-905 O-EMT	2.2 X3	13.309,40
84084510000	BSM3V 3 MXV-B 40-906 O-EMT	2.2 X3	13.610,80

BS. MXVB. EMT2

Druckerhöhungsanlagen mit variabler Drehzahl
Variable speed booster sets



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter EASYMAT2)
Two variable speed pumps booster sets (EASYMAT2 frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
82002950000	BSM2V 2 MXV-B 25-304 O-EMT2	0.75 X2	8.190,90
82002960000	BSM2V 2 MXV-B 25-305 O-EMT2	0.75 X2	8.271,20
82002970000	BSM2V 2 MXV-B 25-306 O-EMT2	1.1 X2	8.351,50
82002980000	BSM2V 2 MXV-B 25-307 O-EMT2	1.1 X2	8.431,80
82002990000	BSM2V 2 MXV-B 25-308 O-EMT2	1.5 X2	8.672,70
82003000000	BSM2V 2 MXV-B 25-310 O-EMT2	1.5 X2	8.833,30
82003010000	BSM2V 2 MXV-B 32-504 O-EMT2	1.1 X2	8.271,20
82003020000	BSM2V 2 MXV-B 32-505 O-EMT2	1.1 X2	8.351,50
82003030000	BSM2V 2 MXV-B 32-506 O-EMT2	1.5 X2	8.512,10
82003040000	BSM2V 2 MXV-B 32-507 O-EMT2	1.5 X2	8.672,70
82003050000	BSM2V 2 MXV-B 32-508 O-EMT2	2.2 X2	8.913,60
82003060000	BSM2V 2 MXV-B 32-510 O-EMT2	2.2 X2	9.234,80
82003070000	BSM2V 2 MXV-B 40-904 O-EMT2	1.5 X2	9.315,20
82003080000	BSM2V 2 MXV-B 40-905 O-EMT2	2.2 X2	9.636,40
82003090000	BSM2V 2 MXV-B 40-906 O-EMT2	2.2 X2	9.797,00

BS. MXVB. WALL

Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter WALL)
Two variable speed pumps booster set (WALL frequency converter)



Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82003100000	BS2V 2 MXV-B 25-304 O-WALL	0.75 X2	7.753,60
82003110000	BS2V 2 MXV-B 25-305 O-WALL	0.75 X2	7.828,60
82003120000	BS2V 2 MXV-B 25-306 O-WALL	1.1 X2	7.960,90
82003130000	BS2V 2 MXV-B 25-307 O-WALL	1.1 X2	8.044,10
82003140000	BS2V 2 MXV-B 25-308 O-WALL	1.5 X2	8.160,00
82003150000	BS2V 2 MXV-B 25-310 O-WALL	1.5 X2	8.303,20
82003160000	BS2V 2 MXV-B 32-504 O-WALL	1.1 X2	8.416,40
82003170000	BS2V 2 MXV-B 32-505 O-WALL	1.1 X2	8.491,40
82003180000	BS2V 2 MXV-B 32-506 O-WALL	1.5 X2	8.614,10
82003190000	BS2V 2 MXV-B 32-507 O-WALL	1.5 X2	8.698,60
82003200000	BS2V 2 MXV-B 32-508 O-WALL	2.2 X2	8.953,60
82003210000	BS2V 2 MXV-B 32-510 O-WALL	2.2 X2	9.196,40
82003220000	BS2V 2 MXV-B 40-904 O-WALL	1.5 X2	8.757,30
82003230000	BS2V 2 MXV-B 40-905 O-WALL	2.2 X2	9.030,00
82003240000	BS2V 2 MXV-B 40-906 O-WALL	2.2 X2	9.128,20
82003250000	BS2V 2 MXV-B 40-907 O-WALL	3 X2	9.822,30
82003260000	BS2V 2 MXV-B 40-908 O-WALL	3 X2	9.951,80
82003270000	BS2V 2 MXV-B 40-910 O-WALL	3.7 X2	11.053,60
82003490000	BS2V 2 MXV-B 50-1503 O-WALL	2.2 X2	11.070,00
82003500000	BS2V 2 MXV-B 50-1504 O-WALL	3 X2	11.622,30
82003510000	BS2V 2 MXV-B 50-1505 O-WALL	4 X2	14.030,50
82003520000	BS2V 2 MXV-B 50-1506 O-WALL	5.5 X2	15.065,50
82003530000	BS2V 2 MXV-B 50-1507 O-WALL	5.5 X2	15.272,70

BS. MXV

Druckerhöhungsanlagen mit konstanter Drehzahl

Fixed speed booster sets



Druckerhöhungsanlagen mit einzelner Pumpe
One pump booster sets

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
81064040000	BS1F 1 MXV 25-304 O	0.75	3.439,10
81064050000	BS1F 1 MXV 25-305 O	0.75	3.479,00
81064060000	BS1F 1 MXV 25-306 O	1.1	3.644,70
81064070000	BS1F 1 MXV 25-307 O	1.1	3.692,70
81064080000	BS1F 1 MXV 25-308 O	1.5	3.960,40
81064100000	BS1F 1 MXV 25-310 O	1.5	4.064,10
81064120000	BS1F 1 MXV 25-312 O	2.2	4.431,50
81065040000	BS1F 1 MXV 32-504 O	1.1	3.592,90
81065050000	BS1F 1 MXV 32-505 O	1.1	3.630,80
81065060000	BS1F 1 MXV 32-506 O	1.5	3.932,40
81065070000	BS1F 1 MXV 32-507 O	1.5	3.986,30
81065080000	BS1F 1 MXV 32-508 O	2.2	4.192,10
81065100000	BS1F 1 MXV 32-510 O	2.2	4.291,80
81065120000	BS1F 1 MXV 32-512 O	3	4.781,10
81066040000	BS1F 1 MXV 40-904 O	1.5	4.114,10
81066050000	BS1F 1 MXV 40-905 O	2.2	4.349,80
81066060000	BS1F 1 MXV 40-906 O	2.2	4.525,60
81066070000	BS1F 1 MXV 40-907 O	3	4.845,00
81066080000	BS1F 1 MXV 40-908 O	3	4.920,90
81066100000	BS1F 1 MXV 40-910 O	4	5.338,40
81066110000	BS1F 1 MXV 40-911 O	4	5.582,10
81061800000	BS1F 1 MXV 50-1503/A	2.2	4.250,60
81061850000	BS1F 1 MXV 50-1504	3	4.532,60
81061900000	BS1F 1 MXV 50-1505	4	5.061,50
81061950000	BS1F 1 MXV 50-1506	5.5	6.116,90
81062000000	BS1F 1 MXV 50-1507	5.5	6.253,50
81062050000	BS1F 1 MXV 50-1508/A	5.5	7.540,40
81062100000	BS1F 1 MXV 50-1509	7.5	7.776,20
81062150000	BS1F 1 MXV 50-1510	7.5	7.906,20
81062650000	BS1F 1 MXV 50-2003	3	4.433,50
81062700000	BS1F 1 MXV 50-2004	4	4.693,50
81062750000	BS1F 1 MXV 50-2005	5.5	5.696,10
81062800000	BS1F 1 MXV 50-2006	7.5	7.284,90
81062850000	BS1F 1 MXV 50-2007	7.5	7.421,40
81062900000	BS1F 1 MXV 50-2008	9.2	8.329,30
81062950000	BS1F 1 MXV 50-2009	9.2	8.562,90
81061250000	BS1F 1 MXV 65-3202/D	4	5.997,80
81061270000	BS1F 1 MXV 65-3203/C	5.5	7.196,90
81061290000	BS1F 1 MXV 65-3204/C	7.5	8.709,90
81061310000	BS1F 1 MXV 65-3205/D	11	10.185,10
81061330000	BS1F 1 MXV 65-3206/D	11	10.916,90
81061350000	BS1F 1 MXV 65-3207/D	15	13.326,70
81061450000	BS1F 1 MXV 80-4802/C	5.5	8.119,80
81061470000	BS1F 1 MXV 80-4803/C	7.5	9.953,70
81061490000	BS1F 1 MXV 80-4804/D	11	11.537,70
81061510000	BS1F 1 MXV 80-4805/D	15	13.052,90
81061530000	BS1F 1 MXV 80-4806/D	15	13.933,40
81061550000	BS1F 1 MXV 80-4807/E	18.5	17.228,60

* Preise auf Anfrage

* Price on request

Art.Nr. Code	Stromversorgung Supply mains 1~ 230V	P2 kW	Preis Price €
81164040000	BSM1F 1 MXVM 25-304 O	0.75	*
81164050000	BSM1F 1 MXVM 25-305 O	0.75	*
81164060000	BSM1F 1 MXVM 25-306 O	1.1	*
81164070000	BSM1F 1 MXVM 25-307 O	1.1	*
81164080000	BSM1F 1 MXVM 25-308 O	1.5	*
81165040000	BSM1F 1 MXVM 32-504 O	1.1	*
81165050000	BSM1F 1 MXVM 32-505 O	1.1	*
81165060000	BSM1F 1 MXVM 32-506 O	1.5	*
81165070000	BSM1F 1 MXVM 32-507 O	1.5	*
81166040000	BSM1F 1 MXVM 40-904 O	1.5	*

ZUBEHÖR siehe Seite 163

Die Abmessungen der Behälter entnehmen Sie bitte unserem Katalog.
DIE DRUCKERHÖHUNGSANLAGE ist geeignet für: Anschluss von Membranbehältern oder Anschluss von zwei Luftzuführungen (wenn ein verzinkter Behälter installiert ist)
Schaltschrank mit Mikroprozessor für die Pumpensteuerung.

ACCESSORIES go to page 163

For a proper selection of the pressure vessels, see our catalogue.

THE PLANT IS SUITABLE FOR connection of diaphragm vessels or connection of two air feeders (when a galvanized tank is installed)

Electric control board with microprocessor.

Geeignet für:

Suitable for:

Art.Nr. Code	Schaltkasten für Alarm und Fernsignalisierung Connection of control panel for remote alarm	Preis Price €
14027900000	RA 100	546,90

BS. MXV

Druckerhöhungsanlagen mit konstanter Drehzahl

Fixed speed booster sets



Druckerhöhungsanlagen mit zwei Pumpen

Two pumps booster sets

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82043041000	BS2F 2 MXV 25-304 O	0.75 X2	6.249,00
82043051000	BS2F 2 MXV 25-305 O	0.75 X2	6.328,90
82043061000	BS2F 2 MXV 25-306 O	1.1 X2	6.660,50
82043071000	BS2F 2 MXV 25-307 O	1.1 X2	6.756,30
82043081000	BS2F 2 MXV 25-308 O	1.5 X2	7.291,50
82043101000	BS2F 2 MXV 25-310 O	1.5 X2	7.499,30
82043121000	BS2F 2 MXV 25-312 O	2.2 X2	8.234,20
82044041000	BS2F 2 MXV 32-504 O	1.1 X2	6.556,50
82044051000	BS2F 2 MXV 32-505 O	1.1 X2	6.632,50
82044061000	BS2F 2 MXV 32-506 O	1.5 X2	7.233,70
82044071000	BS2F 2 MXV 32-507 O	1.5 X2	7.341,50
82044081000	BS2F 2 MXV 32-508 O	2.2 X2	7.752,80
82044101000	BS2F 2 MXV 32-510 O	2.2 X2	7.952,70
82044121000	BS2F 2 MXV 32-512 O	3 X2	8.933,20
82045041000	BS2F 2 MXV 40-904 O	1.5 X2	7.629,00
82045051000	BS2F 2 MXV 40-905 O	2.2 X2	8.098,40
82045061000	BS2F 2 MXV 40-906 O	2.2 X2	8.451,80
82045071000	BS2F 2 MXV 40-907 O	3 X2	9.091,00
82045081000	BS2F 2 MXV 40-908 O	3 X2	9.240,80
82045101000	BS2F 2 MXV 40-910 O	4 X2	10.075,50
82045111000	BS2F 2 MXV 40-911 O	4 X2	10.560,80
82053101000	BS2F 2 MXV 50-1503/A	2.2 X2	9.770,30
82053151000	BS2F 2 MXV 50-1504	3 X2	10.334,50
82053201000	BS2F 2 MXV 50-1505	4 X2	11.328,20
82053251000	BS2F 2 MXV 50-1506	5.5 X2	13.395,10
82053301000	BS2F 2 MXV 50-1507	5.5 X2	13.648,50
82053351000	BS2F 2 MXV 50-1508/A	5.5 X2	17.319,70
82053401000	BS2F 2 MXV 50-1509	7.5 X2	17.784,60
82053451000	BS2F 2 MXV 50-1510	7.5 X2	18.044,60
82053951000	BS2F 2 MXV 50-2003	3 X2	10.138,40
82054001000	BS2F 2 MXV 50-2004	4 X2	10.594,40
82054051000	BS2F 2 MXV 50-2005	5.5 X2	12.555,60
82054101000	BS2F 2 MXV 50-2006	7.5 X2	16.804,00
82054151000	BS2F 2 MXV 50-2007	7.5 X2	17.075,00
82054201000	BS2F 2 MXV 50-2008	9.2 X2	18.903,90
82054251000	BS2F 2 MXV 50-2009	9.2 X2	19.377,80
82050501000	BS2F 2 MXV 65-3202/D	4 X2	15.864,10
82050601000	BS2F 2 MXV 65-3203/C	5.5 X2	18.242,20
82050701000	BS2F 2 MXV 65-3204/C	7.5 X2	21.518,30
82050801000	BS2F 2 MXV 65-3205/D	11 X2	24.472,00
82050811000	BS2F 2 MXV 65-3206/D	11 X2	25.894,70
82050821000	BS2F 2 MXV 65-3207/D	15 X2	30.206,10
82050901000	BS2F 2 MXV 80-4802/C	5.5 X2	25.861,40
82051001000	BS2F 2 MXV 80-4803/C	7.5 X2	29.383,80
82051101000	BS2F 2 MXV 80-4804/D	11 X2	32.501,20
82051201000	BS2F 2 MXV 80-4805/D	15 X2	35.219,80
82051251000	BS2F 2 MXV 80-4806/D	15 X2	36.930,50
82051271000	BS2F 2 MXV 80-4807/E	18.5 X2	40.657,80

* Preise auf Anfrage

* Price on request

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82051821000	BS2F 2 MXV 100-6502-2R/A	7.5 X2	*
82051841000	BS2F 2 MXV 100-6502/A	11 X2	*
82051861000	BS2F 2 MXV 100-6503-2R/A	15 X2	*
82051881000	BS2F 2 MXV 100-6503/B	18.5 X2	37.511,00
82051901000	BS2F 2 MXV 100-6504-2R/B	18.5 X2	*
82051911000	BS2F 2 MXV 100-6504/A	22 X2	*
82051921000	BS2F 2 MXV 100-6505-2R/A	30 X2	*
82051931000	BS2F 2 MXV 100-6505/A	30 X2	*
82051981000	BS2F 2 MXV 100-9002-2R/A	11 X2	*
82052001000	BS2F 2 MXV 100-9002/A	15 X2	*
82052021000	BS2F 2 MXV 100-9003-2R/B	18.5 X2	*
82052041000	BS2F 2 MXV 100-9003/A	22 X2	*
82052061000	BS2F 2 MXV 100-9004-2R/A	30 X2	*
82052081000	BS2F 2 MXV 100-9004/A	30 X2	*
82052101000	BS2F 2 MXV 100-9005-2R/A	37 X2	*

ZUBEHÖR siehe Seite 163

Die Abmessungen der Behälter entnehmen Sie bitte unserem Katalog.

DIE DRUCKERHÖHUNGSANLAGE ist geeignet für: Anschluss von Membranbehältern oder Anschluss von zwei Luftzuführungen (wenn ein verzinkter Behälter installiert ist)

Schaltschrank mit Mikroprozessor für die Pumpensteuerung.

ACCESSORIES go to page 163

For a proper selection of the pressure vessels, see our catalogue.

THE PLANT IS SUITABLE FOR connection of diaphragm vessels or connection of two air feeders (when a galvanized tank is installed)

Electric control board with microprocessor.

Geeignet für:

Suitable for:

Art.Nr. Code	Schaltkasten für Alarm und Fernsignalisierung Connection of control panel for remote alarm	Preis Price €
14027900000	RA 100	546,90

BS. MXV

Druckerhöhungsanlagen mit konstanter Drehzahl

Fixed speed booster sets



Druckerhöhungsanlagen mit drei Pumpen

Three pumps booster sets

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84042041000	BS3F 3 MXV 25-304 O	0.75 X3	9.897,80
84042051000	BS3F 3 MXV 25-305 O	0.75 X3	10.015,60
84042061000	BS3F 3 MXV 25-306 O	1.1 X3	10.514,90
84042071000	BS3F 3 MXV 25-307 O	1.1 X3	10.656,70
84042081000	BS3F 3 MXV 25-308 O	1.5 X3	11.461,50
84042101000	BS3F 3 MXV 25-310 O	1.5 X3	11.773,10
84042121000	BS3F 3 MXV 25-312 O	2.2 X3	12.875,60
84043041000	BS3F 3 MXV 32-504 O	1.1 X3	10.289,20
84043051000	BS3F 3 MXV 32-505 O	1.1 X3	10.403,10
84043061000	BS3F 3 MXV 32-506 O	1.5 X3	11.305,70
84043071000	BS3F 3 MXV 32-507 O	1.5 X3	11.467,60
84043081000	BS3F 3 MXV 32-508 O	2.2 X3	12.084,60
84043101000	BS3F 3 MXV 32-510 O	2.2 X3	12.384,20
84043121000	BS3F 3 MXV 32-512 O	3 X3	13.854,10
84044041000	BS3F 3 MXV 40-904 O	1.5 X3	12.070,80
84044051000	BS3F 3 MXV 40-905 O	2.2 X3	12.773,60
84044061000	BS3F 3 MXV 40-906 O	2.2 X3	13.304,90
84044071000	BS3F 3 MXV 40-907 O	3 X3	14.263,60
84044081000	BS3F 3 MXV 40-908 O	3 X3	14.487,20
84044101000	BS3F 3 MXV 40-910 O	4 X3	15.741,40
84044121000	BS3F 3 MXV 40-911 O	4 X3	16.470,40
84053101000	BS3F 3 MXV 50-1503/A	2.2 X3	*
84053151000	BS3F 3 MXV 50-1504	3 X3	*
84053201000	BS3F 3 MXV 50-1505	4 X3	*
84053251000	BS3F 3 MXV 50-1506	5.5 X3	*
84053301000	BS3F 3 MXV 50-1507	5.5 X3	*
84053351000	BS3F 3 MXV 50-1508/A	5.5 X3	*
84053401000	BS3F 3 MXV 50-1509	7.5 X3	*
84053451000	BS3F 3 MXV 50-1510	7.5 X3	*
84053951000	BS3F 3 MXV 50-2003	3 X3	*
84054001000	BS3F 3 MXV 50-2004	4 X3	*
84054051000	BS3F 3 MXV 50-2005	5.5 X3	*
84054101000	BS3F 3 MXV 50-2006	7.5 X3	*
84054151000	BS3F 3 MXV 50-2007	7.5 X3	27.440,30
84054201000	BS3F 3 MXV 50-2008	9.2 X3	*
84054251000	BS3F 3 MXV 50-2009	9.2 X3	*
84050501000	BS3F 3 MXV 65-3202/D	4 X3	29.255,60
84050601000	BS3F 3 MXV 65-3203/C	5.5 X3	32.820,90
84050701000	BS3F 3 MXV 65-3204/C	7.5 X3	37.022,80
84050801000	BS3F 3 MXV 65-3205/D	11 X3	41.464,80
84050811000	BS3F 3 MXV 65-3206/D	11 X3	43.598,90
84050821000	BS3F 3 MXV 65-3207/D	15 X3	50.363,90
84051201000	BS3F 3 MXV 80-4802/C	5.5 X3	39.459,00
84051301000	BS3F 3 MXV 80-4803/C	7.5 X3	43.934,80
84051401000	BS3F 3 MXV 80-4804/D	11 X3	48.645,60
84051501000	BS3F 3 MXV 80-4805/D	15 X3	52.862,90
84051511000	BS3F 3 MXV 80-4806/D	15 X3	55.428,90
84051521000	BS3F 3 MXV 80-4807/E	18.5 X3	60.732,10

* Preise auf Anfrage

* Price on request

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84051821000	BS3F 3 MXV 100-6502-2R/A	7.5 X3	*
84051841000	BS3F 3 MXV 100-6502/A	11 X3	*
84051861000	BS3F 3 MXV 100-6503-2R/A	15 X3	*
84051881000	BS3F 3 MXV 100-6503/B	18.5 X3	*
84051901000	BS3F 3 MXV 100-6504-2R/B	18.5 X3	*
84051921000	BS3F 3 MXV 100-6504/A	22 X3	*
84052081000	BS3F 3 MXV 100-6505-2R/A	30 X3	*
84051931000	BS3F 3 MXV 100-6505/A	30 X3	*
84051981000	BS3F 3 MXV 100-9002-2R/A	11 X3	*
84052001000	BS3F 3 MXV 100-9002/A	15 X3	*
84052021000	BS3F 3 MXV 100-9003-2R/B	18.5 X3	*
84052041000	BS3F 3 MXV 100-9003/A	22 X3	*
84052061000	BS3F 3 MXV 100-9004-2R/A	30 X3	*
84052051000	BS3F 3 MXV 100-9004/A	30 X3	*
84052071000	BS3F 3 MXV 100-9005-2R/A	37 X3	*

ZUBEHÖR siehe Seite 163

Die Abmessungen der Behälter entnehmen Sie bitte unserem Katalog.

DIE DRUCKERHÖHUNGSANLAGE ist geeignet für: Anschluss von Membranbehältern oder Anschluss von zwei Luftzuführungen (wenn ein verzinkter Behälter installiert ist)

Schaltschrank mit Mikroprozessor für die Pumpensteuerung.

ACCESSORIES go to page 163

For a proper selection of the pressure vessels, see our catalogue.

THE PLANT IS SUITABLE FOR connection of diaphragm vessels or connection of two air feeders (when a galvanized tank is installed)

Electric control board with microprocessor.

Geeignet für:

Suitable for:

Art.Nr. Code	Schaltkasten für Alarm und Fernsignalisierung Connection of control panel for remote alarm	Preis Price €
14027900000	RA 100	546,90

BS. MXV. WALL

Druckerhöhungsanlagen mit variabler Drehzahl und Frequenzumrichter WALL

Variable speed booster sets with frequency converter WALL



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter WALL)

Two variable speed pumps booster set (WALL frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82003280000	BS2V 2 MXV 50-1504-WALL	3 X2	12.223,60
82003290000	BS2V 2 MXV 50-1505-WALL	4 X2	14.629,10
82003300000	BS2V 2 MXV 50-1506-WALL	5.5 X2	16.487,70
82003310000	BS2V 2 MXV 50-1507-WALL	5.5 X2	16.725,00
82003320000	BS2V 2 MXV 50-1508/A-WALL	5.5 X2	16.948,60
82003330000	BS2V 2 MXV 50-1509-WALL	7.5 X2	17.555,50
82003340000	BS2V 2 MXV 50-1510-WALL	7.5 X2	17.777,70
82003350000	BS2V 2 MXV 50-1512-WALL	9.2 X2	20.768,20
82003360000	BS2V 2 MXV 50-1515-WALL	11 X2	22.095,00
82003370000	BS2V 2 MXV 50-1517-WALL	15 X2	24.035,50
82003380000	BS2V 2 MXV 50-2003-WALL	3 X2	11.985,00
82003390000	BS2V 2 MXV 50-2004-WALL	4 X2	14.385,00
82003400000	BS2V 2 MXV 50-2005-WALL	5.5 X2	16.264,10
82003410000	BS2V 2 MXV 50-2006-WALL	7.5 X2	16.748,20
82003420000	BS2V 2 MXV 50-2007-WALL	7.5 X2	16.986,80
82003430000	BS2V 2 MXV 50-2008-WALL	9.2 X2	19.598,20
82003440000	BS2V 2 MXV 50-2009-WALL	9.2 X2	19.943,20
82003450000	BS2V 2 MXV 50-2011-WALL	11 X2	21.079,10
82003460000	BS2V 2 MXV 50-2015-WALL	15 X2	22.967,70

BS. MXV. ITT

Druckerhöhungsanlagen mit variabler Drehzahl

Variable speed booster sets



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter I-MAT)
Two variable speed pumps booster set (I-MAT frequency converter)



Druckerhöhungsanlagen mit drei Pumpen mit variabler Drehzahl
(Frequenzumrichter I-MAT)
Three variable speed pumps booster set (I-MAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82543041000	BS2V 2 MXV 25-304 O-ITT	0.75 X2	13.129,20
82543051000	BS2V 2 MXV 25-305 O-ITT	0.75 X2	13.207,10
82543061000	BS2V 2 MXV 25-306 O-ITT	1.1 X2	13.544,60
82543071000	BS2V 2 MXV 25-307 O-ITT	1.1 X2	13.640,40
82543081000	BS2V 2 MXV 25-308 O-ITT	1.5 X2	14.171,70
82543101000	BS2V 2 MXV 25-310 O-ITT	1.5 X2	14.379,40
82543121000	BS2V 2 MXV 25-312 O-ITT	2.2 X2	15.799,40
82544041000	BS2V 2 MXV 32-504 O-ITT	1.1 X2	13.440,70
82544051000	BS2V 2 MXV 32-505 O-ITT	1.1 X2	13.514,70
82544061000	BS2V 2 MXV 32-506 O-ITT	1.5 X2	14.113,80
82544071000	BS2V 2 MXV 32-507 O-ITT	1.5 X2	14.221,60
82544081000	BS2V 2 MXV 32-508 O-ITT	2.2 X2	15.318,10
82544101000	BS2V 2 MXV 32-510 O-ITT	2.2 X2	15.517,70
82544121000	BS2V 2 MXV 32-512 O-ITT	3 X2	16.498,40
82545041000	BS2V 2 MXV 40-904 O-ITT	1.5 X2	15.194,30
82545051000	BS2V 2 MXV 40-905 O-ITT	2.2 X2	15.663,50
82545061000	BS2V 2 MXV 40-906 O-ITT	2.2 X2	16.017,00
82545071000	BS2V 2 MXV 40-907 O-ITT	3 X2	16.660,00
82545081000	BS2V 2 MXV 40-908 O-ITT	3 X2	16.805,90
82545101000	BS2V 2 MXV 40-910 O-ITT	4 X2	17.640,70
82545121000	BS2V 2 MXV 40-911 O-ITT	4 X2	18.126,00
82553101000	BS2V 2 MXV 50-1503/A-ITT	2.2 X2	18.480,90
82553151000	BS2V 2 MXV 50-1504-ITT	3 X2	19.044,90
82553201000	BS2V 2 MXV 50-1505-ITT	4 X2	20.018,90
82553251000	BS2V 2 MXV 50-1506-ITT	5.5 X2	22.193,80
82553301000	BS2V 2 MXV 50-1507-ITT	5.5 X2	22.469,20
82553351000	BS2V 2 MXV 50-1508/A-ITT	5.5 X2	26.900,50
82553401000	BS2V 2 MXV 50-1509-ITT	7.5 X2	27.367,60
82553451000	BS2V 2 MXV 50-1510-ITT	7.5 X2	27.627,60
82553951000	BS2V 2 MXV 50-2003-ITT	3 X2	18.848,80
82554001000	BS2V 2 MXV 50-2004-ITT	4 X2	19.285,10
82554051000	BS2V 2 MXV 50-2005-ITT	5.5 X2	21.356,40
82554101000	BS2V 2 MXV 50-2006-ITT	7.5 X2	26.387,10
82554151000	BS2V 2 MXV 50-2007-ITT	7.5 X2	26.662,50
82554201000	BS2V 2 MXV 50-2008-ITT	9.2 X2	28.357,00
82554251000	BS2V 2 MXV 50-2009-ITT	9.2 X2	28.824,20

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84542041000	BS3V 3 MXV 25-304 O-ITT	0.75 X3	20.217,10
84542051000	BS3V 3 MXV 25-305 O-ITT	0.75 X3	20.334,80
84542061000	BS3V 3 MXV 25-306 O-ITT	1.1 X3	20.840,10
84542071000	BS3V 3 MXV 25-307 O-ITT	1.1 X3	20.981,90
84542081000	BS3V 3 MXV 25-308 O-ITT	1.5 X3	21.780,80
84542101000	BS3V 3 MXV 25-310 O-ITT	1.5 X3	22.092,30
84542121000	BS3V 3 MXV 25-312 O-ITT	2.2 X3	24.223,20
84543041000	BS3V 3 MXV 32-504 O-ITT	1.1 X3	20.616,40
84543051000	BS3V 3 MXV 32-505 O-ITT	1.1 X3	20.728,30
84543061000	BS3V 3 MXV 32-506 O-ITT	1.5 X3	21.625,10
84543071000	BS3V 3 MXV 32-507 O-ITT	1.5 X3	21.786,70
84543081000	BS3V 3 MXV 32-508 O-ITT	2.2 X3	23.432,40
84543101000	BS3V 3 MXV 32-510 O-ITT	2.2 X3	23.732,00
84543121000	BS3V 3 MXV 32-512 O-ITT	3 X3	25.201,90
84544041000	BS3V 3 MXV 40-904 O-ITT	1.5 X3	23.418,40
84544051000	BS3V 3 MXV 40-905 O-ITT	2.2 X3	24.121,50
84544061000	BS3V 3 MXV 40-906 O-ITT	2.2 X3	24.650,60
84544071000	BS3V 3 MXV 40-907 O-ITT	3 X3	25.617,30
84544081000	BS3V 3 MXV 40-908 O-ITT	3 X3	25.835,00
84544101000	BS3V 3 MXV 40-910 O-ITT	4 X3	27.087,20
84544121000	BS3V 3 MXV 40-911 O-ITT	4 X3	27.816,10
84553101000	BS3V 3 MXV 50-1503/A-ITT	2.2 X3	*
84553151000	BS3V 3 MXV 50-1504-ITT	3 X3	*
84553201000	BS3V 3 MXV 50-1505-ITT	4 X3	*
84553251000	BS3V 3 MXV 50-1506-ITT	5.5 X3	*
84553301000	BS3V 3 MXV 50-1507-ITT	5.5 X3	35.950,20
84553351000	BS3V 3 MXV 50-1508/A-ITT	5.5 X3	*
84553401000	BS3V 3 MXV 50-1509-ITT	7.5 X3	*
84553451000	BS3V 3 MXV 50-1510-ITT	7.5 X3	*
84553951000	BS3V 3 MXV 50-2003-ITT	3 X3	*
84554001000	BS3V 3 MXV 50-2004-ITT	4 X3	*
84554051000	BS3V 3 MXV 50-2005-ITT	5.5 X3	*
84554101000	BS3V 3 MXV 50-2006-ITT	7.5 X3	41.652,70
84554151000	BS3V 3 MXV 50-2007-ITT	7.5 X3	*
84554201000	BS3V 3 MXV 50-2008-ITT	9.2 X3	*
84554251000	BS3V 3 MXV 50-2009-ITT	9.2 X3	45.634,70

* Preise auf Anfrage

* Price on request

BS. MXV. ITT

Druckerhöhungsanlagen mit variabler Drehzahl

Variable speed booster sets



Druckerhöhungsanlagen mit zwei Pumpen mit variabler Drehzahl
(Frequenzumrichter I-MAT)
Two variable speed pumps booster set (I-MAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
82550501000	BS2V 2 MXV 65-3202/D-ITT	4 X2	26.068,30
82550601000	BS2V 2 MXV 65-3203/C-ITT	5.5 X2	28.532,60
82550701000	BS2V 2 MXV 65-3204/C-ITT	7.5 X2	33.683,00
82550801000	BS2V 2 MXV 65-3205/D-ITT	11 X2	36.779,80
82550811000	BS2V 2 MXV 65-3206/D-ITT	11 X2	38.245,50
82550821000	BS2V 2 MXV 65-3207/D-ITT	15 X2	53.563,70
82550901000	BS2V 2 MXV 80-4802/C-ITT	5.5 X2	32.422,50
82551001000	BS2V 2 MXV 80-4803/C-ITT	7.5 X2	38.075,60
82551101000	BS2V 2 MXV 80-4804/D-ITT	11 X2	41.394,30
82551201000	BS2V 2 MXV 80-4805/D-ITT	15 X2	54.922,20
82551251000	BS2V 2 MXV 80-4806/D-ITT	15 X2	56.684,20
82551271000	BS2V 2 MXV 80-4807/E-ITT	18.5 X2	59.940,50
82551801000	BS2V 2 MXV 100-6501/A-ITT	5.5 X2	38.436,10
82551821000	BS2V 2 MXV 100-6502-2R/A-ITT	7.5 X2	40.640,80
82551841000	BS2V 2 MXV 100-6502/A-ITT	11 X2	43.293,90
82551861000	BS2V 2 MXV 100-6503-2R/A-ITT	15 X2	57.838,70
82551881000	BS2V 2 MXV 100-6503/B-ITT	18.5 X2	58.792,30
82551901000	BS2V 2 MXV 100-6504-2R/B-ITT	18.5 X2	60.085,80
82551921000	BS2V 2 MXV 100-6504/A-ITT	22 X2	62.422,70
82551961000	BS2V 2 MXV 100-9001/A-ITT	7.5 X2	40.640,80
82551981000	BS2V 2 MXV 100-9002-2R/A-ITT	11 X2	43.341,10
82552001000	BS2V 2 MXV 100-9002/A-ITT	15 X2	57.055,00
82552021000	BS2V 2 MXV 100-9003-2R/B-ITT	18.5 X2	59.977,20
82552041000	BS2V 2 MXV 100-9003/A-ITT	22 X2	62.134,70



Druckerhöhungsanlagen mit drei Pumpen mit variabler Drehzahl
(Frequenzumrichter I-MAT)
Three variable speed pumps booster set (I-MAT frequency converter)

Art.Nr. Code	Stromversorgung Supply mains 3~ 400V	P2 kW	Preis Price €
84550501000	BS3V 3 MXV 65-3202/D-ITT	4 X3	38.188,90
84550601000	BS3V 3 MXV 65-3203/C-ITT	5.5 X3	41.887,70
84550701000	BS3V 3 MXV 65-3204/C-ITT	7.5 X3	49.433,90
84550801000	BS3V 3 MXV 65-3205/D-ITT	11 X3	53.847,90
84550811000	BS3V 3 MXV 65-3206/D-ITT	11 X3	56.047,70
84550821000	BS3V 3 MXV 65-3207/D-ITT	15 X3	79.024,90
84551201000	BS3V 3 MXV 80-4802/C-ITT	5.5 X3	42.822,40
84551301000	BS3V 3 MXV 80-4803/C-ITT	7.5 X3	51.121,60
84551401000	BS3V 3 MXV 80-4804/D-ITT	11 X3	55.873,00
84551501000	BS3V 3 MXV 80-4805/D-ITT	15 X3	76.164,80
84551511000	BS3V 3 MXV 80-4806/D-ITT	15 X3	78.807,90
84551521000	BS3V 3 MXV 80-4807/E-ITT	18.5 X3	83.692,20
84551801000	BS3V 3 MXV 100-6501/A-ITT	5.5 X3	44.828,10
84551821000	BS3V 3 MXV 100-6502-2R/A-ITT	7.5 X3	48.135,00
84551841000	BS3V 3 MXV 100-6502/A-ITT	11 X3	52.114,70
84551861000	BS3V 3 MXV 100-6503-2R/A-ITT	15 X3	73.931,80
84551881000	BS3V 3 MXV 100-6503/B-ITT	18.5 X3	75.362,20
84551901000	BS3V 3 MXV 100-6504-2R/B-ITT	18.5 X3	77.302,50
84551921000	BS3V 3 MXV 100-6504/A-ITT	22 X3	80.807,70
84551961000	BS3V 3 MXV 100-9001/A-ITT	7.5 X3	48.135,00
84551981000	BS3V 3 MXV 100-9002-2R/A-ITT	11 X3	52.185,50
84552001000	BS3V 3 MXV 100-9002/A-ITT	15 X3	72.756,40
84552021000	BS3V 3 MXV 100-9003-2R/B-ITT	18.5 X3	77.139,60
84552041000	BS3V 3 MXV 100-9003/A-ITT	22 X3	80.375,90



QM

Schaltkasten für Tauchmotorpumpen Wechselstrom
Control panel for one single-phase submersible pump

Art.Nr. Code	Typ Type	Kondensator Capacitor 450 Vc μ F	Motor Motor kW	Preis Price €
44017940000	QM 10	6.3	0.3	71,70
44017950000	QM 11	20	0.55 - 0.75	75,40
44017960000	QM 12	25	0.9 - 1.1	78,50
44017990000	QM 13	30	0.9 - 1.1	81,60



QM

Schaltkasten mit Leistungsschalter für Tauchmotorpumpen Wechselstrom
Control panel with circuit breaker for 1 single-phase submersible pump

Art.Nr. Code	Typ Type	Einstellung Setting A	Kondensator Capacitor 450 Vc μ F	Motor Motor kW	Preis Price €
44017950004	QM 4-16	4	16	0.37	74,10
44017950007	QM 5-20	5	20	0.55	76,00
44017960004	QM 5-25	5	25	0.55	78,50
44017950012	QM 6-20	6	20	0.75	80,10
44017960009	QM 7-25	7	25	0.9	81,60
44017990001	QM 7-30	7	30	0.75	81,60
44017960007	QM 8-25	8	25	1.1	81,60
44017990004	QM 8-30	8	30	1.1	81,60
44018000001	QM 10-40	10	40	1.1	85,30
44018000000	QM 12-35	12	35	1.5	85,30



M COMP

Schaltkasten für Tauchmotorpumpen Wechselstrom
Control panel for 1 single-phase submersible pump

Art.Nr. Code	Typ Type	Einstellung Setting A	Kondensator Capacitor 450 Vc µF	Motor Motor kW	Preis Price €
4402000000	M COMP 4-16	4.5	16	0.37	164,60
44020001000	M COMP 4-20	4.5	20	0.55	164,60
44020010000	M COMP 5-20	5	20	0.55	169,00
44020011000	M COMP 5-25	5	25	0.55	169,00
44020021000	M COMP 6-20	6	20	0.75	172,00
44020023000	M COMP 6-35	6	35	0.75	172,00
44020031000	M COMP 7-25	7	25	0.9	175,20
44020032000	M COMP 7-30	7	30	0.9	175,20
44020040000	M COMP 8-25	8	25	1.1	175,20
44020041000	M COMP 8-30	8	30	1.1	175,20
44020042000	M COMP 8-40	8	40	1.1	175,20
44020052000	M COMP 10-35	10	35	1.1	179,70
44020053000	M COMP 10-40	10	40	1.1	179,70
44020060000	M COMP 12-35	12	35	1.5	187,20
44020062000	M COMP 12-50	12	50	1.5	187,20
44020063000	M COMP 12-60	12	60	1.5	198,10
44020081000	M COMP 16-70	16	70	2.2	198,10
44020082000	M COMP 16-80	16	80	2.2	198,10



Auf Anfrage:
LVBT-Niveauregelungskarte
siehe Seite 163

On request:
LVBT card for level control
go to page 163



PFC-M Power Factor Control

Schaltung für Tauchmotorpumpen Wechselstrom, mit Überwachung des Leistungsfaktors
Control panel for 1 submersible pump with single-phase motor, PF control

Art.Nr. Code	Typ Type	Einstellung Setting A	Kondensator Capacitor 450 Vc µF	Motor Motor kW	Preis Price €
44021000000	PFC-M 18-16	1 - 18	16	0.37	416,40
44021060000	PFC-M 18-20	1 - 18	20	0.55	417,60
44021010000	PFC-M 18-25	1 - 18	25	0.55	418,90
44021020000	PFC-M 18-30	1 - 18	30	0.75	421,20
44021070000	PFC-M 18-35	1 - 18	35	0.75	422,20
44021030000	PFC-M 18-40	1 - 18	40	1.1	423,40
44021040000	PFC-M 18-50	1 - 18	50	1.5	425,70
44021090000	PFC-M 18-60	1 - 18	60	1.5	429,10
44021050000	PFC-M 18-70	1 - 18	70	2.2	432,70
44021100000	PFC-M 18-80	1 - 18	80	2.2	498,50

Auf Anfrage:
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
RA 100 control panel for remote alarm
go to page 163



QML/A 1 D

Schaltkasten für 1 Pumpe mit Motor Wechselstrom, Direktanlauf
Control panel for 1 pump with single-phase motor, direct starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Kondensator Capacitor 450 Vc µF	Motor Motor kW	Preis Price €
14054460000	QML/A 1D 12A-FA	1 - 12	-	0.25 - 1.5	488,40
24054460000	QML/A 1D 12A-FA 20	1 - 12	20	0.25 - 1.5	603,60
24054460001	QML/A 1D 12A-FA 25	1 - 12	25	0.25 - 1.5	603,60
14055740000	QML/A 1D 3 FT	13 - 18	-	2.2 - 3	1.240,10

Auf Anfrage:
Quadro Q-MSP 9M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
siehe Seite 163

On request:
Volt free contact control panel Q-MSP 9M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
go to page 163



T COMP

Schaltkasten für Tauchmotorpumpen mit Motor Drehstrom
Control panel for 1 submersible pump with three-phase motor

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14013130000	T COMP 8	1 - 8	0.5 - 2.2	392,50
14013480000	T COMP 10	7 - 10	3 - 3.7	594,80
14024250000	T COMP 12	9 - 12	4	634,10
14013560000	T COMP 16	11 - 16	5.5	658,40
14013490000	T COMP 20	14 - 20	7.5	658,40



Auf Anfrage:
LVBT-Niveauregelungskarte
siehe Seite 163

On request:
LVBT card for level control
go to page 163



PFC-T Power Factor Control

Schaltkasten für Tauchmotorpumpen mit Motor Drehstrom, mit Überwachung des Leistungsfaktors
Control panel for 1 submersible pump with three-phase motor, PF control

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14058390000	PFC-T 16/A	1 - 16	0.37 - 5.5	541,30

Auf Anfrage:
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
RA 100 control panel for remote alarm
go to page 163



QTL/A 1 D

Schaltkasten für 1 Pumpe mit Motor Drehstrom, Direktanlauf
Control panel for 1 pump with three-phase motor, direct starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14054470000	QTL/A 1 D 12A-FA	1 - 12	0.25 - 5.5	548,90
14054480000	QTL/A 1 D 7,5 FT	13 - 18	7.5	1.261,50
14054490000	QTL/A 1 D 9,2 FT	17 - 23	9.2	1.289,80
14054500000	QTL/A 1 D 11 FT	20 - 25	11	1.334,00

Auf Anfrage:
Q-MSP 9M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
siehe Seite 163

On request:
Volt free contact control panel Q-MSP 9M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
go to page 163



QTL 1 D FTE

Schaltkasten für 1 Pumpe mit Motor Drehstrom, Direktanlauf
Control panel for 1 pump with three-phase motor, direct starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14029820000	QTL 1 D 4 FTE	6.3 - 10	4	1.066,60
14058920000	QTL 1 D 5,5 FTE	9 - 12	5.5	1.066,60
14058930000	QTL 1 D 7,5 FTE	13 - 18	7.5	1.147,60
14050250000	QTL 1 D 9,2 FTE	17 - 23	9.2	1.417,90
14037630000	QTL 1 D 11 FTE	20 - 25	11	1.417,90
14058940000	QTL 1 D 15 FTE	24 - 32	15	1.530,00
14029220000	QTL 1 D 18,5 FTE	32 - 38	18.5	1.746,10
14058950000	QTL 1 D 22 FTE	35 - 50	22	1.975,00
14058960000	QTL 1 D 30 FTE	46 - 65	30	2.209,90

Auf Anfrage:
RL-Niveauregelung für Sonden gegen
Trockenlauf
RL-Niveauregelung für Pumpenbetriebssonden
Spannungsmesser
Amperemeter
siehe Seite 163

On request:
RL level control for probes against dry running
RL level control for pump operating probes
Voltmeter
Ammeter
go to page 163



QTL/A 1 ST FT

Schaltkasten für 1 Pumpe mit Motor Drehstrom, Y/Δ Anlauf
Control panel for 1 pump with three-phase motor, Y/Δ starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14054510000	QTL/A 1 ST 5,5 FT	11 - 15	5.5	1.418,90
14054520000	QTL/A 1 ST 7,5 FT	12 - 17	7.5	1.437,00
14054530000	QTL/A 1 ST 11 FT	16 - 24	9.2 - 11	1.489,50
14054540000	QTL/A 1 ST 15 FT	23 - 31	15	1.790,30
14054550000	QTL/A 1 ST 18,5 FT	30 - 39	18.5	1.883,20
14054560000	QTL/A 1 ST 22 FT	35 - 43	22	2.133,40
14054570000	QTL/A 1 ST 30B FT	42 - 55	30	2.494,60
14054580000	QTL/A 1 ST 30A FT	55 - 65	30	2.591,50
14054590000	QTL/A 1 ST 37 FT	61 - 84	37	2.912,50
14054600000	QTL/A 1 ST 45 FT	80 - 105	45	3.364,50

Auf Anfrage:
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
Spannungsmesser
Amperemeter
siehe Seite 163

On request:
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
Voltmeter
Ammeter
go to page 163



QTL/A 1 ST FT-RH

Schaltkasten für 1 Entwässerungspumpe mit Motor Drehstrom, Y/Δ Anlauf
Control panel for 1 submersible drainage pump with three-phase motor, Y/Δ starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14054610000	QTL/A 1 ST 4 FT-RH	7 - 11	4	1.828,70
14054620000	QTL/A 1 ST 5,5 FT-RH	11 - 15	5.5	1.828,70
14054630000	QTL/A 1 ST 7,5 FT-RH	12 - 17	7.5	1.846,70
14054640000	QTL/A 1 ST 11 FT-RH	16 - 24	9.2 - 11	1.899,30
14054650000	QTL/A 1 ST 15 FT-RH	23 - 31	15	2.202,00
14054660000	QTL/A 1 ST 18,5 FT-RH	30 - 39	18.5	2.292,80
14054670000	QTL/A 1 ST 22 FT-RH	35 - 43	22	2.543,20
14054680000	QTL/A 1 ST 30B FT-RH	42 - 55	30	2.904,40
14054690000	QTL/A 1 ST 30A FT-RH	55 - 65	30	3.001,40
14054700000	QTL/A 1 ST 37 FT-RH	61 - 84	37	3.322,10
14054710000	QTL/A 1 ST 45 FT-RH	80 - 105	45	3.774,40
14054720000	QTL/A 1 ST 55 FT-RH	100 - 125	55	4.710,90
14054730000	QTL/A 1 ST 75 FT-RH	120 - 150	75	5.839,10
14054740000	QTL/A 1 ST 92 FT-RH	155 - 255	92	*

Auf Anfrage:
Q-MSP 9M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
Spannungsmesser
Amperemeter
siehe Seite 163

On request:
Volt free contact control panel Q-MSP 9M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
Voltmeter
Ammeter
go to page 163

* Preise auf Anfrage
* Price on request



QTL 1 ST FTE

Schaltkasten für 1 Pumpe mit Motor Drehstrom, Y/Δ Anlauf
Control panel for 1 pump with three-phase motor, Y/Δ starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14058970000	QTL 1 ST 5,5 FTE	11 - 15	5.5	1.185,00
14058980000	QTL 1 ST 7,5 FTE	12 - 17	7.5	1.209,90
14029200000	QTL 1 ST 11 FTE	16 - 24	9.2 - 11	1.494,70
14058990000	QTL 1 ST 15 FTE	23 - 31	15	1.609,00
14029440000	QTL 1 ST 18,5 FTE	30 - 39	18.5	1.839,70
14031710000	QTL 1 ST 22 FTE	35 - 43	22	2.124,70
14059000000	QTL 1 ST 30B FTE	42 - 55	30	2.320,00
14048380000	QTL 1 ST 30A FTE	55 - 65	30	2.484,30
14048520000	QTL 1 ST 37 FTE	61 - 84	37	2.858,50
14047050000	QTL 1 ST 45 FTE	80 - 105	45	3.735,80
14059010000	QTL 1 ST 55 FTE	100 - 125	55	4.419,70
14059020000	QTL 1 ST 75 FTE	120 - 160	75	5.623,40
14059030000	QTL 1 ST 92 FTE	140 - 198	92	7.642,10
14059040000	QTL 1 ST 110 FTE	180 - 250	110	*

Auf Anfrage:

RL-Niveauregelung für Sonden gegen
Trockenlauf
RL-Niveauregelung für Pumpenbetriebssonden
Spannungsmesser
Amperemeter
siehe Seite 163

On request:

RL level control for probes against dry running
RL level control for pump operating probes
Voltmeter
Ammeter
go to page 163

* Preise auf Anfrage

* Price on request



QTL 1 SS E

Schaltkasten für 1 Pumpe mit Motor Drehstrom, Start/Stop mit Soft-Start
Control panel for 1 pump with three-phase motor, start/stop with soft starter

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14059050000	QTL 1 SS 7,5 E	17	7.5	4.918,60
14053880000	QTL 1 SS 15 E	30	9.2 - 11 - 15	5.143,30
14028440000	QTL 1 SS 22 E	45	18.5 - 22	5.762,70
14059060000	QTL 1 SS 30 E	60	26 - 30	8.644,00
14045900000	QTL 1 SS 37 E	75	37	9.508,90
14059070000	QTL 1 SS 45 E	85	45	10.446,40
14059080000	QTL 1 SS 55 E	110	55	12.616,80
14059090000	QTL 1 SS 63 E	125	63	14.161,40
14059100000	QTL 1 SS 75 E	142	75	16.367,20
14059110000	QTL 1 SS 90 E	190	90	22.460,30
14059120000	QTL 1 SS 132 E	245	110 - 132	23.687,00

Auf Anfrage:

RL-Niveauregelung für Sonden gegen
Trockenlauf
RL-Niveauregelung für Pumpenbetriebssonden
Spannungsmesser
Amperemeter
siehe Seite 163

On request:

RL level control for probes against dry running
RL level control for pump operating probes
Voltmeter
Ammeter
go to page 163



QTL 1 IS FTE

Schaltkasten für 1 Pumpe mit Motor Drehstrom, Mit Stator-Impedanzstarter
Control panel for 1 pump with three-phase motor, with Stator Impedance starter

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14059130000	QTL 1 IS 5,5 FTE-2RL	11 - 15	5.5	2.241,10
14059140000	QTL 1 IS 7,5 FTE-2RL	12 - 17	7.5	2.611,10
14059150000	QTL 1 IS 11 FTE-2RL	16 - 24	9.2 - 11	2.947,90
14052700000	QTL 1 IS 15 FTE-2RL	23 - 31	15	3.471,70
14059160000	QTL 1 IS 18,5 FTE-2RL	30 - 39	18.5	3.993,70
14059170000	QTL 1 IS 22 FTE-2RL	35 - 43	22	4.172,30
14059180000	QTL 1 IS 30 FTE-2RL	42 - 65	30	4.421,80
14059190000	QTL 1 IS 37 FTE-2RL	61 - 84	37	4.800,10
14059200000	QTL 1 IS 45 FTE-2RL	80 - 105	45	5.405,00
14059210000	QTL 1 IS 55 FTE-2RL	100 - 125	55	6.109,90
14059220000	QTL 1 IS 75 FTE-2RL	120 - 160	75	*
14059230000	QTL 1 IS 92 FTE-2RL	140 - 198	92	*
14059240000	QTL 1 IS 110 FTE-2RL	180 - 250	110	13.181,80

Auf Anfrage:

Spannungsmesser
Amperemeter
siehe Seite 163

On request:

Voltmeter
Ammeter
go to page 163

* Preise auf Anfrage

* Price on request



QML/A 2 D

Schaltkasten für 2 Pumpen mit Motor Wechselstrom, Direktanlauf
Control panel for 2 pumps with single-phase motor, direct starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Kondensator Capacitor 450 Vc µF	Motor Motor kW	Preis Price €
14054750000	QML/A 2 D 12A-FA	1 - 12	-	0.25 - 1.5	637,90
24054750000	QML/A 2 D 12A-FA-20	1 - 12	20	0.25 - 1.5	754,80
24054750001	QML/A 2 D 12A-FA-25	1 - 12	25	0.25 - 1.5	1.009,20
24054750002	QML/A 2 D 12A-FA-30-85	1 - 12	30 + 85	0.25 - 1.5	1.009,20
24054750003	QML/A 2 D 12A-FA-35-85	1 - 12	35 + 85	0.25 - 1.5	1.009,20
14055750000	QML/A 2 D 3 FT	13 - 18	-	2.2 - 3	1.681,40

Auf Anfrage:
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
siehe Seite 163

On request:
Volfreecontactcontrolpanel/Q-MSP13M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
go to page 163



QTL/A 2 D

Schaltkasten für 2 Pumpen mit Motor Drehstrom, Direktanlauf
Control panel for 2 pumps with three-phase motor, direct starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14054760000	QTL/A 2 D 12A-FA	1 - 12	0.25 - 5.5	710,40

Auf Anfrage:
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
siehe Seite 163

On request:
Volfreecontactcontrolpanel/Q-MSP13M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
go to page 163



QTL/A 2 ST FT

Schaltkasten für 2 Pumpen mit Motor Drehstrom, Y/Δ Anlauf
Control panel for 2 pumps with three-phase motor, Y/Δ starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14054770000	QTL/A 2 ST 5,5 FT	11 - 15	5.5	2.272,70
14054780000	QTL/A 2 ST 7,5 FT	12 - 17	7.5	2.309,00
14054790000	QTL/A 2 ST 11 FT	16 - 24	9.2 - 11	2.423,90
14054800000	QTL/A 2 ST 15 FT	23 - 31	15	2.712,60
14054810000	QTL/A 2 ST 18,5 FT	30 - 39	18.5	3.273,80
14054820000	QTL/A 2 ST 22 FT	35 - 43	22	3.945,90
14054830000	QTL/A 2 ST 30B FT	42 - 55	30	4.369,60
14054840000	QTL/A 2 ST 30A FT	55 - 65	30	4.696,60
14054850000	QTL/A 2 ST 37 FT	61 - 84	37	5.106,30
14054860000	QTL/A 2 ST 45 FT	80 - 105	45	5.388,90

Auf Anfrage:
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
Spannungsmesser
Amperemeter
siehe Seite 163

On request:
Volfreecontactcontrolpanel/Q-MSP13M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
Voltmeter
Ammeter
go to page 163

* Preise auf Anfrage
* Price on request



QTL/A 2 ST FT-RH

Schaltkasten für 2 Entwässerungspumpen mit Motor Drehstrom, Y/Δ Anlauf
Electric control panel for 2 drainage pumps with three-phase motor, Y/Δ starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14054870000	QTL/A 2 ST 4 FT-RH	7 - 11	4	2.928,60
14054880000	QTL/A 2 ST 5,5 FT-RH	11 - 15	5.5	2.928,60
14054890000	QTL/A 2 ST 7,5 FT-RH	12 - 17	7.5	2.964,90
14054900000	QTL/A 2 ST 11 FT-RH	16 - 24	9.2 - 11	3.080,00
14054910000	QTL/A 2 ST 15 FT-RH	23 - 31	15	3.368,60
14054920000	QTL/A 2 ST 18,5 FT-RH	30 - 39	18.5	3.929,80
14054930000	QTL/A 2 ST 22 FT-RH	35 - 43	22	4.601,80
14054940000	QTL/A 2 ST 30B FT-RH	42 - 55	30	5.025,70
14054950000	QTL/A 2 ST 30A FT-RH	55 - 65	30	5.352,60
14054960000	QTL/A 2 ST 37 FT-RH	61 - 84	37	5.762,40
14054970000	QTL/A 2 ST 45 FT-RH	80 - 105	45	6.045,00
14054980000	QTL/A 2 ST 55 FT-RH	100 - 125	55	6.765,60
14054990000	QTL/A 2 ST 75 FT-RH	120 - 150	75	9.904,00
14055000000	QTL/A 2 ST 92 FT-RH	155 - 255	92	*

Auf Anfrage:
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
Spannungsmesser
Amperemeter
siehe Seite 163

On request:
Volt free contact control panel Q-MSP 13M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
Voltmeter
Ammeter
go to page 163

* Preise auf Anfrage
* Price on request



QML/A 3 D

Schaltkasten für 3 Pumpen mit Motor Wechselstrom, Direktanlauf
Control panel for 3 pumps with single-phase motor, direct starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14055010000	QML/A 3 D 12A-FA	1 - 12	0.25 - 1.5	1.412,80

Auf Anfrage:
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
siehe Seite 163

On request:
Volt free contact control panel Q-MSP 13M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
go to page 163



QTL/A 3 D

Schaltkasten für 3 Pumpen mit Motor Drehstrom, Direktanlauf
Control panel for 3 pumps with three-phase motor, direct starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14055020000	QTL/A 3 D 12A-FA	1 - 12	0.25 - 5.5	1.412,80

Auf Anfrage:
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
siehe Seite 163

On request:
Volt free contact control panel Q-MSP 13M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
go to page 163



QTL/A 3 ST FT

Schaltkasten für 3 Pumpen mit Motor Drehstrom, Y/Δ Anlauf
Control panel for 3 pumps with three-phase motor, Y/Δ starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14055030000	QTL/A 3 ST 5,5 FT	11 - 15	5.5	2.870,10
14055040000	QTL/A 3 ST 7,5 FT	12 - 17	7.5	2.918,60
14055050000	QTL/A 3 ST 11 FT	16 - 24	9.2 - 11	3.059,90
14055060000	QTL/A 3 ST 15 FT	23 - 31	15	3.766,30
14055070000	QTL/A 3 ST 18,5 FT	30 - 39	18.5	4.341,30
14055080000	QTL/A 3 ST 22 FT	35 - 43	22	5.502,00
14055090000	QTL/A 3 ST 30B FT	42 - 55	30	6.666,60
14055100000	QTL/A 3 ST 30A FT	55 - 65	30	7.669,70
14055110000	QTL/A 3 ST 37 FT	61 - 84	37	9.623,40
14055120000	QTL/A 3 ST 45 FT	80 - 105	45	11.835,60

Auf Anfrage:
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
Spannungsmesser
Amperemeter
siehe Seite 163

On request:
Volt free contact control panel Q-MSP 13M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
Voltmeter
Ammeter
go to page 163



QTL/A 3 ST FT-RH

Quadri di comando per 3 pompe da drenaggio Mit Motor Drehstrom, avviamento Y/Δ
Electric control panel for 3 drainage pumps with three-phase motor, Y/Δ starting

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14055130000	QTL/A 3 ST 4 FT-RH	7 - 11	4	3.772,20
14055140000	QTL/A 3 ST 5,5 FT-RH	11 - 15	5.5	3.772,20
14055150000	QTL/A 3 ST 7,5 FT-RH	12 - 17	7.5	3.820,80
14055160000	QTL/A 3 ST 11 FT-RH	16 - 24	9.2 - 11	3.962,10
14055170000	QTL/A 3 ST 15 FT-RH	23 - 31	15	4.666,40
14055180000	QTL/A 3 ST 18,5 FT-RH	30 - 39	18.5	5.243,60
14055190000	QTL/A 3 ST 22 FT-RH	35 - 43	22	6.404,20
14055200000	QTL/A 3 ST 30B FT-RH	42 - 55	30	7.566,70
14055210000	QTL/A 3 ST 30A FT-RH	55 - 65	30	8.571,80
14055220000	QTL/A 3 ST 37 FT-RH	61 - 84	37	10.523,70
14055230000	QTL/A 3 ST 45 FT-RH	80 - 105	45	12.737,70
14055240000	QTL/A 3 ST 55 FT-RH	100 - 125	55	13.601,60
14055250000	QTL/A 3 ST 75 FT-RH	120 - 150	75	16.780,50
14055260000	QTL/A 3 ST 92 FT-RH	155 - 255	92	*

Auf Anfrage:
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
Quadro RA 100A für Fernalarm
Spannungsmesser
Amperemeter
siehe Seite 163

On request:
Volt free contact control panel Q-MSP 13M
RA 100 control panel for remote alarm
RA 100A control panel for remote alarm
Voltmeter
Ammeter
go to page 163

* Preise auf Anfrage
* Price on request



QML 1 VFT

Schaltkasten für 1 Pumpe mit Motor Drehstrom mit variabler Drehzahl
Control panel for 1 pump with variable speed three-phase motor

Stromversorgung Wechselstrom 230V 1~
Single-phase mains: 230V 1~

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14059250000	QML 1 VFT 0,45	2.4	0.37 - 0.45	2.893,80
14059260000	QML 1 VFT 0,75	4.2	0.55 - 0.75	2.993,70
14059270000	QML 1 VFT 1,5	7.5	1.1 - 1.5	3.338,70
14050260000	QML 1 VFT 2,2	10	2.2	3.702,50

Auf Anfrage:
SRL3 Niveauregler zum Anschluss von Trockenlaufsonden
MSP 1M Reinsignal-Modul
Q-MSP 9M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
SRL3 level control for probes against dry running
Volt free contact module MSP 1M
Volt free contact control panel Q-MSP 9M
RA 100 control panel for remote alarm
go to page 163



QTL 1 VFT

Schaltkasten für 1 Pumpe mit Motor Drehstrom mit variabler Drehzahl
Control panel for 1 pump with variable speed three-phase motor

Stromversorgung Drehstrom 400V 3~
Three-phase mains: 400V 3~

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14046510000	QTL 1 VFT 0,45	1.5	0.37 - 0.45	3.095,50
14046520000	QTL 1 VFT 0,75	2.3	0.55 - 0.75	3.164,10
14046530000	QTL 1 VFT 1,5	4.1	1.1 - 1.5	3.426,10
14046540000	QTL 1 VFT 2,2	5.5	2.2	3.688,00
14046550000	QTL 1 VFT 4	9.5	3 - 4	3.933,20
14046560000	QTL 1 VFT 5,5	14.3	5.5	5.330,20
14046570000	QTL 1 VFT 7,5	17	7.5	5.864,70
14046580000	QTL 1 VFT 11	27.7	9.2 - 11	7.797,90
14046590000	QTL 1 VFT 15	33	15	8.625,30
14046600000	QTL 1 VFT 18,5	46.3	18.5	10.558,80
14046610000	QTL 1 VFT 22	61.5	22	11.941,20
14046620000	QTL 1 VFT 30	74.5	30	14.510,70
14046630000	QTL 1 VFT 37	88	37	16.955,40
14046640000	QTL 1 VFT 45	106	45	19.670,50
14046650000	QTL 1 VFT 55	145	55	21.273,40
14046660000	QTL 1 VFT 75	173	75	27.559,90

Auf Anfrage:
SRL3 Niveauregler zum Anschluss von Trockenlaufsonden
MSP 1M Reinsignal-Modul
Q-MSP 9M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
SRL3 level control for probes against dry running
Volt free contact module MSP 1M
Volt free contact control panel Q-MSP 9M
RA 100 control panel for remote alarm
go to page 163

* Preise auf Anfrage
* Price on request



QML 2 VFT

Schaltkasten für 2 Pumpen mit Motor Drehstrom mit variabler Drehzahl
Control panel for 2 pumps with variable speed three-phase motor

Stromversorgung Wechselstrom 230V 1~
Single-phase mains: 230V 1~

Art.Nr. Code	Typ Type	Einstellung Setting max A	Motor Motor kW	Preis Price €
14059280000	QML 2 VFT 0,45	2.4	0.37 - 0.45	4.056,00
14048320000	QML 2 VFT 0,75	4.2	0.55 - 0.75	4.465,50
14047020000	QML 2 VFT 1,5	7.5	1.1 - 1.5	4.843,90
14059290000	QML 2 VFT 2,2	10	2.2	5.573,50

Auf Anfrage:
SRL3 Niveauregler zum Anschluss von Trockenlaufsonden
MSP 1M Reinsignal-Modul
Q-MSP 9M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
SRL3 level control for probes against dry running
Volt free contact module MSP 1M
Volt free contact control panel Q-MSP 9M
RA 100 control panel for remote alarm
go to page 163



QTL 2 VFT

Schaltkasten für 2 Pumpen mit Motor Drehstrom mit variabler Drehzahl
Control panel for 2 pumps with variable speed three-phase motor

Stromversorgung Drehstrom 400V 3~
Three-phase mains: 400V 3~

Art.Nr. Code	Typ Type	Einstellung Setting max A	Motor Motor kW	Preis Price €
14046670000	QTL 2 VFT 0,45	1.5	0.37 - 0.45	4.929,00
14046680000	QTL 2 VFT 0,75	2.3	0.55 - 0.75	5.145,30
14046690000	QTL 2 VFT 1,5	4.1	1.1 - 1.5	5.326,10
14046700000	QTL 2 VFT 2,2	5.5	2.2	5.881,30
14046710000	QTL 2 VFT 4	9.5	3 - 4	6.561,00
14046720000	QTL 2 VFT 5,5	14.3	5.5	9.120,10
14046730000	QTL 2 VFT 7,5	17	7.5	10.581,70
14046740000	QTL 2 VFT 11	27.7	9.2 - 11	13.993,10
14046750000	QTL 2 VFT 15	33	15	16.148,80
14046760000	QTL 2 VFT 18,5	46.3	18.5	19.641,40
14046770000	QTL 2 VFT 22	61.5	22	21.836,70
14046780000	QTL 2 VFT 30	74.5	30	26.533,00
14046790000	QTL 2 VFT 37	88	37	32.748,80
14046800000	QTL 2 VFT 45	106	45	37.827,60
14046810000	QTL 2 VFT 55	145	55	39.365,90
14046820000	QTL 2 VFT 75	173	75	68.103,40

Auf Anfrage:
SRL3 Niveauregler zum Anschluss von
Trockenlaufsonden
MSP 1M Reinsignal-Modul
Q-MSP 9M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
SRL3 level control for probes against dry running
Volt free contact module MSP 1M
Volt free contact control panel Q-MSP 9M
RA 100 control panel for remote alarm
go to page 163

* Preise auf Anfrage
* Price on request



QML 3 VFT

Schaltkasten für 1 Pumpe mit variabler Drehzahl und 1 Pumpe mit konstanter Drehzahl
Control panel for 3 variable speeds pump with three-phase motor

Stromversorgung Wechselstrom 230V 1~
Single-phase mains: 230V 1~

Art.Nr. Code	Typ Type	Einstellung Setting max A	Motor Motor kW	Preis Price €
14059370000	QML 3 VFT 0,45	2.4	0.37 - 0.45	5.151,50
14059380000	QML 3 VFT 0,75	4.2	0.55 - 0.75	5.687,90
14059390000	QML 3 VFT 1,5	7.5	1.1 - 1.5	6.253,30
14056970000	QML 3 VFT 2,2	10	2.2	7.359,30

Auf Anfrage:
SRL3 Niveauregler zum Anschluss von
Trockenlaufsonden
MSP 1M Reinsignal-Modul
Q-MSP 9M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
SRL3 level control for probes against dry running
Volt free contact module MSP 1M
Volt free contact control panel Q-MSP 13M
RA 100 control panel for remote alarm
go to page 163



QTL 3 VFT

Schaltkasten für 3 Pumpen mit Motor Drehstrom mit variabler Drehzahl
Control panel for 3 pumps with variable speed three-phase motor

Stromversorgung Drehstrom 400V 3~
Three-phase mains: 400V 3~

Art.Nr. Code	Typ Type	Einstellung Setting max A	Motor Motor kW	Preis Price €
14059400000	QTL 3 VFT 0,45	1.5	0.37 - 0.45	6.702,40
14048840000	QTL 3 VFT 0,75	2.3	0.55 - 0.75	7.145,20
14046930000	QTL 3 VFT 1,5	4.1	1.1 - 1.5	7.322,00
14047140000	QTL 3 VFT 2,2	5.5	2.2	8.373,90
14047040000	QTL 3 VFT 4	9.5	3 - 4	9.463,00
14048250000	QTL 3 VFT 5,5	14.3	5.5	12.787,20
14049760000	QTL 3 VFT 7,5	17	7.5	15.125,90
14047280000	QTL 3 VFT 11	27.7	9.2 - 11	21.373,10
14050350000	QTL 3 VFT 15	33	15	24.271,10
14054370000	QTL 3 VFT 18,5	46.3	18.5	28.322,80
14047150000	QTL 3 VFT 22	61.5	22	31.247,80
14047270000	QTL 3 VFT 30	74.5	30	38.973,10
14052180000	QTL 3 VFT 37	88	37	58.125,80
14059410000	QTL 3 VFT 45	106	45	62.474,80
14059420000	QTL 3 VFT 55	145	55	66.882,20
14059430000	QTL 3 VFT 75	173	75	92.764,40

Auf Anfrage:
SRL3 Niveauregler zum Anschluss von
Trockenlaufsonden
MSP 1M Reinsignal-Modul
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
SRL3 level control for probes against dry running
Volt free contact module MSP 1M
Volt free contact control panel Q-MSP 13M
RA 100 control panel for remote alarm
go to page 163



QTL 4 VFT

Schaltkasten für 4 Pumpen mit Motor Drehstrom mit variabler Drehzahl
Control panel for 4 pumps with variable speed three-phase motor

Stromversorgung Drehstrom 400V 3~
Three-phase mains: 400V 3~

Art.Nr. Code	Typ Type	Einstellung Setting A	Motor Motor kW	Preis Price €
14059550000	QTL 4 VFT 0,45	1.5	0.37 - 0.45	*
14059560000	QTL 4 VFT 0,75	2.3	0.55 - 0.75	8.141,30
14059570000	QTL 4 VFT 1,5	4.1	1.1 - 1.5	9.005,80
14049710000	QTL 4 VFT 2,2	5.5	2.2	9.955,70
14047840000	QTL 4 VFT 4	9.5	3 - 4	11.810,30
14059580000	QTL 4 VFT 5,5	14.3	5.5	16.828,60
14059590000	QTL 4 VFT 7,5	17	7.5	18.942,70
14059600000	QTL 4 VFT 11	27.7	9.2 - 11	27.944,50
14059610000	QTL 4 VFT 15	33	15	32.278,90
14059620000	QTL 4 VFT 18,5	46.3	18.5	42.850,20
14053940000	QTL 4 VFT 22	61.5	22	46.762,60
14059630000	QTL 4 VFT 30	74.5	30	56.691,30
14059640000	QTL 4 VFT 37	88	37	67.381,00
14059650000	QTL 4 VFT 45	106	45	81.180,60
14059660000	QTL 4 VFT 55	145	55	83.338,70
14059670000	QTL 4 VFT 75	173	75	136.895,20

Auf Anfrage:
SRL3 Niveauregler zum Anschluss von
Trockenlaufsonden
MSP 1M Reinsignal-Modul
Q-MSP 13M Kontaktbedienfeld
Quadro RA 100 für Fernalarm
siehe Seite 163

On request:
SRL3 level control for probes against dry running
Volt free contact module MSP 1M
Volt free contact control panel Q-MSP 13M
RA 100 control panel for remote alarm
go to page 163

* Preise auf Anfrage
* Price on request

Zubehör für Schaltanlagen

Accessories for control panel



Bedienfeld für Fernalarm
Control panel for remote alarm

Art.Nr. Code	Typ Type	Preis Price €
14027900000	RA 100	546,90



Eigengespeistes Bedienfeld für Fernalarm
Self-powered control panel for remote alarm

Art.Nr. Code	Typ Type	Preis Price €
14042960000	RA 100A	624,30



Spannungsfreies Kontaktbedienfeld
Volt free contact control panel

Art.Nr. Code	Typ Type	Preis Price €
14045600000	Q-MSP 9M	440,70
14045960000	Q-MSP 13M	523,90



Karte LVBT-Niveauregelung
LVBT card for level control

Art.Nr. Code	Descrizione Description	Preis Price €
44013140000	LVBT	123,50

Zubehör für das Bedienfeld
Accessories inside the control panel

Niveauregler für Sondenanschluss
Level control for probes

Art.Nr. Code	Typ Type	Preis Price €
14028930000	SRL3	83,60

Zubehör - Accessories

EASYMAT

System zur variablen Drehzahlregelung mit Frequenzumrichter Variable speed system driven by frequency converter

Spannungsversorgung Wechselstrom 230V - Motor Wechselstrom 230V
Single-phase supply 230V - Single-phase motor 230V

Art.Nr. Code	Typ Type	Corrente erogata Current output max A	Motor Motor	Preis Price €
44022700000	EASYMAT 9,2MM	9,2	0,37 - 1,5	922,60

Spannungsversorgung Wechselstrom 230V - Motor Drehstrom 230V
Single-phase supply 230V - Three-phase motor 230V

Art.Nr. Code	Typ Type	Corrente erogata Current output max A	Motor Motor	Preis Price €
44022200000	EASYMAT 9,2MT	9,2	0,37 - 2,2	1.006,50



Beschreibung der Komponenten
(Standardausführung), System bestehend aus:

- Frequenzumrichter
- Drucksensor
- Befestigungsschrauben
- Klemmenleiste
- Kabelverschraubungen
- Dichtungssatz

Components description (standard execution), the system comprises of:

- Frequency converter
- Pressure transducer
- Fixing screws
- Terminal board
- Cable glands
- Multi-hole gaskets

Rohrbefestigungen
Pipe housing



Art.Nr. Code	Typ Type	Attacco Connection	Preis Price €
45500910000	Rohrschellen-Kit G1 EASYMAT	G1	31,60
45500920000	Rohrschellen-Kit G1 1/4 EASYMAT	G1 1/4	31,60
45500930000	Rohrschellen-Kit G1 1/2 EASYMAT	G1 1/2	31,60

Förderrohr in AISI 304 für Easymat an einzelner Pumpe
Tubo di mandata in AISI 304 gruppo 1 pompa per Easymat



Art.Nr. Code	Typ Type	Preis Price €
17026350000	ROHR EASYMAT G 1	178,20
17026360000	ROHR EASYMAT G 1 1/4	193,10
17026370000	ROHR EASYMAT G 1 1/2	208,10

Zubehör - Accessories

I-MAT



System zur variablen Drehzahlregelung mit Frequenzumrichter
Variable speed system driven by frequency converter

Art.Nr. Code	Typ Type	Corrente erogata Current output max A	Preis Price €
44022800000	I-MAT 5,2TT-A	5,2	2.072,20
44022900000	I-MAT 11,2TT-B	11,2	2.231,60
44023000000	I-MAT 25,8TT-C	25,8	3.625,90
44023100000	I-MAT 65,4TT-D	65,4	7.176,10
44023110000	I-MAT 119TT-E	119	13.605,50

(Standardausführung). System bestehend aus:

- Frequenzumrichter
- Abnehmbare Bedieneinheit
- Leistungsklemmenbrett
- Signalklemmenbrett
- Kabelverschraubungen


(Standard execution) The system comprises of:

- Frequency converter
- Removable control panel
- Power terminal board
- Signals terminal board
- Cable glands

Art.Nr. Code	Typ Type	Preis Price €
44058820000	KIT MODBUS X I-MAT	1.057,50
14051670000	MEHRPUMPENBETRIEB ERWEITERUNGSKARTE	244,80

Auf Anfrage


On request



Motoradapter Motor adapter

Art.Nr. Code	Typ Type	Preis Price €
44050790000	KIT I-MAT Typ 1 SIZE A	103,10
44050810000	KIT I-MAT Typ 2 SIZE B	103,10
44066380000	KIT I-MAT Typ 13 SIZE B-112	118,30
44066390000	KIT I-MAT Typ 14 SIZE C-112	118,30
44064790000	KIT I-MAT Typ 11 SIZE C-132	118,30
44055410000	KIT I-MAT Typ 6 SIZE C-160	185,60
44064800000	KIT I-MAT Typ 12 SIZE D-132	162,20
44055430000	KIT I-MAT Typ 8 SIZE D-160	207,70

Wandadapter Wall adapter



Art.Nr. Code	Typ Type	Preis Price €
44050800000	KIT I-MAT SIZE A	82,60
44050820000	KIT I-MAT SIZE B	82,60
44051740000	KIT I-MAT SIZE C	95,00
44055440000	KIT I-MAT D	152,50
14058380000	KIT I-MAT E	220,00

Messumformer mit Kabel Transducer with cable

Art.Nr. Code	Typ Type	Preis Price €
27017760000	MESSUMFORMER 0-10 BAR	133,30
27031680000	MESSUMFORMER 0-16 BAR	133,30
27031690000	MESSUMFORMER 0-25 BAR	133,30
17031700000	MESSUMFORMER DIFF. 4 BAR	1.208,60
17031710000	MESSUMFORMER DIFF. 10 BAR	1.208,60
27031720000	MESSUMFORMER TEMP -50 / +150 °C	855,20

Zubehör - Accessories

IDROMAT

Elektronikschaltautomat für Pumpen
Electronic regulator for pumps



Art.Nr. Code	Typ Type	Preis Price €
17030180000	IDROMAT 5-12	176,70
17030190000	IDROMAT 5-15	176,70
17030200000	IDROMAT 5-22	176,70
17031090000	IDROMAT 5-30	176,70
17030210000	IDROMAT 5E	254,50



Art.Nr. Code	Typ Type	Preis Price €
17033120000	IDROMAT 6-15	311,10
17033130000	IDROMAT 6-30	311,10

SMAT

ELEKTRONISCHES SCHUTZSYSTEM FÜR PUMPEN
ELECTRONIC PROTECTION DEVICE FOR PUMPS



Art.Nr. Code	Typ Type	Preis Price €
17028340000	SMAT	126,60

ARIAMAT

AUTOMATISCHE BELÜFTUNGSEINHEIT
AUTOMATIC AIR FEEDER



Art.Nr. Code	Typ Type	Preis Price €
47010700000	AR 300E	134,00
47010780000	AR 1000E	215,10
47010790000	AR 2000E	267,90

DRUCKSCHALTER
PRESSURE SWITCHES



Art.Nr. Code	Typ Type	Einstellung Setting bar	Preis Price €
17028260000	PMAT 5M-10	1,4 - 2,8	26,00
17028270000	PMAT 5M/T-16	1,4 - 2,8	37,70
17028280000	PMAT 5,5M/T-16	1,8 - 3	42,40
17028290000	PMAT 12M/T-16	5 - 7	47,20

MANOMETER
PRESSURE GAUGES



Art.Nr. Code	Axialer Anschluss axial connection	Preis Price €
17000050000	MA 0-6	36,10
17006440000	MA 0-6 ABS	12,40

Art.Nr. Code	Radialer Anschluss radial connection	Preis Price €
17000070000	MR 0-10	70,60
17000090000	MR 0-16	70,60

VERTEILER
CONNECTOR



Art.Nr. Code	Typ Type	Anschluss Connection	Preis Price €
17010600000	RA5 H 92	G1	29,20
17010520000	RA5 H 105	G1	36,30

METALLGEWEBESCHLAUCH
FLEXIBLE HOSE



Art.Nr. Code	Typ Type	d x Länge d. x length	Preis Price €
17010580000	FP 1-630	G1 X 630	50,20
17010780000	FP 1-680	G1 X 680	52,00

SCHWIMMENDE ENTNAHME
SUCTION KIT



Art. Nr. Code	Typ Type	Anschluss connection	Länge length m	Preis Price €
C140000302	Saugset 1" mit Filter	G 1	2	115,40
C140000307	Saugset 1 1/4" mit Filter	G 1 1/4	2	141,40
C140000300	Saugset 1" mit Filter + Rückschlagventil	G 1	2	195,90

Zubehör - Accessories

RÜCKSCHLAGVENTILE AUS AISI 304 CHECK VALVES IN AISI 304



Art. Nr. Code	Rückschlagventil check valve	Preis Price €
MO9S04014V	SMALL 1/4"	31,70
MO9S04038V	SMALL 3/8"	31,70
MO9S04012V	SMALL 1/2"	31,70
MO9I04034V	IDRJA 3/4"	40,80
MO9I04100V	IDRJA 1"	45,30
MO9I04114V	IDRJA 1 1/4"	63,50
MO9I04112V	IDRJA 1 1/2"	75,40
MO9I04200V	IDRJA 2"	141,90
MO9I04212V	IDRJA 2 1/2"	267,20

Dichtung / Gasket: FKM, NBR, EPDM

RÜCKSCHLAGVENTILE AUS AISI 316 CHECK VALVES IN AISI 316



Art. Nr. Code	Rückschlagventil check valve	Preis Price €
MO9S06014V	SMALL 1/4"	54,40
MO9S06038V	SMALL 3/8"	54,40
MO9S06012V	SMALL 1/2"	54,40
MO9I06034V	IDRJA 3/4"	70,90
MO9I06100V	IDRJA 1"	83,00
MO9I06114V	IDRJA 1 1/4"	107,20
MO9I06112V	IDRJA 1 1/2"	123,80
MO9I06200V	IDRJA 2"	240,00
MO9I06212V	IDRJA 2 1/2"	360,80
MO9I06300V	IDRJA 3"	520,90
MO9I06400V	IDRJA 4"	782,20

Dichtung / Gasket: FKM
Auf Anfrage / On Request: NBR, EPDM

RÜCKSCHLAGVENTILE AUS NYLON CHECK VALVES IN NYLON



Art. Nr. Code	Rückschlagventil check valve	Preis Price €
MO9A04012K	AMITA 1/2"	12,10
MO9A04034K	AMITA 3/4"	12,10
MO9A04100K	AMITA 1"	15,10
MO9A04114K	AMITA 1 1/4"	24,20
MO9A04112K	AMITA 1 1/2"	40,80

Dichtung / Gasket: NBR

RÜCKSCHLAG- UND FUSSVENTILE AUS MESSING CHECK AND FOOT VALVES IN BRASS



Art. Nr. Code	Fussventil foot valve	Preis Price €
17009980000	VDF 1	33,70
17009990000	VDF 1 1/4	52,80
17010000000	VDF 1 1/2	73,10
17010010000	VDF 2	111,30

Art. Nr. Code	Rückschlagventil check valve	Preis Price €
17010540000	VNR 1	29,80
17010550000	VNR 1 1/4	47,30
17010560000	VNR 1 1/2	63,70
17010570000	VNR 2	98,90

Dichtung / Gasket: NBR

EDELSTAHLFILTER MIT NYLONGEWINDE FÜR RÜCKSCHLAGVENTILE STAINLESS-STEEL FILTER WITH NYLON PORT FOR CHECK VALVES



Art. Nr. Code	Filter filter	Maße Dimensions mm	Preis Price €
MO9AF40120	1/2"	51 x 26	3,10
MO9AF40340	3/4"	56 x 32	3,10
MO9AF41000	1"	62 x 40	3,10
MO9AF41140	1 1/4"	68 x 49	4,50
MO9AF41120	1 1/2"	78 x 55	5,90

EDELSTAHLFILTER MIT EDELSTAHLGEWINDE FÜR RÜCKSCHLAGVENTILE STAINLESS-STEEL FILTER WITH PORT FOR CHECK VALVES



Art. Nr. Code	Filter filter	Maße Dimensions mm	Preis Price €
MO90040120	1/2"	55 x 22	10,60
MO90040340	3/4"	60 x 29	10,60
MO90041000	1"	68 x 36	13,60
MO90041140	1 1/4"	80 x 43	15,10
MO90041120	1 1/2"	90 x 49	18,10
MO90042000	2"	99 x 60	22,70
MO90042120	2 1/2"	105 x 80	61,80
MO90043000	3"	124 x 92	65,00
MO90044000	4"	143 x 105	72,50

INLINE-FILTER AUS EDELSTAHL AISI 304 INLINE-FILTER IN STAINLESS STEEL AISI 304



Art. Nr. Code	Filter filter	Länge length mm	Preis Price €
MO9L04012V	LINIA 1/2"	106	65,00
MO9L04034V	LINIA 3/4"	128	72,50
MO9L04100V	LINIA 1"	150	92,10
MO9L04114V	LINIA 1 1/4"	178	143,40
MO9L04112V	LINIA 1 1/2"	207	193,20
MO9L04200V	LINIA 2"	228	247,60

Betriebsdruck / Pressure Pmax: PN16
Temperatur / Temperature: -10°C – 150 °C
Filtermaschen / mesh size: 40 mesh bis 1"
18 mesh 1 1/4" - 2"
Werkstoff / Material: Edelstahl 1.4301 (AISI 304)
Dichtung / Gasket: NBR (optional)

Zubehör - Accessories



PF
Vorfilter aus Chrom-Nickel-Stahl
Pre-filters in stainless steel

AISI 304

Art.Nr. Code	AISI 304	Flansch Flanges DN	Preis Price
14020640000	PF 100-304	DN100	3.328,70
14020650000	PF 125-304	DN125	3.435,60
14020660000	PF 150-304	DN150	4.592,80

AISI 316

Art.Nr. Code	AISI 316	Flansch Flanges DN	Preis Price
14021230000	PF 100-316	DN100	4.432,60
14022370000	PF 125-316	DN125	4.615,00
14024830000	PF 150-316	DN150	6.413,10



PFP
Vorfilter aus Polycarbonat
Pre-filters in polypropylene

Art.Nr. Code	AISI 304	Flansch Flanges DN	Preis Price
14063750000	PFP 50	DN50	3.845,40
14063760000	PFP 65	DN65	3.870,10
14063770000	PFP 80	DN80	3.887,00
14063780000	PFP 100	DN100	3.937,70
14063790000	PFP 125	DN125	4.013,10
14063800000	PFP 150	DN150	4.464,20
14063810000	PFP 200	DN200	5.541,90



OVALER BEHÄLTER
SPHERICAL VESSEL

Art.Nr. Code	Typ Type	bar	Kapazität capacity d x l	Preis Price €
17005020000	SS 24	8	G 1 X 24LT	88,60



ZYLINDRISCHER BEHÄLTER
CYLINDRICAL VESSEL

Art.Nr. Code	Typ Type	bar	Kapazität capacity d x l	Preis Price €
17010630000	SC 20 BP	8	G 1 X 20LT	123,40




ZYLINDRISCHER BEHÄLTER INOX
INOX CYLINDRICAL VESSEL

Art.Nr. Code	Typ Type	bar	Kapazität capacity d x l	Preis Price €
17010480000	SCX 20	13	G 1 X 20LT	428,60



ZYLINDRISCHER BEHÄLTER INOX
INOX CYLINDRICAL VESSEL

Art.Nr. Code	Typ Type	bar	Kapazität capacity d x l	Preis Price €
17010370000	SCX 20 BP	13	G 1 X 20LT	451,20




ZUBEHÖR FÜR DRUCKERHÖHUNGSANLAGEN ACCESSORIES FOR PRESSURE BOOSTING

n 1 24l -Tank komplett mit FF-Kugelhahn
no. 1 pressure vessel with male-female ball valve, capacity 24 l



Art.Nr. Code	Typ Type	Preis Price €
37005020001	KIT SS24-VFF	104,00



n 1 24-l-Tank INOX komplett mit FF-Kugelhahn
no. 1 st. steel pressure vessel with male-female ball valve, capacity 20l



Art.Nr. Code	Typ Type	Preis Price €
37010480001	KIT SCX20-VFF	520,10

Zubehör - Accessories

DRUCKBEHÄLTER NACH CE 97/23 PED (Autoklaven) CE 97/23 PED APPROVED PRESSURE VESSELS (Air tanks)

Art.Nr. Code	Typ Type	Abmessungen Dimensions D x H mm	Preis Price €
47000190000	300-8	550 X 1500 G1 1/2	2.511,10
47000200000	500-8	650 X 1820 G2	2.978,30
47000230000	800-8	800 X 1900 G2	3.786,60
47000260000	1000-8	800 X 2150 G2 1/2	4.124,50
47000270000	1000- 12 (1)	800 X 2300 G2 1/2	5.327,10
47000290000	1500- 8 (1)	950 X 2500 G2	8.040,40
47000330000	2000- 8 (1)	1100 X 2570 G2 1/2	9.683,40
47000340000	2000- 12 (1)	1000 X 2780 G2 1/2	11.101,40
47000390000	3000- 8 (1)	1250 X 2930 G3	13.625,80
47000400000	3000- 12 (1)	1200 X 2930 G3	15.258,90
47000420000	4000- 8 (1)	1450 X 3090 G3	17.508,30
47000430000	4000- 12 (1)	1450 X 3090 G3	22.888,50
47000450000	5000- 8 (1)	1450 X 3590 G4	19.933,30
47000460000	5000- 12 (1)	1450 X 3590 G4	28.805,30

Die Gefäße sind für Wasser bis zu 50 °C geeignet.

Die Behälter sind alle im Herstellerwerk abgenommen und werden komplett mit Sicherheitsventil, geprüftem Manometer und Armaturen geliefert.

(1) Die Behälter unterliegen einer jährlichen Prüfung durch autorisierte Stellen, durch den Kunden.


(Druck x Volumen $P \times V > 8000$; oder Nenndruck $> 11,76$ bar).

The vessels are suitable for water up to 50 °C.

The vessels are all approved at manufacturer's premises and are supplied complete with safety valve, tested pressure gauge and fittings.

(1) Tanks subject to annual inspection by authorised bodies, by the customer.

(Pressure x Volume $P \times V > 8000$; or nominal pressure > 11.76 bar).



DRUCKBEHÄLTER NACH CE 97/23 PED CE 97/23 PED APPROVED MEMBRANE VESSELS

Art.Nr. Code	Typ Type	Druck Pressure bar	Abmessungen Dimensions D x H mm	Preis Price €
37011010000	SM 60 V	10	382 X 845 G1	303,60
37011020000	SM 80 V	10	450 X 850 G1	392,80
37011030000	SM 100 V	10	450 X 950 G1	481,90
37011040000	SM 200 V	10	550 X 1255 G1 1/2	846,50
37011050000	SM 300 V	10	630 X 1405 G1 1/2	1.033,00
37011060000	SM 500 V	10	780 X 1550 G1 1/2	1.640,60
37011070000	SM 750 V	10	780 X 1940 G1 1/2	3.285,40
37011080000	SM 1000 V	10	980 X 1970 G2	4.744,00

EPDM-Membrane


Temperatur -10 ÷ +100 °C

Mit Sicherheitsventil und Manometer 0÷10 bar

EPDM diaphragm

Temperature -10 ÷ +100 °C

With safety valve and pressure gauge 0÷10 bar



Zubehör - Accessories

KABELVERBINDER KIT CABLES CONNECTION KIT



Ermöglicht das Verbinden von elektrischen Kabeln, mit abgedichtetem Verbindungsstück für den Einsatz unter Wasser.

Inhalt:

4 Verbinder

4 Schrumpfschläuche für den Schutz der einzelnen Drähte

1 Schrumpfmantel zum Schutz der 4-poligen Leitung.

* mit Montage

Art.Nr. Code	Typ Type	Preis Price €
44010690000	KIT GC P (4G0,75÷4G2,5)	34,30
44010690001	KIT GC P (4G0,75÷4G2,5) *	88,10
44010710000	KIT GC M (4G4÷4G6)	34,30
44010710001	KIT GC M (4G4÷4G6) *	88,10
44010670000	KIT GC G (4G10÷4G16)	34,30
44010670001	KIT GC G (4G10÷4G16) *	88,10

It allows connection of electric cables with junction submerged in water.

Set:

4 connectors

4 shrink-sheaths for protection of individual wires

1 shrink-sheath for protection of the 4-pole wire.

** with assembly*

KABEL CABLES

Art.Nr. Code	Vieradriges Kabele Four-wire cable	Preis Price €	Kabel Cable
14013520000	3x1,5 mm2 Kurzkabel + Stecker	27,70	1,5m
FK050562	3x1,5 mm2 Trinkwassertype	8,20	/1m
FK050501	3x2,5 mm2 Trinkwassertype	9,10	/1m
FK050499	4x1,5 mm2 Trinkwassertype	8,20	/1m
FK050502	4x2,5 mm2 Trinkwassertype	9,10	/1m
FK050503	4x4 mm2 Trinkwassertype	13,60	/1m
FK050549	4x6 mm2 Trinkwassertype	15,80	/1m
FK050550	4x10 mm2 Trinkwassertype	36,30	/1m

Kabel - Cable (Preis al metro - price per meter)

SCHWIMMERSCHALTER FLOAT SWITCH

Art. Nr. Code	Typ Type	Preis Price €
MO603883NSV	3 m Kabel - cable 3 m	28,70
MO603882NSV	5 m Kabel - cable 5 m	37,20
MO603885NSV	10 m Kabel - cable 10 m	49,00
MO603889NSV	20 m Kabel - cable 20 m	101,50



Standardausführung Neopren, Oben = EIN, mit Schutzleiter

Standard execution neoprene, UP = ON, with protective conductor

PEGELSONDEN LEVEL PROBES



Art.Nr. Code	Typ Type	Preis Price €
17010050000	INTGALL 5	63,50
17015710000	INTGALL 10	127,80

(INTGALL 5 Kabel - cable 5 m)

(INTGALL 10 Kabel - cable 10 m)



Standardausführung als Wechselkontakt

Standard execution as changeover contact

Art.Nr. Code	Typ Type	Preis Price €
17006250000	SL	68,70
47006250000	SLA	139,10

Art.Nr. Code	Typ Type	Preis Price €	Cavo Cable
14011550000	H05RN-F 2G0,75	3,70	/1m

SL: Sonde - electrodes

SLA: Fertig montierte Sonde - Assembled level probes

Kabel - Cable 2x0,75 mm2 (Preis pro Meter - price per meter)

Zubehör - Accessories

KÜHLMANTEL

Für eine korrekte Dimensionierung und ein Angebot wenden Sie sich bitte an unsere technische/kaufmännische Abteilung.

Wenn der Unterwassermotor wie folgt installiert ist:

unterhalb der Brunneneinlauföffnungen (Abb. A);

in Sammel tanks, Seen, Becken usw. (Abb. B und C).

ist es notwendig, einen externen Mantel zu installieren, um einen Kühlstrom um den Motor zu erzeugen.

Nur so ist ein sicherer Betrieb ohne Überhitzung, die den Motor irreparabel beschädigen könnte, gewährleistet.

COOLING JACKET

For a proper selection and price quotation contact our technical sales department.




When the submersible motor is installed:

below the well inlet points (picture A)

in tanks, lakes, basins, etc... (pictures B and C)

an external jacket must be installed to create a cooling flow around the motor.

Only in this way a safe operation can be assured avoiding any overheating which can damage the motor.



Weitere Marken - *More brands*



X-AJE

Submersible water supply plants with jet-pumps


Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
SXAJE080	X-AJE 80	0.60	687,60
SXAJE100	X-AJE 100	0.75	707,40
SXAJE120	X-AJE 120	0.90	727,30



X-AJE-B

Submersible water supply plants with jet-pumps

Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
SXAJE080-B	X-AJE 80-B	0.60	611,60
SXAJE100-B	X-AJE 100-B	0.75	628,10
SXAJE120-B	X-AJE 120-B	0.90	644,60



X-AMO

Tauchfähige Wasserversorgungsautomaten mit horizontalen, mehrstufigen Pumpen
Submersible water supply plants with multi-stage horizontal pumps

Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
SXAMO080	X-AMO 80	0.60	843,00
SXAMO100	X-AMO 100	0.75	886,00
SXAMO120	X-AMO 120	0.90	909,10



X-AMV

Submersible water supply plants with vertical multi-stage pumps

Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
SXAMV100	X-AMV 100	0.75	1.011,60
SXAMV120	X-AMV 120	0.90	1.031,40
SXAMV150	X-AMV 150	1.10	1.057,90

Weitere Marken - *More brands*



X-AJV-P

Submersible water supply plants with vertical jet-pumps

Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
SXAJV080-P	X-AJV 80-P	0.60	624,80
SXAJV100-P	X-AJV 100-P	0.75	644,60
SXAJV120-P	X-AJV 120-P	0.90	657,90



5-MSPR

Submersible pumps, single phase 230 Volt, 50 Hz

Art. Nr. Code	Typ Type	Motor Motor W	VPE packing Stück / pieces	Preis Price €
LG505378	5-MSPR (3m Kabel)	270	4	303,90
LG505379	5-MSPR (10m Kabel)	270	4	380,50



APCP

Submersible pumps, single phase 230 Volt, 50 Hz

Art. Nr. Code	Typ Type	Motor Motor W	VPE packing Stück / pieces	Preis Price €
LG577303	APCP-1700	260	4	421,60



1 / 2 / 3 / PE

General purpose submersible pumps, single phase 230 Volt, 50 Hz

Art. Nr. Code	Typ Type	Motor Motor W	VPE packing Stück / pieces	Preis Price €
LG501038	1-Y	70	6	203,80
LG501027	1-YS	70	6	239,50
LG502038	2E-38N	100	6	245,00
LG503038	3E-12N	170	6	373,50
LG518039	PE-1F-IF	40	6	180,70
LG518438	PE-2F-IF	45	6	228,50
LG518638	PE-2.5F-IF	50	6	398,30

More brands

Minipumpen - Minipumps

KONDENSATPUMPEN, 1 PH., 230 V, 50 HZ
CONDENSATE REMOVAL PUMPS, SINGLE PHASE 230 V, 50 HZ

Art. Nr. Code	Typ Type	NM Druckseite ND pressure side	NM Saugseite ND suction side	Kabellänge cable length m	Gewicht weight kg	VPE packing Stück / pieces	Preis Price €
LG553711	EC-OP-K	4/6 mm Schlauch	8-22mm Schlauch	-	1.3	5	355,90
SP04090071	Neotech 7.1	6 mm Schlauch	6 mm Schlauch	2m	0.6	20	125,00
SP04090101	Neotech 10.1 (ohne Stecker)	6 mm Schlauch	6 mm Schlauch	2m	0.6	20	125,00
SP04090102	Neotech 10.1 SLIM (ohne Stecker)	6 mm Schlauch	6 mm Schlauch	2m	0.6	20	172,70
SP04090140	Neotech 14	6 mm Schlauch	6 mm Schlauch	2m	0.6	20	148,60
SP04090143	Neotech 14 SLIM	6 mm Schlauch	6 mm Schlauch	2m	0.6	20	181,80
SP04090148	Neotech 14E-800	6 mm Schlauch	6 mm Schlauch	2m	1.6	10	198,20
SP04777779	Compact10-H			2m		1	249,00
SP04777778	Compact10-C			2m		1	229,00



EC-OP-K



Neotech 7.1



Neotech 10.1



Neotech 10.1 SLIM



Compact10



Neotech 14



Neotech 14 SLIM



Neotech 14E-800

Tankpumpen - Tank pumps

KONDENSATPUMPEN, 1 PH., 230 V, 50 HZ
CONDENSATE REMOVAL PUMPS, SINGLE PHASE 230 V, 50 HZ

Art. Nr. Code	Typ Type	NM Druckseite ND pressure side	NM Saugseite ND suction side	Kabellänge cable length m	Gewicht weight kg	VPE packing Stück / pieces	Preis Price €
LG554202102	VCCA-20S	9.5 mm Tülle	Tank-Zulauf	1.8 m	2.4	5	290,10
LG554473	VCMA-20S	9.5 mm Tülle	Tank-Zulauf	2.8 m	2.4	5	283,30
LG554471	VCMA-20S (ohne Stecker)	9.5 mm Tülle	Tank-Zulauf	1.8 m	2.4	5	283,30
LG554938	BTK-7	9.5 mm Tülle	Tank-Zulauf	1.8 m	2.4	4	292,80
LG554500	VCMX-20S	9.5 mm Tülle	Tank-Zulauf	1.8 m	2.4	5	307,90
LG553137	VCL-24S	9.5 mm Tülle	Tank-Zulauf	1.8 m	3.9	5	422,90
LG553138	VCL-45 Lüftungstechnik (o. Stecker)	9.5 mm Tülle	Tank-Zulauf	0.9 m	6.4	1	813,00
C600000375	VCL-45S Brennwerttechnik (o. Stecker)	9.5 mm Tülle	Tank-Zulauf	0,9 m	6.4	1	826,30
LG550531	1-ABS	1/4" MNPT	-	2.8 m	2.2	6	256,00
SP04093606	NEOTECH 360 6MT	9.5 mm Tülle	Tank-Zulauf	1.8 m	2.4	4	168,20
SP04094447	NEOTECH 330	9.5 mm Tülle	Tank-Zulauf	1.8 m	2.2	1	173,00
SP04098881	Neotech 330 + Neutralisation	9.5 mm Tülle	Tank-Zulauf	1.8 m	2.8	1	201,80
SP04098884	Neotech 330 + Filter	9.5 mm Tülle	Tank-Zulauf	1.8 m	2.8	1	201,80



VCCA-20S



VCMA-20S



BTK-7



VCMX-20S



Neotech 330



VCL-24S



VCL-45S



1-ABS



Neotech 360

Weitere Marken - *More brands*



SHA 70N / 260

Brine removal system, single phase 230 V, 50 Hz



Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
C600001302	SHA 70N	0.17	913,50
C600002304	SHA 260	0.75	1.644,80
C600000322	Alarmschaltgerät für SHA 70		483,10



WP 15

Werkstattpumpe, 1 Ph., 230 V, 50 Hz
Universal Workshop Pump, single phase 230 V, 50 Hz

Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
C600000303	WP 15	0.12	483,10
C600000306	WP 15-Wechselkit	-	125,00
M502159M	Schlauch (Di Ø 19 mm)	/1m	34,60



MD

Kreiselpumpen mit Magnetkupplung, 50 Hz
Centrifugal pumps with magnet coupling, 50 Hz

Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
LG580038	2-MD	0.10	433,90
LG589237	PE-1.5-MDI-SC	0.06	349,00
LG580514	2-MD-SC	0.10	490,00
LG580614	2-MD-HC	0.10	607,60



TE MD

Centrifugal pumps with magnet coupling, 50 Hz

Art. Nr. Code	Typ Type	Motor Motor kW	Preis Price €
LG581538	TE 3-MD-SC	0.12	598,00
LG582538	TE 4-MD-SC	0.12	648,70
LG584538	TE 5-MD-SC	0.22	1.170,20
LG585504	TE 5.5-MD-SC	0.34	1.493,20
LG586538	TE 6-MD-SC	0.64	1.612,20
LG581638	TE 3-MD-HC	0.12	740,40
LG582638	TE 4-MD-HC	0.12	836,20
LG584638	TE 5-MD-HC	0.22	1.315,30
LG586638	TE 6-MD-HC	0.64	1.434,20
LG587039	TE 7-MD-HC	0.70	2.641,50

Weitere Marken - *More brands*



IMM

Immersion pumps with open impeller

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
IMM40/A	80-120-150-180	0.10	137,30
IMM50/A	80-120-150-180	0.12	176,80
IMM63/A	150-200-250-300	0.38	458,10
IMM63/A (GG)	300	0.38	543,80
IMM63/B	150-200-250-300	0.52	503,00
IMM63/B (GG)	300	0.52	590,00
IMM71/A	200-250-325	1	689,20
IMM71/A (GG)	325	1	783,00
IMM71/A	440	1	768,10
IMM71/B	200-250-325	1.2	750,50
IMM71/B (GG)	325	1.2	882,20
IMM71/B	440	1.2	825,20
IMM80/A	200-250-300-350	1.41	1.090,20
IMM80/A	530	1.41	1.403,00
IMM80/A (GG)	200-250-300-350	1.41	1.185,40
IMM80/B	200-250-300-350	1.86	1.141,80
IMM80/B	530	1.86	1.457,30
IMM80/B (GG)	200-250-300-350	1.86	1.239,90
IMM90/A	350	2.70	1.855,60
IMM90/A	450-600	2.70	2.012,00
IMM90/A	800	2.70	2.074,50
IMM90/B	350	3.58	2.145,20
IMM90/B	450-600	3.58	2.273,10
IMM90/B	800	3.58	2.365,50
IMM100/B	350	4.85	2.468,70
IMM100/B	450-600	4.85	2.600,60
IMM100/B	800	4.85	2.683,50



SPV

Immersion pumps with open impeller

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
SPV12	90-120-170-220	0.15	259,60
SPV12	270-350	0.15	275,90
SPV18	90-120-170-220	0.17	271,90
SPV18	270-350	0.17	288,10
SPV25	90-120-170-220	0.26	440,40
SPV25	270-350	0.26	459,50
SPV33	90-120-170-220	0.36	484,00
SPV33	270-350	0.36	503,00
SPV50	200-270-350	1	787,20
SPV75	200-270-350	1.2	846,90
SPV100	200-270-350	1.01	1.190,90
SPV150	200-270-350	1.41	1.245,30

Weitere Marken - *More brands*



SP

Eintauchpumpen mit offenem Laufrad
Immersion pumps with open impeller

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
SP12	90-120-170-220	0.15	377,90
SP12	270-350	0.15	413,30
SP18	90-120-170-220	0.17	401,00
SP18	270-350	0.17	435,00
SP25	90-120-170-220	0.26	560,10
SP25	270-350	0.26	587,20
SP33	90-120-170-220	0.36	600,90
SP33	270-350	0.36	636,20
SP50	200-270-350	1	787,20
SP50	440-550	1	825,20
SP75	200-270-350	1.2	846,90
SP75	440-550	1.2	882,20
SP100	200-270-350	1.41	1.190,90
SP100	440-550	1.41	1.230,20
SP150	200-270-350	1.86	1.245,30
SP150	440-550	1.86	1.288,70



MP

Eintauchpumpen mit offenem Laufrad
Immersion pumps with open impeller

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
MP63C	180-230-280-330	0.74	560,10
MP71A	180-230-280-330	1	913,60
MP71B	210-260-310-360	1.2	985,60
MP80C	230-280	1.86	1.318,60
MP80C	355-470	1.86	1.355,40
MP90B	265-315	3.58	1.511,80
MP90B	390-505	3.58	1.589,20
MP100B	265-315	4.85	1.976,70
MP100B	365-415	4.85	2.035,10
MP100B	595	4.85	2.347,80



MPC

Immersion pumps with closed impeller

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
MPC80B	210-260	1.41	1.277,80
MPC80B	335-450	1.41	1.390,70
MPC80C	240-290	1.86	1.341,70
MPC80C	365-480	1.86	1.494,10
MPC90B	260-310	3.10	1.760,40
MPC90B	385-500	3.10	1.873,30
MPC100B	280-330	4.85	2.727,10
MPC100B	380-430	4.85	2.801,90
MPC100B	610	4.85	2.872,60

Weitere Marken - *More brands*



EPC

Eintauchpumpen mit Peripheralrad
Immersion pumps with peripheric impeller

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
EPC63C	100-130	0.5	851,10
EPC63C	180-230	0.5	889,10
EPC63C	280-360	0.5	929,80
EPC71B	100-130	1.2	1.065,80
EPC71B	180-230	1.2	1.125,60
EPC71B	280-360	1.2	1.182,60
EPC80B	100-130	1.86	1.275,20
EPC80B	180-230	1.86	1.336,30
EPC80B	280-360	1.86	1.396,20
EPC90A	115-145	2.28	1.597,30
EPC90A	195-245	2.29	1.662,60
EPC90A	295-375	2.30	1.714,20
EPC90B	140-170	3.58	1.927,70
EPC90B	220-270	3.58	2.006,60
EPC90B	320-400	3.58	2.046,00



AP

Immersion pumps with radial impeller

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
AP80/B	320	1.86	1.959,00
AP80/B	450-610	1.86	2.184,70
AP80/B	860	1.86	2.320,70
AP90/A	320	2.7	2.040,50
AP90/A	450-610	2.7	2.260,80
AP90/A	860	2.7	2.400,80
AP90/B	320	3.58	2.331,50
AP90/B	450-610	3.58	2.557,10
AP90/B	860	3.58	2.694,40
AP100/A	320	4.85	2.629,10
AP100/A	450-610	4.85	2.853,50
AP100/A	860	4.85	2.986,80
AP112/B	320	6.57	3.285,70
AP112/B	450-610	6.57	3.504,70
AP112/B	860	6.57	3.667,80

Weitere Marken - *More brands*



MSPV

Immersion pumps with open impeller

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
MSPV71	230	1.34	1.209,90
MSPV71	300	1.34	1.275,20
MSPV71	380	1.34	1.339,10
MSPV80	260	1.86	1.513,20
MSPV80	330	1.86	1.594,70
MSPV80	410	1.86	1.672,00



AU

Liquid ring pumps, self priming

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
AU56	-	0.17	401,00
AU63	-	0.26	590,00



SQ

Flange pumps

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
SQ56/S	-	0.17	319,50
SQ63/S	-	0.26	482,60
SQ71/A	-	1.0	656,60
SQ71/B	-	1.2	701,40
SQ80/A	-	1.41	889,10
SQ80/B	-	1.41	925,80



TR

Transfer pumps

Typ Type	Eintauchtiefe - mm Immersion depth - mm	Motor Motor (P1) kW	Preis Price €
TR71/A			701,40
TR71/B			766,70
TR80/A			1.041,30
TR80/B			1.098,50

Weitere Marken auf Anfrage - *More brands on request*



Salvatore Robuschi

Kreiselpumpen in Prozessbauweise für horizontale und vertikale Aufstellung,
als Eintauchpumpen und Cantilever-Ausführung
*Centrifugal pumps in process design for horizontal and vertical installation,
as immersed pumps and cantilever design*



Faggiolati

Submersible sewage pumps with vortex, single and
multi-channel impellers and with cutting device



Simaco

Peripheralradpumpen in horizontaler und vertikaler (Eintauchpumpen)
Bauart, mit Gleitringdichtung oder Magnetkupplung
*Peripheral impeller pumps in horizontal and vertical (submersible)
design, with mechanical seal or magnetic coupling*



Fluid-o-Tech

Positive displacement pumps in rotary vane design (vane pumps)



Mencarelli

Self-priming vane pumps (impeller pumps) and
liquid ring pumps made of stainless steel



Little Giant

Magnetgekuppelte, horizontale Kunststoffkreiselpumpen in Blockbauweise
Magnetically coupled, horizontal plastic centrifugal pumps in close-coupled design



Weitere Mitglieder unserer Unternehmensgruppe -
other members of our group



Weitere starke Industriemarken -
More strong industrial brands

Notizen - *notes*

This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form small squares across the entire surface. There are no margins, text, or other markings on the paper.

Allgemeine Geschäftsbedingungen

I. Allgemeines

1. Die nachstehenden Bedingungen sind für alle Angebote, Lieferungen und Leistungen der Calpeda Pumpen Vertrieb GmbH ausschließlich maßgebend, soweit nicht schriftlich etwas anderes ausdrücklich vereinbart ist.
2. Etwaige Bezugsvorschriften des Bestellers, die von den Bedingungen der Calpeda Pumpen Vertrieb GmbH und den im übrigen unverändert geltenden gesetzlichen Bestimmungen abweichen, widerspricht die Calpeda Pumpen Vertrieb GmbH hiermit und erkennt sie auch dann nicht an, wenn wegen der Abweichungen seitens Calpeda Pumpen Vertrieb kein Widerspruch erfolgt.
3. Mündliche Abreden haben nur dann Gültigkeit, wenn sie von der Calpeda Pumpen Vertrieb GmbH schriftlich bestätigt werden.
4. Unsere Bedingungen bleiben auch bei etwaiger Unwirksamkeit einzelner Bestimmungen im übrigen verbindlich.
5. Spätestens mit Annahme der Waren gelten die nachfolgenden Bedingungen durch den Besteller als anerkannt.

II. Angebot/Auftragsbestätigung

1. Angebote sind freibleibend, sofern nicht eine Bindefrist ausdrücklich erwähnt ist. Bei Angeboten von Lagerware bleibt Zwischenverkauf vorbehalten.
2. Bestellungen werden für die Calpeda Pumpen Vertrieb GmbH erst verbindlich, wenn und soweit der Auftrag schriftlich bestätigt wurde.
3. Bei Sofortlieferungen gilt die Rechnung als Auftragsbestätigung.
4. Die zu den Angeboten gehörigen Unterlagen wie Abbildungen, Zeichnungen, Gewichts- und Maßangaben, Verbrauchs- und Leistungszahlen und sonstige Angaben haben nur informativen Charakter und sind unverbindlich, soweit sie nicht ausdrücklich als verbindlich bestätigt wurden.
5. An Zeichnungen, Kostenvoranschlägen und anderen Unterlagen behält sich die Calpeda Pumpen Vertrieb GmbH Eigentums- und Urheberrechte vor, sie dürfen Dritten nicht zugänglich gemacht werden.

III. Preise und Zahlungsbedingungen

1. Die Preise verstehen sich ab Lager Calpeda Pumpen Vertrieb GmbH einschließlich Verladung jedoch ausschließlich Verpackung. Die Verpackung wird zu Selbstkosten berechnet und nicht zurückgenommen.
2. Verkehrssteuern (Umsatzsteuern etc.) werden zusätzlich gemäß den zum Zeitpunkt der Vertragserfüllung geltenden Bestimmungen berechnet.
3. Sofern der Besteller nicht ausdrücklich etwas anderes bestimmt, versichert die Calpeda Pumpen Vertrieb GmbH die bestellte Ware auf Kosten des Bestellers gegen die üblichen Transportrisiken.
4. Falls nicht anderes vereinbart und in der Auftragsbestätigung ausdrücklich genannt ist, ist die Zahlung bar und ohne jeden Abzug frei Zahlstelle Calpeda Pumpen Vertrieb GmbH zu leisten und zwar ein Drittel Anzahlung nach Eingang der Auftragsbestätigung, ein Drittel bei Meldung der Versandbereitschaft, Restzahlung innerhalb von 30 Tagen nach Rechnungsdatum.
5. Bei Überschreitung der Zahlungsfristen werden als Jahreszinsen 3% über dem am Tag der Fälligkeit gültigen Referenzzwert der EZB berechnet, ohne daß es einer Inverzugsetzung bedarf.
6. Die Zurückhaltung von Zahlungen oder die Aufrechnung mit Gegenansprüchen des Bestellers ist nicht zulässig.
7. Bei Überschreitung der Zahlungsfristen werden ohne besondere Inverzugsetzung die gesamten Forderungen der Calpeda Pumpen Vertrieb GmbH ungeachtet evtl. erfüllungshalber hereingenommener Wechsel oder Schecks in bar fällig.

IV. Lieferzeit

1. Die Lieferfrist beginnt mit der Absendung der Auftragsbestätigung bzw. mit dem Zeitpunkt, an dem alle kaufmännischen und technischen Voraussetzungen zur Erfüllung des Auftrages geklärt sind, vom Besteller zu beschaffende Unterlagen bei der Calpeda Pumpen Vertrieb GmbH eingegangen sind und vereinbarte Zahlungen geleistet sind.
2. Die Lieferzeit ist eingehalten, wenn bis zu ihrem Ablauf der Liefergegenstand dem ersten Frachtführer übergeben wurde oder der Besteller die Versandbereitschaft angezeigt wurde. Teillieferungen sind zulässig.
3. Die Lieferfrist verlängert sich angemessen beim Eintritt unvorhergesehener Ereignisse, die außerhalb des Willens der Calpeda Pumpen Vertrieb GmbH liegen z.B. höhere Gewalt, Streiks, Aussperrungen, Betriebsstörungen u.ä. Beginn und Ende derartiger Hindernisse wird in wichtigen Fällen die Calpeda Pumpen Vertrieb GmbH dem Besteller anzeigen.
4. Wird der Versand auf Wunsch des Bestellers verzögert, so werden ihm beginnend einen Monat nach Anzeige der Versandbereitschaft die Lagerkosten in Höhe von 0,5% des Rechnungswertes für jeden Monat berechnet.

V. Gefahrübergang

1. Die Gefahr geht spätestens mit der Absendung der Lieferung auf den Besteller über unabhängig davon ob eine Teillieferung erfolgt oder durch Calpeda Pumpen Vertrieb GmbH weitere Leistungen getragen werden.
2. Verzögert sich der Versand infolge von Umständen, die durch die Calpeda Pumpen Vertrieb GmbH nicht zu vertreten sind, so geht die Gefahr vom Tag der Versandbereitschaft auf den Besteller über, jedoch ist Calpeda Pumpen Vertrieb GmbH verpflichtet, auf Wunsch und Kosten des Bestellers die Versicherung zu bewirken, die vom Besteller verlangt wird.
3. Angelieferte Gegenstände sind unabhängig und unbeschadet von Haftungsgrundsätzen des Abschnitts „Haftung für Mängel“ durch den Besteller entgegenzunehmen auch wenn diese Gegenstände unwesentliche Mängel aufweisen.

VI. Eigentumsvorbehalt

1. Die Calpeda Pumpen Vertrieb GmbH behält sich das Eigentum an von ihr gelieferter Ware vor, bis der Besteller seine sämtlichen Verbindlichkeiten aus den gegenwärtigen und zukünftigen Geschäftsbeziehungen, insbesondere auch einen etwaigen Kontokorrentsaldo getilgt hat. Die Hereinnahme eines Wechsels oder Schecks durch die Calpeda Pumpen Vertrieb GmbH gilt bis zu deren Einlösung nicht als Bezahlung.
2. Der Besteller darf im Rahmen eines ordentlichen Geschäftsbetriebs a) die Lieferteile der Calpeda Pumpen Vertrieb GmbH mit anderen Gegenständen verbinden. In diesem Fall erwirbt die Calpeda Pumpen Vertrieb GmbH Miteigentum gem. §§ 947, 948 BGB. b) die Lieferteile der Calpeda Pumpen Vertrieb GmbH be- oder verarbeiten. Diese Be- oder Verarbeitung erfolgt ohne Kosten für die Calpeda Pumpen Vertrieb GmbH in deren Auftrag. Für den Fall, daß durch die Be- oder Verarbeitung eine neue Sache entsteht, erwirbt der Besteller an den Lieferteilen kein Eigentum. Der Besteller verwahrt die Sache ohne Entgelt für die Calpeda Pumpen Vertrieb GmbH.
3. Im Falle von Weiterveräußerungen der Lieferteile der Calpeda Pumpen Vertrieb GmbH tritt der Besteller bereits jetzt den Betrag seiner Forderungen gegen die Erwerber an die Calpeda Pumpen Vertrieb GmbH ab, der der Rechnungssumme der Calpeda Pumpen Vertrieb GmbH für Ihre Lieferteile entspricht. Diese abgetretenen Forderungen darf der Besteller solange selbst einziehen, wie er seinen Verpflichtungen gegenüber der Calpeda Pumpen Vertrieb GmbH ordnungsgemäß nachkommt.

VII. Haftung für Mängel der Lieferung

Für Mängel der Lieferung, zu denen auch das Fehlen ausdrücklich zugesagter Eigenschaften gehört, haftet die Calpeda Pumpen Vertrieb GmbH unter Ausschuss weiterer Ansprüche wie folgt:

1. Alle diejenigen Teile sind unentgeltlich nach billigem Ermessen unterliegender Wahl der Calpeda Pumpen Vertrieb GmbH auszubessern oder neu zu liefern, die innerhalb von 6 Monaten seit Gefahrenübergang nachweisbar - insbesondere wegen fehlerhafter Bauart, schlechter Werkstoffe oder mangelhafter Ausführung - unbrauchbar oder in Ihrer Brauchbarkeit erheblich beeinträchtigt werden. Die Feststellung solcher Mängel ist der Calpeda Pumpen Vertrieb GmbH unverzüglich schriftlich zu melden. Ersetzte Teile werden Eigentum der Calpeda Pumpen Vertrieb GmbH.
2. Das Recht des Bestellers, Ansprüche aus Mängeln geltend zu machen verjährt in allen Fällen vom Zeitpunkt der rechtzeitigen Rüge an in 6 Monaten.
3. Es wird keine Gewähr übernommen für Schäden, die aus folgenden Gründen entstanden sind:
Ungeeignete oder unsachgemäße Verwendung, fehlerhafte Montage oder Inbetriebsetzung durch den Besteller oder Dritte, natürliche Abnutzung, fehlerhafte oder nachlässige Behandlung - insbesondere übermäßige Beanspruchung - ungeeignete Betriebsmittel, Austauschwerkstoffe sowie physikalische und chemische Einflüsse, sofern sie nicht auf ein Verschulden der Calpeda Pumpen Vertrieb GmbH zurückzuführen sind.
4. Zur Vornahme aller der Calpeda Pumpen Vertrieb GmbH nach billigem Ermessen notwendig erscheinenden Ausbesserungen und Ersatzlieferungen hat der Besteller nach der Verständigung mit der Calpeda Pumpen Vertrieb GmbH die erforderliche Zeit und Gelegenheit zu geben, sonst ist die Calpeda Pumpen Vertrieb GmbH von der Mängelhaftung befreit.
5. Die Calpeda Pumpen Vertrieb GmbH kann die Beseitigung von Mängeln verweigern, solange der Besteller seine Pflichten nicht erfüllt hat.
6. Weitere Ansprüche des Bestellers, insbesondere ein Anspruch auf Ersatz von Schäden, die nicht an dem Liefergegenstand selbst entstanden sind, besteht nicht.

VIII. Rücktritt vom Vertrag

1. Der Besteller kann vom Vertrag zurücktreten, wenn der Calpeda Pumpen Vertrieb GmbH die gesamte Leistung vor Gefahrenübergang endgültig unmöglich wird.
2. Der Besteller hat ferner das Rücktrittsrecht, wenn die Calpeda Pumpen Vertrieb GmbH eine ihr gestellte angemessene Nachfrist für die Behebung oder Nachbesserung eines von ihr zu vertretenden Mangels im Sinne dieser Lieferbedingungen durch ihr Verschulden fruchtlos verstreichen läßt.
3. Für den Fall unvorhergesehener Ereignisse im Sinne des Abschnittes IV. der Lieferbedingungen, sofern sie die wirtschaftliche Bedeutung oder den Inhalt der Leistung erheblich verändern oder auf den Betrieb der Calpeda Pumpen Vertrieb GmbH erheblich einwirken, und für den Fall der sich nachträglich herausstellenden Unmöglichkeit der Ausführung steht der Calpeda Pumpen Vertrieb GmbH das Recht zu ganz oder teilweise vom Vertrag zurückzutreten.

IX. Gerichtsstand

Bei allen sich aus dem Vertragsverhältnis ergebenden Streitigkeiten ist die Klage bei dem Gericht zu erheben, das für den Sitz der Calpeda Pumpen Vertrieb GmbH zuständig ist. Die Calpeda Pumpen Vertrieb GmbH ist auch berechtigt, am Hauptsitz des Bestellers zu klagen. Erfüllungsort ist Alzenau.



Calpeda in the World

Calpeda Pumpen Vertrieb GmbH

Philipp-Reis-Straße 2
63755 Alzenau, Germany
Tel. +49 6023 964330
verkauf@calpeda.de

Calpeda Pompes S.A.

19, Rue de la Communauté
44140, Le Bignon, France
Tel. +33 2 40031330
info@calpeda.fr

Calpeda Ibérica S.A.

Pol. Ind. Ca n'Oller - C/Valencia 17-19 Nave 1
08130 Santa Perpetua de la Mogoda, Spain
Tel: +34 93 580 24 17
calpeda@calpedaiberica.com

Caprari Portugal LDA

Rua Matadouro Regional Lt 46 Armaz B/C,
Zona Industrial
2005-002 Santarém - Portugal
Tel. +351 243 350610
geral@caprariportugal.com

Calpeda Limited

6-8 Wedgwood Road, Ind. Estate
BICESTER, Oxon OX26 4UL, Great Britain
Tel. +44 1869 241441
pumps@calpeda.co.uk

Calpeda Pumps (Ireland) Ltd.

Unit 5, Old Quarry Campus -
Kilshane Park Blanchardstown
Co. Dublin 15, Ireland
Tel. +353 1 8612200
info@calpedaireland.com

Caprari Hellas SA

Industrial Area of Sindos - Municipality of Ehedorou
57022 Thessaloniki, Greece
Tel. +30 2310 797967
info@caprari.gr

Calpeda Pumps Southern Africa

Unit 3, Kingsley Close – Warbler Cl
7800 Cape Town, South Africa
Tel: +27 10 442 2200
pumps@calpeda.co.za

Calpeda S.p.A.

Via Roggia di Mezzo, 39 - 36050 Montorso Vicentino - Vicenza - Italy
Tel. + 39-0444 476 476 - Fax + 39-0444 476 477
Web: www.calpeda.com - E-mail: info@calpeda.it

Calpeda Pumps Pty Ltd

3 Maritime Court
SA 5013 Gillman, Australia
Tel. +61 8 82688880
sales@calpeda.com.au

Calpeda Malaysia Sdn Bhd

No 40, Jalan 5/KU6, Kaw Perindustrian Sg Puloh
42100 Klang Selangor, Malaysia
Tel: +60 3 3292 9022
enquiry@calpeda-asiapac.com

Calpeda Asia Pacific Pte Ltd

3, Gul Street 1
629316 SINGAPORE
Tel. +65 68984111
sales@calpeda-asiapac.com

Calpeda Pumps India Pvt Ltd

Sy nu.84/10 pallathal farm
RTO By pass Road,
Yelahanka Bengaluru-560064, India
Tel: +91 9480809570....79
info_india@calpeda.it

Calpeda Korea Co. Ltd.

508-B – 121, Digital-ro – Geumcheon-gu
08505 – Seoul Rep. of Korea
Tel: +82 31 4999550
calpedakr@calpedakorea.com

Calpeda China Beijing Pump Co. Ltd.

No.15-12A South Jingsheng Four Street
Liandong U Valley Science Park
Tongzhou District 101102 – Beijing – China
Tel: +86 10 59770570/71/72
calpeda@calpeda.cn

Calpeda Taiwan Co Ltd

No.367-1, Fongren Road, Renwu Township
81449 Kaohsiung County, Taiwan
Tel. +886 7 3723855
calpeda@calpeda.com.tw

Caprari Tunisia SA

Rue Annaba - Z. Ind.elle Ben Arous
2013 Ben Arous - Tunisia
Tel. +216 79 390001
tunisie@caprari.com

